





Luminaires



Symbols Guide

	350° rotation		Intelligent Lighting Product
	MR11 halogen dichroic lamp fitting		Energy Saving out of the box (No commissioning required)
	Product with slimline design		LED product
	Ingress protection rating - 54		XL-LED colour temperature 4000K
	Ingress protection rating - 55		XL-LED colour temperature 3000K
	Ingress protection rating - 65		
	Ingress protection rating - 66		
	Ingress protection rating - 67		
	Product with IRC lamp		
	Do It Yourself product		
	Energy Saving product		
	Electronic product		
	Glass is safe to touch in operation		
	Stainless steel construction		
	Product with inbuilt sensor		
	T5 fluorescent lamp product		
	Touch base for on/off		

Downlights

D

Low Voltage Downlights9

Heat Hood/Fireguard/ Installation Guide29

Accessories30

Low Voltage Downlight Kits32

Heat Hood Kits36

Fire Guard Kits39

240V Halogen Downlights40

240V Compact Fluorescent Downlights42

Main Voltage Downlights45

LED Downlights48

240V Fluorescent Downlights55


Metal Halide Downlights62

Metal Halide Downlight Kits67

Low Voltage Downlights & Gimbals

A small efficient and economical source of light suitable for use in many applications.

When a softer light is required this can be achieved through installation of a light dimmer



Cut-out: 70mm



DL21

- Fixed die-cast aluminium downlight
- Twist lock face
- Floating ceramic lampholder
- Spring clips


Suitable for 50W 12V MR16 halogen dichroic lamp

DL21W	White	CODE: 13726
DL21BR	Brass	CODE: 19643
DL21SC	Satin Chrome	CODE: 19654
DL21B	Black	CODE: 10604
DL21BE	Beige	CODE: 19645
DL21C	Chrome	CODE: 19647

DL21WF

- Fixed die-cast aluminium downlight
- Twist lock face
- Wide flange
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp



Cut-out: 95mm




DL21WF	White	CODE: 17812
DL21WFSC	Satin Chrome	CODE: 25267

DL23

- Gimbal die-cast aluminium downlight
- 45° adjustable tilt
- Twist lock face
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp



Cut-out: 90mm




DL23W	White	CODE: 13778
DL23BR	Brass	CODE: 18796
DL23SC	Satin Chrome	CODE: 18028
DL23B	Black	CODE: 13780
DL23BE	Beige	CODE: 19680
DL23C	Chrome	CODE: 19682

D

DL77K

- Gimbal die-cast aluminium downlight
- Wide flange
- 45° adjustable tilt
- Removable face
- Floating ceramic lampholder
- Steel clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL77KW	White	CODE: 10707
DL77KBR	Brass	CODE: 10704
DL77KSC	Satin Chrome	CODE: 15773
DL77KB	Black	CODE: 10701
DL77KC	Chrome	CODE: 10703

DL320L

- Gimbal die-cast aluminium downlight
- Removable fascia and separate pressed metal frame
- 30° adjustable tilt
- Removable face
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL320LW	White	CODE: 20688
DL320LSB	Satin Brass	CODE: 20686
DL320LSC	Satin Chrome	CODE: 20687

DL23R/350

- Gimbal die-cast aluminium downlight
- 45° adjustable tilt
- 350° rotation
- Twist lock face
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp



350°

DL23/350W	White	CODE: 19674
DL23/350SC	Satin Chrome	CODE: 19673



(See page 363)

Halogen Dichroic Lamps


Low voltage halogen dichroic lamps offer the following advantages:

- A brighter, crisper light than traditional incandescent lamps
- A significantly longer lamp life than old GLS lamps
- Precise and even light distribution
- An energy saving of around 20% compared to traditional incandescent lamps offering the same light output

DL242K

- Gimbal die-cast aluminium downlight
- Wide flange
- 45° adjustable tilt
- Removable face
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL242KW	White	CODE: 15178
DL242KSC	Satin Chrome	CODE: 18030

DL3RP

- Gimbal die-cast aluminium downlight
- Wide flange
- 45° adjustable tilt
- Removable face
- Floating ceramic lampholder
- Steel clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL3RPW	White	CODE: 19986
DL3RPSC	Satin Chrome	CODE: 19985

DL310

- Fixed die-cast aluminium downlight
- Removable fascia with separate pressed metal frame
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL310W	White	CODE: 20683
DL310SC	Satin Chrome	CODE: 20682
DL310SB	Satin Brass	CODE: 20681

DL212

- Centre tilt die-cast aluminium downlight
- 15° adjustable tilt
- Twist lock face
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL212W	White	CODE: 19630
DL212SC	Satin Chrome	CODE: 19626



DL010SS

- Centre tilt stainless steel downlight
- 316 grade stainless steel body and fascia
- 15° adjustable tilt
- Stainless steel lamp retaining clip
- Floating ceramic lampholder
- Stainless steel spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp



STAINLESS
STEEL




DL010SS	316 Stainless Steel	CODE: 24218
---------	---------------------	-------------

DL30L

- Centre tilt die-cast aluminium downlight
- Chrome lamp retaining clip
- 30° adjustable tilt
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL30LSC	Satin Chrome	CODE: 19816
---------	--------------	-------------

DL2R

- Eyeball pressed metal downlight
- 45° adjustable tilt
- Black serrated lamp clip
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL2RW	White	CODE: 19734
DL2RSC	Satin Chrome	CODE: 19733

DL24

- Fixed die-cast aluminium downlight
- Anti glare ribbed black plastic baffle
- Recessed lamp secured with clip
- Removable baffle
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL24W	White	CODE: 19659
DL24SC	Satin Chrome	CODE: 19655

DL25

- Centre tilt die-cast aluminium downlight
- 15° adjustable tilt
- Recessed lamp secured with clip
- Removable baffle
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL25W	White	CODE: 19631
DL25SC	Satin Chrome	CODE: 19629

DL307

- Wall washer die-cast aluminium downlight
- Adjustable eyelid for light direction
- Eyelid removes for lamp replacement
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL307W	White	CODE: 19813
--------	-------	-------------

DL312

- Fixed die-cast aluminium downlight
- Baffled and recessed lamp
- Pull out face
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL312W	White	CODE: 19829
--------	-------	-------------

D DL602

- Gimbal die-cast aluminium downlight
- Extendable gimbal
- 90° head tilt
- 350° head rotation
- Twist lock face
- Floating ceramic lampholder

Suitable for 50W 12V MR16 halogen dichroic lamp




350°

DL602W	White	CODE: 20162
DL602SC	Satin Chrome	CODE: 20161

DL4S

- Square gimbal die-cast aluminium downlight
- 35° adjustable tilt
- Round cut-out
- Removable face
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL4SW	White	CODE: 22838
DL4SB	Black	CODE: 22841
DL4SSC	Satin Chrome	CODE: 22840

DL4I

- Square fixed die-cast aluminium downlight
- Twist lock face
- Round cut-out
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL4IW	White	CODE: 25070
DL4ISC	Satin Chrome	CODE: 25071

DL44

- Square gimbal die-cast aluminium downlight
- 30° adjustable tilt
- Twist lock face
- Round cut-out
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp



DL44W	White	CODE: 25050
DL44SC	Satin Chrome	CODE: 25051




D

DL1004

- Fixed die-cast aluminium downlight
- Recessed lamp
- Pearl white trim
- Polished aluminium reflector
- Removable reflector for lamp replacement
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp



DL1004W/S


White/Silver

CODE: 19384

DL38L

- Centre tilt die-cast aluminium downlight
- Oval face
- Chrome lamp retaining clip
- 45° adjustable tilt
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp



DL38LSC


Satin Chrome

CODE: 19948

DL31L

- Fixed die-cast aluminium downlight
- Removable face
- Floating ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp



DL31LSC

Satin Chrome


CODE: 19837



DLI021

- Fixed downlight
- Die-cast aluminium face and pressed metal frame with spring clips
- Frosted glass lens with silicon seal
- IP54
- Removable face for lamp replacement
- Floating ceramic lampholder attached to terminal block

Suitable for 50W 12V MR16 open face halogen dichroic lamp




DLI021W	White	CODE: 19408
DLI021C	Chrome	CODE: 19406
DLI021SC	Satin Chrome	CODE: 19407

DL38S

- Centre tilt small downlight
- Die-cast aluminium face and die-cast frame
- 30° adjustable tilt
- Removable face
- Floating ceramic lampholder
- Spring clips

Suitable for 35W 12V MR11 halogen dichroic lamp



Cut-out: 50mm



MR11

DL38SSC


Satin Chrome

CODE: 19950

DL27S

- Fixed small downlight
- Die-cast aluminium face and die-cast frame
- Removable face
- Floating ceramic lampholder
- Spring clips

Suitable for 35W 12V MR11 halogen dichroic lamp



Cut-out: 50mm



MR11

DL27SSB


Satin Brass

CODE: 19713

DL31S

- Fixed small downlight
- Die-cast aluminium face and die-cast frame
- Removable face
- Floating ceramic lampholder
- Spring clips

Suitable for 35W 12V MR11 halogen dichroic lamp



Cut-out: 50mm



MR11

DL31SSB

Satin Brass

CODE: 19839

DL31SSC


Satin Chrome

CODE: 19840

DL30S

- Centre tilt small downlight
- Die-cast aluminium face and die-cast frame
- 15° adjustable tilt
- Removable face
- Floating ceramic lampholder
- Spring clips

Suitable for 35W 12V MR11 halogen dichroic lamp



Cut-out: 56mm



MR11

DL30SSB

Satin Brass

CODE: 19818

DL30SSC


Satin Chrome

CODE: 19819

DL26

- Fixed square downlight
- Matt silver trim
- Frosted glass diffuser
- Removable face
- Fixed ceramic lampholder
- Spring clips

Suitable for 50W 12V GY6.35 halogen bi-pin lamp



DL26S


Silver

CODE: 22803

DL32

- Fixed round downlight
- Matt silver trim and frosted glass diffuser
- Removable face
- Fixed ceramic lampholder
- Spring clips

Suitable for 50W 12V GY6.35 halogen bi-pin lamp



DL32S

Silver



CODE: 22804



DL35

- Fixed square downlight with curved housing
- Matt silver finish and ribbed reflector
- Removable internal frosted glass lens cover
- Removable face
- Fixed ceramic lampholder
- Solid spring clips

Suitable for 20W (maximum) 12V G4 halogen bi-pin lamp



DL35S


Silver

CODE: 22802

DL36

- Slimline fixed square downlight or step light
- Matt silver trim
- Frosted glass diffuser
- Removable face
- Fixed ceramic side entry lampholder with flying leads
- Solid spring clips

Suitable for 20W (maximum) 12V G4 halogen bi-pin lamp



SLIMLINE

DL36S

Silver


CODE: 22792



DL10

- Square adjustable downlight
- Deep baffle and recessed lamp
- Lamp may be tilted 10°
- Metal spring clips for lamp replacement
- Fixed ceramic lampholder
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp



Cut-out: 82mm x 70mm




DL10W	White/Black Baffle	CODE: 19723
DL10SC	Satin Chrome/Black Baffle	CODE: 19722
DL10S	Matt Silver/Black Baffle	CODE: 19721

DL20

- Twin adjustable downlight
- Deep baffle and recessed lamps
- Both lamps can be adjusted by 45°
- Metal spring clips
- Fixed ceramic lampholders
- Spring clips

Suitable for 2 x 50W 12V MR16 halogen dichroic lamps



Cut-out: 172mm x 70mm




DL20W	White/Black Baffle	CODE: 19718
DL20SC	Satin Chrome/Black Baffle	CODE: 19717
DL20S	Matt Silver/Black Baffle	CODE: 19716



DL51

- Rectangular adjustable downlight
- Deep baffle and recessed lamp
- Angled housing
- Lamp adjustable to 45°
- Metal lamp retaining clips
- Floating lampholder and spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL51S	Matt Silver/Black Baffle	CODE: 22799
-------	--------------------------	-------------

DL52

- Twin rectangular semi-adjustable downlight
- Deep baffle and recessed lamps
- Side light is adjustable
- Metal lamp retaining clips
- Floating ceramic lampholders attached to terminal block
- Two spring clips and two solid clips

Suitable for 2 x 50W 12V MR16 halogen dichroic lamps




DL52S	Matt Silver/Black Baffle	CODE: 22793
-------	--------------------------	-------------

DL33

- Three light rectangular adjustable downlight
- Deep baffle and recessed lamps
- All lamps adjustable to 45°
- Removable metal spring clips for lamp replacement
- Fixed ceramic lampholders
- Spring clips

Suitable for 3 x 50W 12V MR16 halogen dichroic lamps




DL33SC	Satin Chrome/Black Baffle	CODE: 22798
DL33S	Matt Silver/Black Baffle	CODE: 22797

DL40

- Four light square adjustable downlight
- Deep baffle and recessed lamps
- All lamps adjustable to 45°
- Removable metal spring clips for lamp replacement
- Fixed ceramic lampholders
- Spring clips

Suitable for 4 x 50W 12V MR16 halogen dichroic lamps





DL40SC	Satin Chrome/Black Baffle	CODE: 22796
DL40S	Matt Silver/Black Baffle	CODE: 22795



DLT20C

- Triangular under cabinet light
- Surface mounted
- Glass diffuser
- Brushed chrome housing with polished aluminium reflector
- Includes 1 x 20W 12V G4 halogen bi-pin lamp




DLT20C	Brushed Chrome	CODE: 26109
--------	----------------	-------------

DL91 STARLIGHT

- Die-cast aluminium 'Starlight Twinkle' downlight
- Designed for special effects lighting
- Lamp pulls out for replacement
- Fixed ceramic lampholder
- Spring clips

Suitable for 20W (maximum) 12V G4 halogen bi-pin lamp




DL91C	Chrome	CODE: 10750
-------	--------	-------------

DL90 MINI STARLIGHT

- Fixed metal mini downlight
- Small and compact
- Inbuilt reflector
- Ceramic lampholder
- Spring clips


Suitable for 10W (maximum) 12V G4 halogen bi-pin lamp



DL90W	White	CODE: 25472
DL90BR	Brass	CODE: 25474
DL90SC	Satin Chrome	CODE: 25473

DL888M

- Fixed under shelf halogen downlight
- Quality metal construction
- Faceted silver reflector
- May be recessed or surface mounted
- Frosted glass
- Inner ring clips out for lamp replacement
- Fixed lampholder
- Steel clips
- Includes 20W 12V halogen G4 halogen bi-pin lamp




DL888MW	White	CODE: 22776
DL888MB	Black	CODE: 22777
DL888MBR	Brass	CODE: 22779
DL888MC	Chrome	CODE: 22778
DL888MSC	Satin Chrome	CODE: 22775

K3DL888M

DL888M low voltage under shelf downlight kit containing the following:

- 3 x DL888M low voltage cabinet/under shelf downlights complete with mounting rings
- 60VA dimmable electronic transformer with 1.2m flex and plug
- 95cm long leads which attach to each downlight
- Quick connect plug for connecting lead sets to transformer
- 3 x 12V 20W G4 halogen bi-pin lamps
- Kit is packaged in a coloured retail blister pack with instructions for 'Do It Yourself' assembly



K3DL888MW	White	CODE: 23915
K3DL888MSC	Satin Chrome	CODE: 23916



DL397/3SC

- Surface mounted halogen under shelf downlight
- Pressed metal base with plastic end enclosures
- Satin chrome metal face cover
- 3 silver reflectors with fixed G4 lamp bases
- Removable frosted glass diffusers
- On/off switch
- Osram haltronic 35-120W trailing edge dimmable ELV transformer
- Includes 3 x 20W G4 halogen bi-pin lamps



DL397/3SC	Satin Chrome	CODE: 25913
-----------	--------------	-------------


Heat Hood Downlights

D

DL236

- Fixed square die-cast aluminium downlight
- Round cut-out
- Recessed lamp with adjustable tilt
- Twist lock face
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp




DL236W	White	CODE: 25045
DL236S	Silver	CODE: 25046

DL45

- Fixed square die-cast aluminium downlight
- Round cut-out
- Recessed lamp with adjustable tilt
- Bayonet lock lamp retainer
- Spring clips

Suitable for 50W 12V MR16 halogen dichroic lamp



DL45W	White/Black Baffle	CODE: 25226
DL45S	Silver/Black Baffle	CODE: 25227



Heat Hood Downlights

The aluminium safety heat hood shrouds the heat projected backwards by the halogen lamp from impinging on any flammable material.

It provides a safe distance from all types of insulation in the roof cavity when installed in accordance with AS/NZS 3000 wiring rules.




D

DLHH21

- Safety heat hood fixed low voltage downlight
- Die-cast aluminium with twist lock face
- Aluminium heat hood braised to downlight
- Spring clips
- Floating ceramic lampholder with teflon coated leads

Suitable for 50W 12V MR16 halogen dichroic lamp




DLHH21W	White	CODE: 25739
DLHH21SC	Satin Chrome	CODE: 25740
DLHH21C	Chrome	CODE: 26009
DLHH21BR	Brass	CODE: 26010
DLHH21B	Black	CODE: 26011

DLHH23

- Safety heat hood gimbal low voltage downlight
- Die-cast aluminium with twist lock face
- Aluminium heat hood braised to downlight
- Spring clips
- Floating ceramic lampholder with teflon coated leads

Suitable for 50W 12V MR16 halogen dichroic lamp




DLHH23W	White	CODE: 25741
DLHH23SC	Satin Chrome	CODE: 25742
DLHH23C	Chrome	CODE: 26012

DLHH77

- Safety heat hood gimbal low voltage downlight
- Die-cast aluminium with removable face
- Aluminium heat hood braised to downlight
- Spring Clips
- Floating ceramic lampholder with teflon coated leads

Suitable for 'Alustar' 50W MR16 aluminium backed halogen lamp




DLHH77W	White	CODE: 25954
DLHH77SC	Satin Chrome	CODE: 25955

D

DLHH41

- Safety heat hood fixed low voltage square downlight
- Die-cast aluminium with twist lock face
- Aluminium heat hood braised to downlight
- Spring clips
- Round cut-out
- Floating ceramic lampholder with teflon coated leads

Suitable for 50W 12V MR16 halogen dichroic lamp




DLHH41W	White	CODE: 26014
DLHH41SC	Satin Chrome	CODE: 26013


DLHH44

- Safety heat hood gimbal low voltage square downlight
- Die-cast aluminium with twist lock face
- Aluminium heat hood braised to downlight
- Spring clips
- Round cut-out
- Floating ceramic lampholder with teflon coated leads

Suitable for 50W 12V MR16 halogen dichroic lamp



DLHH44W	White	CODE: 26022
DLHH44SC	Satin Chrome	CODE: 26023






DLHH21E

- Compact safety heat hood fixed low voltage downlight
- Die-cast aluminium with twist lock face
- Aluminium heat hood braised to downlight
- Spring clips
- Floating ceramic lampholder with teflon coated leads

Suitable for 50W/12V MR16 halogen dichroic lamp




DLHH21WE	White	CODE: 26052
DLHH21SCE	Satin Chrome	CODE: 26053




DLHH23E

- Compact safety heat hood gimbal low voltage downlight
- Die-cast aluminium with twist lock face
- Aluminium heat hood braised to downlight
- Spring clips
- Floating ceramic lampholder with teflon coated leads

Suitable for 50W/12V MR16 halogen dichroic lamp



DLHH23WE	White	CODE: 26054
DLHH23SCE	Satin Chrome	CODE: 26055



Fireguard Downlights


A commercial low voltage downlight suitable for preventing the spread of fire in ceilings. The downlight also provides the roof space with additional protection from the heat of the halogen lamp impinging on any flammable materials when installed in accordance with AS/NZS 3000 wiring rules.



DLFG1001

- Fire Guard fixed low voltage downlight
- Die-cast DL21 downlight with twist lock face
- Aluminium 100 minute fire rated cylinder with inbuilt protection against spreading of fire
- Approved to British standard BS476 Part 23
- Spring clips
- Floating ceramic lampholder with teflon coated leads
- Includes 600mm lead for connection to transformer

Suitable for 'Alustar' 50W MR16 aluminium backed halogen lamp




DLFG1001WL	White	CODE: 25920
DLFG1001SCL	Satin Chrome	CODE: 25921

DLFG1002

- Fire Guard gimbal low voltage downlight
- Die-cast DL23 downlight with twist lock face
- Aluminium 100 minute fire rated cylinder with inbuilt protection against spreading of fire
- Approved to British standard BS476 Part 23
- Spring clips
- Floating ceramic lampholder with teflon coated leads
- Includes 600mm lead for connection to transformer

Suitable for 'Alustar' 50W MR16 aluminium backed halogen lamp



DLFG1002WL	White	CODE: 25922
DLFG1002SCL	Satin Chrome	CODE: 25923




HEAT HOOD AND FIRE GUARD INSTALLATION GUIDE

Crompton Heat Hood and Fire Guard halogen downlights can be installed on any firm and stable horizontal surface. Full instructions are supplied with the product and special reference should be made to the 'Safety Warnings' regarding installation.

The current Australian/New Zealand Wiring Rules AS/NZS 3000 stipulate a minimum clearance for halogen recessed downlights of 200mm between the downlight and structural members, thermal insulation and any other substance, unless the luminaire has a suitable fire resistant enclosure.

Due to the aluminium heat hood and fire guard cylinder acting as a heat sink and providing fire resistance, a minimum clearance of 25mm between the downlight and structural members, thermal insulation that is fixed in position and any other normally flammable substance, is considered suitable and safe for these products.



POSITIONING THE ELV TRANSFORMER

The electronic ELV transformer must be positioned and fixed in a well ventilated location, not directly above the downlight and free from direct contact with any insulating materials, strictly in accordance with the Australian/New Zealand Wiring Rules AS/NZS 3000. The length of the ELV transformer secondary wires must separate the lamp holder and the ELV transformer by a minimum of 25cm, otherwise the ELV transformer may overheat and shut off.

DIMENSIONS


Height: ~ Heat Hood 100mm ~ Fire Guard 105mm
Nominal cut-out: ~ Heat Hood - DL21 72mm, DL23 92mm
~ Fire Guard - DL21 72mm, DL23 83mm

Actual downlight must be checked for final cut-out dimension and Crompton will not accept any liability for incorrect installation cut-outs.

D

DL21AP


- Pressed metal downlight adaptor plate
- To suit DL21 downlight only
- For the conversion of traditional sized 240V downlights to 12V downlights
- Suitable for use in cut-out holes ranging from 74mm to 150mm



DL21APW	White	CODE: 19642
DL21APBR	Brass	CODE: 19639
DL21APC	Chrome	CODE: 19640
DL21APSC	Satin Chrome	CODE: 19641

DL23AP


- Pressed metal downlight adaptor plate
- To suit DL23 gimbal ONLY
- For the conversion of traditional sized 240V downlights to 12V downlights
- Suitable for use in cut-out holes ranging from 93mm to 150mm



DL23APW	White	CODE: 19973
DL23APBR	Brass	CODE: 19970
DL23APC	Chrome	CODE: 19971
DL23APSC	Satin Chrome	CODE: 19972

DLCON

- Aluminium can for use when installing low voltage transformers in concrete ceilings
- Suitable for use with gimbal downlights
- Complete with aluminium lid



DLCON	Aluminium	CODE: 20645
-------	-----------	-------------

LAMP HOLDERS

European GX5.3 low voltage lampholder and lead sets

- Ceramic push in lampholder
- Silicon insulated leads are crimped to lamp holder
- Suitable for use with low voltage downlights
- Available in a range of lead lengths



LH30012V	25cm Lead	CODE: 13733
LH60012V	60cm Lead	CODE: 22128
LH120012V	1.2m Lead	CODE: 17738
LH150012V	1.5m Lead	CODE: 17840
LH200012V	2m Lead	CODE: 17829

FLEX & PLUG


- Grey three core 1.7m flex and plug
- Grey three core round earth pin 1.5m flex and plug
- Black two core 1.2m flex and plug



FLEX & PLUG	3 Core 1.7m	Grey	CODE: 15188
FLEX & PLUG	3 Core 1.5m	Grey	CODE: 15189
FLEX & PLUG	2 Core 1.2m	Black	CODE: 22485

HGDL21


- Pressed metal heat resistant aluminium
- Stepped cone shaped cylinder
- Slotted vent holes
- Retaining clip slots
- Cable entry hole
- Suitable for most open type fixed downlights



HGDL21-1P	Aluminium (1 Pack)	CODE: 26269
HGDL21-6P	Aluminium (6 Pack)	CODE: 26271


HGDL23

- Pressed metal heat resistant aluminium
- Stepped cone shaped cylinder
- Slotted vent holes
- Retaining clip slots
- Cable entry hole
- Suitable for most open type gimbal downlights



HGDL23-1P	Aluminium (1 Pack)	CODE: 26268
HGDL23-6P	Aluminium (6 Pack)	CODE: 26270

Heat Guard Application



Ideal for most installations of downlights which do not have a heat hood. Must be installed by a licensed electrician in accordance with AS/NZS3000 wiring rules. Clearance of only 25mm required

Fixed Electronic Low Voltage Downlight Kits

D



KEDL21 KITS

Electronic low voltage downlight kits containing the following:

- DL21 fixed twist lock downlight and lampholder
- Crompton CBC60 60VA electronic low voltage transformer
- Cromstar Plus FNV 12V MR16 halogen lamp
- Coloured retail box

E

ELECTRONIC

KEDL21WHC	White	CBC60 HW	CODE: 24715
KEDL21WFC	White	CBC60 F&P	CODE: 24722

KEDL21VI KITS

Electronic low voltage downlight kits containing the following:

- DL21 fixed twist lock downlight and lampholder
- VIPER 60VA electronic low voltage hardwired transformer
- Crompton IRC FNV 12V MR16 halogen lamp
- Coloured retail box

E

ELECTRONIC



KEDL21WHWVI	White	VIPER HW	CODE: 26505
KEDL21SCHWVI	Satin Chrome	VIPER HW	CODE: 26506



KEDL41 KITS

Electronic low voltage downlight kits containing the following:

- DL41 fixed twist lock round downlight in square face and lampholder
- Round cut-out
- 60VA electronic low voltage transformer
- Cromstar Plus FNV 12V MR16 halogen lamp
- Coloured retail box

E

ELECTRONIC

KEDL41WHC	White	Crompton HW	CODE: 25055
KEDL41SCHC	Satin Chrome	Crompton HW	CODE: 25057
KEDL41WFC	White	Crompton F&P	CODE: 25056
KEDL41SCFC	Satin Chrome	Crompton F&P	CODE: 25058

Gimbal Electronic Low Voltage Downlight Kits



KEDL23 KITS

Electronic low voltage downlight kits containing the following:

- DL23 gimbal twist lock downlight and lampholder
- Crompton CBC60 60VA electronic low voltage transformer
- Cromstar Plus FNV 12V MR16 halogen lamp
- Coloured retail box

E ELECTRONIC

KEDL23WHC	White	CBC60 HW	CODE: 24717
KEDL23SCHC	Satin Chrome	CBC60 HW	CODE: 24718
KEDL23WFC	White	CBC60 F&P	CODE: 24724
KEDL23SCFC	Satin Chrome	CBC60 F&P	CODE: 24725

KEDL23 KITS

Electronic low voltage downlight kits containing the following:

- DL23 gimbal twist lock downlight and lampholder
- POSSUM 60VA electronic low voltage flex & plug transformer
- Cromstar Plus FNV 12V MR16 halogen lamp
- Coloured retail box

E ELECTRONIC

KEDL23WFP	White	POSSUM F&P	CODE: 24744
KEDL23SCFP	Satin Chrome	POSSUM F&P	CODE: 24821

KEDL23V KITS

Electronic low voltage downlight kits containing the following:

- DL23 gimbal twist lock downlight and lampholder
- VIPER 60VA electronic low voltage transformer
- Cromstar FNV 12V MR16 halogen lamp
- Coloured retail box

E ELECTRONIC

KEDL23WHV	White	VIPER HW	CODE: 25564
KEDL23WV	White	VIPER F&P	CODE: 25700

KEDL23VI KITS

Electronic low voltage downlight kits containing the following:

- DL23 gimbal twist lock downlight and lampholder
- VIPER 60VA electronic low voltage transformer
- Crompton IRC FNV 12V MR16 halogen lamp
- Coloured retail box

E ELECTRONIC



KEDL23WHWVI	White	VIPER HW	CODE: 26507
KEDL23SCHWVI	Satin Chrome	VIPER HW	CODE: 26508
KEDL23WFVI	White	VIPER F&P	CODE: 26509
KEDL23SCFVI	Satin Chrome	VIPER F&P	CODE: 26510

Gimbal Electronic Low Voltage Downlight Kits

D



KEDL010SS KITS

Electronic low voltage downlight kits containing the following:

- DL010SS stainless steel gimbal downlight and lampholder
- 60VA electronic low voltage transformer
- Cromstar Plus FNV 12V MR16 halogen lamp
- Coloured retail box

E
ELECTRONIC

STAINLESS
STEEL

KEDL010SSHC Stainless Crompton HW CODE: 24559



KEDL77K KITS

Electronic low voltage downlight kits containing the following:

- DL77K removable face wide flange gimbal downlight and lampholder
- POSSUM 60VA electronic low voltage transformer
- Cromstar Plus FNV 12V MR16 halogen lamp
- Coloured retail box

E
ELECTRONIC

KEDL77KWFP White POSSUM F&P CODE: 24820

Gimbal Electronic Low Voltage Downlight Kits



KEDL4S KITS

Electronic low voltage downlight kits containing the following:

- DL4S removable face square gimbal downlight and lampholder
- POSSUM 60VA electronic low voltage transformer
- Round cut-out
- Cromstar Plus FNV 12V MR16 halogen lamp
- Coloured retail box

E ELECTRONIC

KEDL4SWHP	White	POSSUM HW	CODE: 24932
KEDL4SSCHP	Satin Chrome	POSSUM HW	CODE: 24945
KEDL4SWFP	White	POSSUM F&P	CODE: 24948
KEDL4SSCFP	Satin Chrome	POSSUM F&P	CODE: 24949



KEDL44 KITS

Electronic low voltage downlight kits containing the following:

- DL44 twist lock round gimbal downlight in square face and lampholder
- Round cut-out
- 60VA electronic low voltage transformer
- Cromstar Plus FNV 12V MR16 halogen lamp
- Coloured retail box


E ELECTRONIC

KEDL44WHC	White	Crompton HW	CODE: 25155
KEDL44SCHC	Satin Chrome	Crompton HW	CODE: 25157
KEDL44WFC	White	Crompton F&P	CODE: 25156
KEDL44SCFC	Satin Chrome	Crompton F&P	CODE: 25158

Heat Hood Fixed Downlight Kits

All Heat Hood Kits include:

- Aluminium heat hood braised to fixed downlight
- Spring clips
- Floating ceramic lampholder with teflon coated leads



HEAT HOOD KITS - DL21 DOWNLIGHT



- Crompton CBC60 ELV transformer hardwired
- 'Alustar' 50W 12V GC FNV MR16 aluminium backed halogen lamp

KEDLHH21W	White	CODE: 25916
KEDLHH21SC	Satin Chrome	CODE: 25917

- Crompton CBC60 ELV transformer with flex and plug
- 'Alustar' 50W 12V GC FNV MR16 aluminium backed halogen lamp

KEDLHH21WFP	White	CODE: 25898
KEDLHH21SCFP	Satin Chrome	CODE: 25899

- Crompton CBC60 ELV transformer hardwired
- Crompton IRC 35W 12V GC FNV MR16 halogen lamp



KEDLHH21WHWC1	White	CODE: 26511
KEDLHH21SCHWC1	Satin Chrome	CODE: 26512

- VIPER ELV transformer hardwired
- Crompton IRC 35W 12V GC FNV MR16 halogen lamp




KEDLHH21WHWV1	White	CODE: 26517
KEDLHH21SCHWV1	Satin Chrome	CODE: 26518

Heat Hood Gimbal Downlight Kits

All Heat Hood Kits include:

- Aluminium heat hood braised to gimbal downlight
- Spring clips
- Floating ceramic lampholder with teflon coated leads



HEAT HOOD KITS - DL23 DOWNLIGHT

E
ELECTRONIC

- Crompton CBC60 ELV transformer hardwired
- 'Alustar' 50W 12V GC FNV MRI 6 aluminium backed halogen lamp

KEDLHH23WHW	White	CODE: 25918
KEDLHH23SCHW	Satin Chrome	CODE: 25919

- Crompton CBC60 ELV transformer with flex and plug
- 'Alustar' 50W 12V GC FNV MRI 6 aluminium backed halogen lamp

KEDLHH23WFP	White	CODE: 25900
KEDLHH23SCFP	Satin Chrome	CODE: 25901



D

HEAT HOOD KITS - DL23 DOWNLIGHT

E
ELECTRONIC

- VIPER ELV transformer hardwired
- 'Cromstar Plus' 50W 12V GC FNV MR16 halogen dichroic lamp

KEDLHH23WHWW	White	CODE: 25936
KEDLHH23SCHWW	Satin Chrome	CODE: 25937

- VIPER ELV transformer with flex and plug
- 'Cromstar Plus' 50W 12V GC FNV MR16 halogen dichroic lamp

KEDLHH23WFPV	White	CODE: 25988
KEDLHH23SCFPV	Satin Chrome	CODE: 25989

- Crompton CBC60 ELV transformer hardwired
- Crompton IRC 35W 12V GC FNV MR16 halogen lamp



KEDLHH23WHWC I	White	CODE: 26513
KEDLHH23SCHWC I	Satin Chrome	CODE: 26514

- Crompton CBC60 ELV transformer with flex and plug
- Crompton IRC 35W 12V GC FNV MR16 halogen lamp



KEDLHH23WFCI	White	CODE: 26515
KEDLHH23SCFCI	Satin Chrome	CODE: 26516

- VIPER ELV transformer hardwired
- Crompton IRC 35W 12V GC FNV MR16 halogen lamp




KEDLHH23WHWVI	White	CODE: 26206
KEDLHH23SCHWVI	Satin Chrome	CODE: 26314

- VIPER ELV transformer with flex and plug
- Crompton IRC 35W 12V GC FNV MR16 halogen lamp



KEDLHH23WFVI	White	CODE: 26204
KEDLHH23SCFVI	Satin Chrome	CODE: 26205




Fire Guard Downlight Kits

All fireguard Kits include:

- Aluminium 100 minute fire rated cylinder with inbuilt protection against spreading of fire
- Approved to British standard BS476 Part 23
- Spring clips
- Floating ceramic lampholder with teflon coated leads



D




Cut-out: 72mm

FIREGUARD KITS - DL21 DOWNLIGHT



- Crompton transformer with flex and plug
- 'Alustar' 50W 12V GC FNV MR16 aluminium backed halogen lamp

KEDLFG1001W	White	CODE: 25650
KEDLFG1001SC	Satin Chrome	CODE: 25651



Cut-out: 83mm

FIREGUARD KITS - DL23 DOWNLIGHT




- Crompton transformer with flex and plug
- 'Alustar' 50W 12V GC FNV MR16 aluminium backed halogen lamp

KEDLFG1002W	White	CODE: 25654
KEDLFG1002SC	Satin Chrome	CODE: 25655

DLMHH23

- Safety heat hood gimbal 240V GU10 downlight
- Die-cast DL23 downlight with twist lock face
- Aluminium heat hood braised to downlight
- Spring Clips
- Terminal block attached to floating ceramic GU10/GZ10 lampholder
- 1.5 metre flex and three pin plug

Suitable for 50W 240V GU10 halogen lamp




DLMHH23W	White	CODE: 26017
DLMHH23SC	Satin Chrome	CODE: 26018

DLM310

- Fixed die-cast aluminium downlight
- Removable fascia and separate pressed metal frame
- Removable face
- Floating ceramic lampholder with terminal block attached to metal bracket
- Spring clips

Suitable for 50W 240V GU10 halogen lamp




DLM310W	White	CODE: 19826
DLM310SC	Satin Chrome	CODE: 19825

DLM320

- Gimbal die-cast aluminium downlight
- Removable fascia and separate pressed metal frame
- 30° adjustable tilt
- Removable face
- Floating ceramic lampholder with terminal block attached to metal bracket
- Spring clips

Suitable for 50W 240V GU10 halogen lamp




DLM320W	White	CODE: 19851
DLM320SBR	Satin Brass	CODE: 19849
DLM320SC	Satin Chrome	CODE: 19850

DLM21

- Fixed die-cast aluminium downlight
- Twist lock face
- Floating lampholder with terminal block attached to metal bracket
- Spring clips

Suitable for 50W 240V GU10 halogen lamp




DLM21W	White	CODE: 19660
DLM21SC	Satin Chrome	CODE: 25191



KDLM21

Fixed DLM21 GU10 downlight kit containing the following:

- DLM21 die-cast aluminium downlight with twist lock face
- 50W 240V GU10 halogen lamp




KDLM21W	White	CODE: 25181
KDLM21SC	Satin Chrome	CODE: 25182

DLM23

- Gimbal die-cast aluminium downlight
- Twist lock face
- 45° adjustable tilt
- Floating ceramic lampholder with terminal block attached to metal bracket
- Spring clips

Suitable for 50W 240V GU10 halogen lamp




DLM23W	White	CODE: 19688
DLM23SC	Satin Chrome	CODE: 25192

KDLM23

Gimbal DLM23 GU10 downlight kit containing the following:


- DLM23 die cast aluminium gimbal downlight with twist lock face
- 50W 240V GU10 halogen lamp



KDLM23W	White	CODE: 25183
KDLM23SC	Satin Chrome	CODE: 25184

D KLS21GUI011W

- DLM21 fixed energy saving GU10 downlight kit containing the following:
- DLM21 die-cast fixed aluminium downlight with twist lock face
 - Terminal block on stand off bracket
 - 11W 240V GU10 5000K 8000 hour compact fluorescent lamp




ENERGY
SAVING

KLS21WGU1011W	White	CODE: 25583
KLS21SCGU1011W	Satin Chrome	CODE: 25584

KLS23GUI011W

- DLM23 gimbal energy saving GU10 downlight kit containing the following:
- DLM23 die-cast gimbal aluminium downlight with twist lock face
 - Terminal block on stand off bracket
 - 11W 240V GU10 5000K 8000 hour compact fluorescent lamp




ENERGY
SAVING

KLS23WGU10	White	CODE: 25464
KLS23SCGU10	Satin Chrome	CODE: 25465

KLS23GU1018W

- DLM23 gimbal energy saving GU10 downlight kit containing the following:
- DLM23 die-cast gimbal aluminium downlight with twist lock face
 - Terminal block on stand off bracket
 - 18W 240V GU10 3000K 8000 hour compact fluorescent lamp
- OR
- 18W 240V GU10 5000K 8000 hour compact fluorescent lamp



ENERGY
SAVING

KLS23WGU1018W3K	White	CODE: 25765
KLS23SCGU1018W3K	Satin Chrome	CODE: 25766
KLS23WGU1018W5K	White	CODE: 25716
KLS23SCGU1018W5K	Satin Chrome	CODE: 25717

CLLSGX537W KIT

- Energy saving cabinet light kit
- Fixed cabinet light
 - Painted polymer
 - 85mm base
 - Includes 500mm lead
 - Built-in electronic ballast
 - Includes 1 x 7W GX53 fluorescent lamp




ENERGY
SAVING

E
ELECTRONIC

CLLSGX537W	White	CODE: 25686
------------	-------	-------------

CLSK3PDL7B-W


- 'Do It Yourself' 3 light fluorescent cabinet light kit
- White PBT cabinet light housings
- 3 way KSP connector
- NLS connector attached to each cabinet light
- 2 metre flex and plug
- Includes 3 x 7W GX53 4200K fluorescent lamps



CLSK3PDL7BW	White	CODE: 25891
-------------	-------	-------------

CLSPDL7B-W


- Surface mounted GX53 fluorescent cabinet light
- White PC body
- 2 metre flex and plug
- Includes 1 x 7W GX53 4200K fluorescent lamp



CLSPDL7BW	White	CODE: 25892
-----------	-------	-------------

CLSPDL7C-W


- Recessed GX53 fluorescent cabinet light kit
- White PBT plastic body
- Clear prismatic diffuser
- Lampholder attached to 0.5m flexible sheathed cord
- Floating terminal block
- Mounting screws and suction cup for lamp replacement
- Includes 1 x 7W GX53 4200K fluorescent lamp



CLSPDL7CW	White	CODE: 25889
-----------	-------	-------------

CLSMDL7E


- GX53 fluorescent cabinet light
- Pressed metal body with satin nickel finish
- Includes 1 x 7W GX53 4200K fluorescent lamp



CLSMDL7E	Satin Chrome	CODE: 25894
----------	--------------	-------------

DLLSGX53 I I


- Fixed die-cast aluminium downlight
- Satin chrome fascia
- Spring clips
- Includes 1 x 11W 4000K GX53 compact fluorescent lamp



DLLSGX53 I IW	White	CODE: 26089
DLLSGX53 I ISC	Satin Chrome	CODE: 26090

DLSB155K

- Horizontal 15W CFL fixed downlight
- Painted die-cast aluminium frame
- Polished aluminium reflector
- Glass diffuser
- Ceramic lamp holder and terminal block
- Suitable for up-to 12mm ceiling thickness
- Nominal cut-out is 92mm
- Includes 1 x compact fluorescent 15W 5000K ES lamp




ENERGY
SAVING



DLSB15W5K	White	CODE: 26235
DLSB15SC5K	Satin Chrome	CODE: 26233

DLSB153K

- Horizontal 15W CFL fixed downlight
- Painted die-cast aluminium frame
- Polished aluminium reflector
- Glass diffuser
- Ceramic lamp holder and terminal block
- Suitable for up-to 12mm ceiling thickness
- Nominal cut-out is 92mm
- Includes 1 x compact fluorescent 15W 3000K ES lamp




ENERGY
SAVING



DLSB15W3K	White	CODE: 26234
DLSB15SC3K	Satin Chrome	CODE: 26232

DLSB23

- Horizontal 23W CFL fixed downlight
- Painted die-cast aluminium frame
- Polished aluminium reflector
- Glass diffuser
- Ceramic lamp holder
- Thermoplastic terminal block
- Suitable for up-to 12mm ceiling thickness
- Nominal cut-out is 120mm



ENERGY
SAVING




Suitable for 1 x compact fluorescent 23W 3000K ES lamp

DLSB23W	White	CODE: 26322
DLSB23SC	Satin Chrome	CODE: 26323

DLM74

- Fixed aluminium downlight
- Lamp protrudes from rim of fitting
- Fixed ceramic lampholder in push in adaptor
- Metal clips (assembly required)




Suitable for maximum 75W R80 ES reflector lamp
Or
15W compact fluorescent reflector ES lamp

DLM74W	White	CODE: 19265
DLM74BR	Brass	CODE: 19261
DLM74SC	Satin Chrome	CODE: 22823

DLM80

- Fixed aluminium downlight
- Fixed ceramic lampholder in push in adaptor
- Metal clips (fully assembled)

Suitable for maximum 75W R80 ES reflector lamp
Or
15W compact fluorescent reflector ES lamp




DLM80W	White	CODE: 17746
--------	-------	-------------

DLM75

- Fixed downlight
- Clip lock front
- Choice of cone shaped polished aluminium reflector or white aluminium reflector
- Fixed ceramic lampholder in push in adaptor
- Metal clips (assembly required)

Suitable for maximum 75W R80 ES reflector lamp
Or
15W compact fluorescent reflector ES lamp




DLM75W	White	CODE: 19268
DLM75W/S	White/Silver	CODE: 19270
DLM75S	Silver	CODE: 19267

DLM100

- Fixed aluminium downlight
- Choice of cone shaped polished aluminium reflector or white aluminium reflector
- Fixed ceramic lampholder in push in adaptor
- Metal clips (assembly required)

Suitable for maximum 75W R80 ES reflector lamp
Or
15W compact fluorescent reflector ES lamp




DLM100W	White	CODE: 19244
DLM100W/S	White/Silver	CODE: 19247
DLM100S	Silver	CODE: 19243

DLM910

- Fixed downlight
- Ribbed white baffle
- Fixed ceramic lampholder in push in adaptor
- Metal clips (assembly required)

Suitable for maximum 75W R80 ES reflector lamp
Or
15W compact fluorescent reflector ES lamp




DLM910W	White/White Baffle	CODE: 19289
---------	--------------------	-------------

DLM78

- Fixed downlight
- Ribbed baffle in choice of colours
- Fixed ceramic lampholder in push in adaptor
- Metal clips (assembly required)

Suitable for maximum 75W R80 ES reflector lamp
Or
15W compact fluorescent reflector ES lamp




DLM78W/W	White/White Baffle	CODE: 19278
DLM78W/B	White/Black Baffle	CODE: 19276
DLM78SC/B	Satin Chrome/Black Baffle	CODE: 22827

DLM915

- Fixed downlight
- Frosted floating glass diffuser
- Clip lock front
- Fixed ceramic lampholder in push in adaptor
- Metal clips (assembly required)

Suitable for maximum 52W 240V ES lamp




DLM915W/FR	White/Frost	CODE: 19292
DLM915SC/FR	Satin Chrome/Frost	CODE: 19291

DLM917

- Fixed downlight
- Frosted floating glass diffuser
- Clip lock front
- Fixed ceramic lampholder in push in adaptor
- Metal clips (assembly required)

Suitable for maximum 70W 240V ES lamp

Or
15W compact fluorescent ES lamp




DLM917W/FR	White/Frost	CODE: 19298
DLM917SC/FR	Satin Chrome/Frost	CODE: 19297



DLM805

- Fixed square downlight with round cut-out
- Die-cast aluminium with powder coated finish
- Fixed lamp holder with terminal block attached to metal bracket
- Solid spring clips

Suitable for maximum 75W 240V ES R80 reflector lamp




DLM805W	White	CODE: 25043
DLM805S	Silver	CODE: 25044

DLC733

- Ceiling mounted downlight
- High quality aluminium construction
- UV glass diffuser
- Ceramic lampholder
- IP44

Suitable for maximum 75W 240V ES PAR30 lamp



DLC733S	Silver	CODE: 24905
DLC733W	White	CODE: 24904



LED Downlights

Recent developments of white LED's (Light Emitting Diode) and legislative requirements have prompted the lighting industry to take advantage of this energy efficient light source. With careful thermal management, LED Downlights can be a cost effective solution.

LED Life

Most manufacturers report 50,000 hours average rated life for LED lamps. In most cases, the lamps will last longer than 50,000 hours, however the light degrades over time. Generally, LED lamps no longer produce useful light after 50,000 hours. LED lamp life can be affected by inefficient drivers and ambient temperature above the manufacturers' recommendation. All LED fittings should have a heatsink to keep heat away from the semiconductor junction and maintain long life.


'diode' LED LAMP **iLP**

Features:

- 3 x 1W LED MR16 bulb with GU5.3 base
- Input power 4W
- Output power 3.6W
- Reflector efficiency 90%
- High quality Cree LED chip manufactured in the USA
- Dimmable
- Colour temperature 3300K and 5500K
- 30° beam angle
- 240 lumens output
- Aluminium housing
- No UV or IR radiation
- ROHS approved

Please note:

- If the lamp is used on ELV transformers lamp life will be greatly reduced and is not recommended



LLM3X1W	3300K	CODE: 26116
LLM3X1W	5500K	CODE: 25944

'diode' LED DRIVER **iLP**

Features:

- 3-12W driver
- Supply current 170mA
- Output secondary 3.6-15.2V/700mA
- Power factor 0.85
- $t_a = 50^\circ\text{C}$ $t_c = 75^\circ\text{C}$
- Short circuit and over temperature protection
- Not dimmable
- Up to 4 'dio' LED lamps may be connected in parallel on this driver 'diode' LED DRIVER




CLED3-HW	Hardwired	CODE: 25941
CLED3FP	Flex & Plug	CODE: 25942

'diode' LED KIT **iLP iReady**

Containing:

- 1 x 'diode' 3 x 1W LED MR16 bulb with GU5.3 base
- 1 x 'diode' LED driver with 1.5 metre flex and plug
- 250mm secondary leads with ceramic lampholder
- 1 x DL23 satin chrome gimbal downlight with twist lock face

'diode' lamp and driver may be used in conjunction with any low voltage downlight



KELED23FP	Satin Chrome	CODE: 26005
-----------	--------------	-------------

XL-LED Performance Downlight

Cromptons' XL-LED Performance Downlight was designed in Australia especially for Australian conditions.

The XL-LED boasts some impressive features, including an inner locking ring custom designed to allow for a full Energy Star Rating for the LED Luminaire.



Features & Benefits

Custom Designed Inner Locking Ring

Allows the PERFORMANCE LED Lamp housing to be secured on a tilt ensuring a safe installation. The ring also prevents the fitting from being retrofitted with a standard MR16 halogen lamp. This is a significant advantage for use in buildings seeking a full Energy Star Rating

Thermal Wind Back

The XL-LED specially designed driver incorporates a Thermal Wind Back System. The driver monitors the LED case temperature and automatically reduces the power to protect the lifetime of the LED. Should the maximum surface temperature reach 90°C, the fitting will start to "wind back" the LED, resulting in automatic dimming in small increments rather than completely shutting down the LED light source

Solid State Lighting Luminaire

Lighting Council of Australia launched their SSL (Solid State Lighting) quality scheme in 2010 to assist the market with identifying LED products which meet guaranteed performance criteria, accredited to strict test parameters. The Crompton XL LED was one of the first fittings registered under the SSL Quality Scheme.

Fully Dimmable

The LED Controller can be used on a dimmer switch or dimming circuit of either leading or trailing edge

Light Output

The light output is similar to most wide beam FNV MR16 halogen lamp with a 55°C beam spread, and has energy saving of up to 70% when compared to a standard MR16 50W halogen lamp

Australian Design

Designed in Australia for Australian conditions - patent pending and registered design

C-Bus


Crompton XL-LED Downlights are C-Bus compatible

Warranty Registrar

Customers can have confidence in the XL-LED Warranty by registering the details for each installation with Crompton



	
LED Performance Solid State Lighting Luminaire	
Luminous Flux	571 lm
Luminous Efficacy	36 lm / W
INPUT POWER	16 W
Watt reduced lamp, A++	
Colour	
Correlated Colour Temperature (CCT)	3000 K
Colour Rendering Index (CRI, Ra)	85
LIGHT COLOUR Correlated Colour Temperature (CCT) 3000 (WARM WHITE)	
	
WARM WHITE COOL WHITE DAYLIGHT	
VISIT www.lightingcouncil.com.au for the Label Reference Guide	
The specifications above are contained in certified or accredited reports provided to Lighting Council Australia Ltd by the manufacturer/supplier of this product. Lighting Council Australia makes no representation as to the product's specification or suitability.	

	
LED Performance Solid State Lighting Luminaire	
Luminous Flux	608 lm
Luminous Efficacy	38 lm / W
INPUT POWER	16 W
Watt reduced lamp, A++	
Colour	
Correlated Colour Temperature (CCT)	4000 K
Colour Rendering Index (CRI, Ra)	85
LIGHT COLOUR Correlated Colour Temperature (CCT) 4000 (COOL WHITE)	
	
WARM WHITE COOL WHITE DAYLIGHT	
VISIT www.lightingcouncil.com.au for the Label Reference Guide	
The specifications above are contained in certified or accredited reports provided to Lighting Council Australia Ltd by the manufacturer/supplier of this product. Lighting Council Australia makes no representation as to the product's specification or suitability.	

XL-LED
PERFORMANCE LED DOWNLIGHT


LED
TECHNOLOGY

D

CLLI12WW **IP**

XL-LED Performance LED Lamp

- 12W LED lamp
- Aluminium painted body
- Suitable for -20°C to 50°C ambient temperature range
- Heat sink
- Polycarbonate diffuser
- Steel painted retainer clip
- 55° beam angle
- Fully dimmable
- 70% energy saving compared to a standard 50W MR16 halogen lamp
- Available in 4 different colour temperatures



LED12W827	2700K	CODE: 26764
LED12W830	3000K	CODE: 26244
LED12W840	4000K	CODE: 26539
LED12W865	6500K	CODE: 26765

CLED13FP **IP**

XL-LED Performance LED Driver

- 12-24V, 650mA (16W max) LED driver with 1.5m flex & plug and secondary leads
- Electronic components with Pb-free solder
- Polycarbonate base and cover
- Short circuit protection
- Overload protection
- Thermal protection
- Fully Dimmable




CLED13FP	Flex & Plug	CODE: 26243
----------	-------------	-------------



KLED I2F **iLP iReady**

XL-LED Performance LED Downlight Kit contents:

- 1 x 12W 3000K LED lamp
- 1 x 12-24V, 650mA (16W) LED driver with 1.5m flex & plug and secondary leads
- 1 x DL21LED fixed downlight with twist-lock face




KLED I2FW	White	CODE: 26274
KLED I2FSC	Satin Chrome	CODE: 26275

KLED I2A **iLP iReady**

XL-LED Performance LED Gimbal Kit contents:

- 1 x 12W 3000K LED lamp
- 1 x 12-24V, 650mA (16W) LED driver with 1.5m flex & plug and secondary leads
- 1 x DL23LED gimbal with twist-lock face




KLED I2AW	White	CODE: 26272
KLED I2ASC	Satin Chrome	CODE: 26273

KLED I2F4K **iLP iReady**

XL-LED Performance LED Downlight Kit contents:

- 1 x 12W 4000K LED lamp
- 1 x 12-24V, 650mA (16W) LED driver with 1.5m flex & plug and secondary leads
- 1 x DL21LED fixed downlight with twist-lock face




KLED I2FW4K	White	CODE: 26497
KLED I2FSC4K	Satin Chrome	CODE: 26498

KLED I2A4K **iLP iReady**

XL-LED Performance LED Gimbal Kit contents:

- 1 x 12W 4000K LED lamp
- 1 x 12-24V, 650mA (16W) LED driver with 1.5m flex & plug and secondary leads
- 1 x DL23LED gimbal with twist-lock face




KLED I2AW4K	White	CODE: 26495
KLED I2ASC4K	Satin Chrome	CODE: 26496

D DL21-LED

- LED fixed downlight with twist-lock face
- Die cast aluminium body and fascia
- Chrome spring clips

Suitable for XL-LED lamp



ENERGY
SAVING




DL21W-LED	White	CODE: 26300
DL21SC-LED	Satin Chrome	CODE: 26301

DL23-LED

- LED gimbal downlight with twist-lock face
- Die cast aluminium body and fascia
- Chrome spring clips

Suitable for XL-LED lamp



ENERGY
SAVING




DL23W-LED	White	CODE: 26298
DL23SC-LED	Satin Chrome	CODE: 26299

DL41-LED

- LED square fixed downlight with twist-lock face
- Die cast aluminium body and fascia
- Chrome spring clips

Suitable for XL-LED lamp



ENERGY
SAVING




DL41W-LED	White	CODE: 26726
DL41SC-LED	Satin Chrome	CODE: 26727

DL44-LED

- LED square gimbal downlight with twist-lock face
- Die cast aluminium body and fascia
- Chrome spring clips

Suitable for XL-LED lamp



ENERGY
SAVING




DL44W-LED	White	CODE: 26728
DL44SC-LED	Satin Chrome	CODE: 26729

DL45-LED

- LED square tilt baffle downlight
- Powder coated fascia
- Recessed lamp retaining ring with adjustable tilt
- Chrome spring clips

Suitable for XL-LED lamp



Cut-out: 90mm (round)




DL45W-LED	White	CODE: 26730
DL45S-LED	Silver	CODE: 26731

DL46-LED

- LED round tilt baffle downlight
- Powder coated fascia
- Recessed lamp retaining ring with adjustable tilt
- Chrome spring clips

Suitable for XL-LED lamp



Cut-out: 90mm (round)



DL46W-LED	White	CODE: 26732
DL46S-LED	Silver	CODE: 26733





RA18 Professional Downlights with LED Module

Cromptons' XL-PRO LED Professional Downlights incorporate the latest technology to provide users with an LED option to achieve significantly improved energy efficiency, colour rendering quality and light output, when compared to older technology, such as compact fluorescent and incandescent. The Crompton XL-PRO LED Professional Downlights are manufactured to strict performance criteria, resulting in lower levels of radiant heat through integrated thermal management, and no emission of Ultra Violet (UV) or Infra Red (R)



XL-PRO LED RA18B 17W **iP iReady**

- Fixed 1 x 17W XL-PRO LED downlight
- Made in Italy
- Ring in epoxy-polyester painted die-cast aluminium
- High resistant polycarbonate high vacuum metalized faceted reflector
- Black painted aluminium heat sink
- Patented spring system enables the fixture to be installed and removed without causing ceiling damage
- Easy to install into ceilings with thicknesses from 1-30mm
- 50,000hrs
- Colour rendering index >80
- Colour temperature 4000K
- 1100 lm
- Includes 1 x 17W LED module



MADE IN ITALY

ENERGY SAVING

XL-PRO LED RA18B 17W White



CODE: 26531

XL-PRO LED RA18B 17W Silver

CODE: 26532

XL-PRO LED RA18B 37W **iP iReady**

- Fixed 1 x 37W XL-PRO LED downlight
- Made in Italy
- Ring in epoxy-polyester painted die-cast aluminium
- High resistant polycarbonate high vacuum metalized faceted reflector
- Black painted aluminium heat sink
- Patented spring system enables the fixture to be installed and removed without causing ceiling damage
- Easy to install into ceilings with thicknesses from 1-30mm
- 50,000hrs
- Colour rendering index >80
- Colour temperature 4000K
- 2000 lm
- Includes 1 x 37W LED module



MADE IN ITALY

ENERGY SAVING

XL-PRO LED RA18B 37W White

CODE: 26533

XL-PRO LED RA18B 37W Silver


CODE: 26534

	XL-PRO LED RA18B 17W	XL-PRO LED RA18B 37W	COMPARABLE COMPACT FLUORESCENT FITTINGS		
	1100 lm	2000 lm	1x26W	2x18W	2x26W
Efficiency (%)	93	93	45	53	47
Efficiency (lm)	1023	1860	810	1272	1692
Lamp power (W)	17	37	26	36	52
Ratio flux power (lm/W)	54	50	31	31	32
No. of fittings used	5	4	10	9	8
Lamp replacement	0	0	6/7	6/7	6/7
Energy consumption (kWh)	4250	7400	11700	18000	20800

DLC13W

- Fixed 1 x 13W low profile compact fluorescent downlight
- White powder coated metal facia and support bracket
- Hammer finish aluminium alloy reflector
- Thermoplastic control gear enclosure
- Atco magnetic control gear with flex and two pin plug
- Flat metal spring clips

Suitable for 13W 240V G24d-1 PLC compact fluorescent lamp



ENERGY
SAVING




DLC13W/S	White/Silver	CODE: 24556
----------	--------------	-------------

DLC586

- Fixed 2 x 18W low profile compact fluorescent downlight
- White powder coated metal trim
- Highly polished diamond faceted aluminium reflector
- Adjustable spring clips
- Atco low loss ballasts in remote metal control gear housing complete with terminal block and flex & plug
- Fixed plastic lampholders

Suitable for 18W 240V G24d-2 PLC compact fluorescent lamps



ENERGY
SAVING




DLC586W/S	White/Silver	CODE: 18393
-----------	--------------	-------------

DLC586E

- Fixed 2 x 18W low profile compact fluorescent downlight
- White powder coated metal trim
- Highly polished diamond faceted aluminium reflector
- Adjustable spring clips
- Electronic ballast with flex and plug
- Fixed plastic lampholders

Suitable for 18W 240V G24q-2 PLC electronic compact fluorescent lamps



E
ELECTRONIC

ENERGY
SAVING




DLC586EW/S	White/Silver	CODE: 25508
------------	--------------	-------------

DLC587

- Fixed 2 x 26W fixed low profile compact fluorescent downlight
- White powder coated metal trim
- Highly polished diamond faceted aluminium reflector
- Adjustable spring clips
- Atco low loss ballasts in remote metal control gear housing complete with terminal block and flex & plug
- Fixed plastic lampholders

Suitable for 26W 240V G24d-3 PLC compact fluorescent lamps



ENERGY
SAVING



DLC587W/S	White/Silver	CODE: 18442
-----------	--------------	-------------

DLC587E

- Fixed 2 x 26W low profile compact fluorescent downlight
- White powder coated metal trim
- Highly polished diamond faceted aluminium reflector
- Adjustable spring clips
- Electronic ballast with flex and plug
- Fixed plastic lampholders

Suitable for 26W 240V G24q-3 PLC electronic compact fluorescent lamps




DLC587EW/S	White/Silver	CODE: 25509
------------	--------------	-------------

DLC29

- Fixed 2 x 9W low profile compact fluorescent downlight
- White powder coated metal trim
- Vertically ribbed aluminium reflector
- Adjustable spring clips
- Atco low loss ballast in integral control gear housing
- Fixed plastic lampholders

Suitable for 9W 240V G23 PL compact fluorescent lamps




DLC29W/S	White/Silver	CODE: 10684
----------	--------------	-------------

DLC213

- Fixed 2 x 13W low profile compact fluorescent downlight
- White powder coated metal trim
- Vertically ribbed aluminium reflector
- Adjustable spring clips
- Atco low loss ballast in integral gear housing
- Fixed plastic lampholders

Suitable for 2 x 13W 240V G24d-1 PLC compact fluorescent lamps




DLC213W/S	White/Silver	CODE: 10686
-----------	--------------	-------------

DLC218

- Fixed 2 x 18W low profile compact fluorescent downlight
- White powder coated metal trim
- Vertically ribbed aluminium reflector
- Adjustable spring clips
- Atco low loss ballast in integral plastic control gear housing
- Fixed plastic lampholders

Suitable for 18W 240V G24d-2 PLC compact fluorescent lamps




DLC218W/S	White/Silver	CODE: 10688
-----------	--------------	-------------

DLC226

- Fixed 2 x 26W low profile compact fluorescent downlight
- White powder coated metal trim
- Highly polished aluminium reflector
- Adjustable spring clips
- Atco low loss ballast in remote gear housing
- Fixed plastic lampholders

Suitable for 26W 240V G24d-3 PLC compact fluorescent lamps



ENERGY
SAVING



DLC226W/S


White/Silver

CODE: 17793

DLC113

- Fixed 1 x 13W compact fluorescent downlight
- White powder coated metal trim
- Black powder coated metal frame
- Removable vertically ribbed aluminium reflector
- Adjustable metal clips
- Atco ballast in integral gear housing
- Fixed plastic lampholder

Suitable for 13W 240V G24d-1 PLC compact fluorescent lamp



ENERGY
SAVING



DLC113W/S


White/Silver

CODE: 10685

DLC118

- Fixed 1 x 18W compact fluorescent downlight
- White powder coated metal trim
- Black powder coated metal frame
- Removable vertically ribbed aluminium reflector
- Adjustable metal clips
- Atco ballast in integral control gear housing
- Fixed plastic lampholder

Suitable for 18W 240V G24d-2 PLC compact fluorescent lamp



ENERGY
SAVING



DLC118W/S


White/Silver

CODE: 10687

DLC686

- Twin 18W fluorescent fixed square downlight
- Fixed low profile
- Smoked glass screen
- Brushed Chrome die-cast Aluminium frame with hinged opening
- Control gear in remote gear housing

Suitable for 2 x 18W G24d-2 compact fluorescent lamps



ENERGY
SAVING



DLC686W

White

CODE: 25721



DLC686SC

Satin Chrome

CODE: 25720

DLC213-83E

- Fixed 2 x 18W low profile compact fluorescent downlight
- White polycarbonate rim
- Vacuum sealed metallised polycarbonate reflector
- Low glare metallised techno polymer louvre
- Patented spring device releasable with screwdriver makes the downlight easy to maintain and fit on false ceilings with thicknesses from 1-30mm.
- Electronic ballast
- Fixed plastic lampholders
- Includes 2 x 18W 240V G24q-2 4000K PLC compact fluorescent lamps





DLC213-83E

White/Silver

CODE: 26280

DLC213-85E

- Fixed 2 x 26W low profile compact fluorescent downlight
- White polycarbonate rim
- Vacuum sealed metallised polycarbonate reflector
- Low glare metallised techno polymer louvre
- Patented spring device releasable with screwdriver makes the downlight easy to maintain and fit on false ceilings with thicknesses from 1-30mm
- Electronic ballast
- Fixed plastic lampholders
- Includes 2 x 26W 240V G24q-3 4000K PLC compact fluorescent lamps



DLC213-85E



White/Silver

CODE: 26281

DLC216-83

- Fixed 2 x 18W compact fluorescent wall washer
- Asymmetrical polycarbonate and metal vacuum coated reflector for illuminating vertical surfaces
- White polycarbonate rim
- Adjustable spring clips
- Remote electromagnetic ballast in reinforced PET housing
- Fixed plastic lampholders

Suitable for 18W 240V G24d-2 PLC compact fluorescent lamps



DLC216-83 FSQ

White

CODE: 24690

DLC216-83 FSQ


Silver

CODE: 24689

DLC29DG

- Fixed 2 x 9W low profile compact fluorescent downlight
- Drop down glass with frosted centre and clear surround
- White powder coated metal trim
- Vertically ribbed aluminium reflector
- Adjustable spring clips
- Atco low loss ballast in integral control gear housing
- Fixed plastic lampholders

Suitable for 9W G23 PL compact fluorescent lamps



ENERGY
SAVING




DLC29DGW/S White/Silver CODE: 20733

DLC213DG

- 2 x 13W fixed low profile, compact fluorescent downlight
- Drop down glass with frosted centre and clear surround
- White powder coated metal trim
- Vertically ribbed aluminium reflector
- Adjustable spring clips
- Atco low loss ballast in integral plastic gear housing
- Fixed plastic lampholders

Suitable for 2 x 13W G24d-1 PLC compact fluorescent lamps



ENERGY
SAVING




DLC213DGW/S White/Silver CODE: 20740

DLC218DG

- Fixed 2 x 18W low profile compact fluorescent downlight
- Drop down glass with frosted centre and clear surround
- White powder coated metal trim
- Vertically ribbed aluminium reflector
- Adjustable spring clips
- Atco low loss ballast in integral plastic control gear housing
- Fixed plastic lampholders

Suitable for 18W G24d-2 PLC compact fluorescent lamps



ENERGY
SAVING




DLC218DGW/S White/Silver CODE: 20743

DLC226DG

- Fixed 2 x 26W low profile compact fluorescent downlight
- Drop down glass with frosted centre and clear surround
- White powder coated metal trim
- Highly polished parabolic aluminium reflector
- Adjustable spring clips
- Atco low loss ballast in remote control gear housing
- Fixed plastic lampholders

Suitable for 26W G24d-3 PLC compact fluorescent lamps





ENERGY
SAVING



DLC226DGW/S White/Silver CODE: 20745

DLC224-83E



- Fixed 2 x 18W low profile, compact fluorescent downlight
- Tempered UV filtered glass mounted on a powder coated die-cast aluminium ring with hinged opening for lamp replacement
- Matt aluminium reflector
- Adjustable spring clips
- Electronic ballast
- IP44 (when installed in accordance with instructions)
- Includes 2 x 18W 240V G24q-2 4000K PLC compact fluorescent lamps



DLC224-83E	White	CODE: 26285
DLC224-83E	Silver	CODE: 26284

DLC224-85E



- Fixed 2 x 26W low profile, compact fluorescent downlight
- Tempered UV filtered glass mounted on a powder coated die-cast aluminium ring with hinged opening for lamp replacement
- Matt aluminium reflector
- Adjustable spring clips
- Electronic ballast
- IP44 (when installed in accordance with instructions)
- Includes 2 x 26W 240V G24q-3 4000K PLC compact fluorescent lamps



DLC224-85E	White	CODE: 26287
DLC224-85E	Silver	CODE: 26286

DLC212-83E


- Fixed 2 x 18W low profile compact fluorescent downlight
- White polycarbonate trim
- Vacuum sealed metallised polycarbonate reflector
- Vandal resistant polycarbonate diffuser with fresnel pattern for enhanced light distribution
- Patented spring device releasable with screwdriver makes the downlight easy to maintain and fit on false ceilings with thicknesses from 1-30mm
- Electronic ballast
- IP44 (when installed in accordance with instructions)
- Includes 2 x 18W 240V G24q-2 4000K PLC compact fluorescent lamps




DLC212-83E	White	CODE: 26277
DLC212-83E	Silver	CODE: 26276

DLC2 I2-85E

- 2 x 26W fixed low profile compact fluorescent downlight
- White polycarbonate trim
- Vacuum sealed metallised polycarbonate reflector
- Vandal resistant polycarbonate diffuser with fresnel pattern for enhanced light distribution
- Patented spring device releasable with screwdriver makes the downlight easy to maintain and fit on false ceilings with thicknesses from 1-30mm
- Electronic ballast
- IP44 (when installed in accordance with instructions)
- Includes 2 x 26W 240V G24q-3 4000K PLC compact fluorescent lamps



D




DLC2 I2-85E	White	CODE: 26279
DLC2 I2-85E	Silver	CODE: 26278

STAR SAVER I DOWNLIGHT KIT

Fully assembled compact fluorescent downlight kit containing:

- Fixed round downlight
- Spring clips
- Fixed ceramic lampholder
- 1 x 15W 240V R80 ES energy saving compact fluorescent lamp



ENERGY SAVING




KL74PW	White	CODE: 25585
KL74PSC	Satin Chrome	CODE: 25586

STAR SAVER 4 DOWNLIGHT KIT

Fully assembled four pack compact fluorescent downlight kit containing:

- Four fixed round downlights
- Spring clips
- Fixed ceramic lampholders
- Four 15W 240V R80 ES energy saving compact fluorescent lamps



ENERGY SAVING




KL74P/4W	White	CODE: 25587
KL74P/4SC	Satin Chrome	CODE: 25588

DLMH539

- Fixed 70W metal halide downlight
- Tempered UV filtered glass mounted on a powder coated die-cast aluminium ring with hinged opening for lamp replacement
- Matt aluminium reflector
- Adjustable spring clips and ceiling spacer
- Fitted with flex & plug with round earth pin
- Requires remote 70W metal halide control gear not included
- OM PAK 70W (code 22570)

Suitable for 70W 240V RX7s tubular double ended metal halide lamp




DLMH539W	White	CODE: 14053
DLMH539S	Silver	CODE: 24761

DLMH517

- Fixed 150W metal halide downlight
- Tempered UV filtered glass mounted on a powder coated die-cast aluminium ring with hinged opening for lamp replacement
- Matt aluminium reflector
- Adjustable spring clips and ceiling spacer
- Fitted with flex & plug with round earth pin
- Requires remote 150W metal halide control gear not included
- OM PAK 150W (code 22572)

Suitable for 150W 240V RX7s tubular double ended metal halide lamp




DLMH517W	White	CODE: 10653
DLMH517S	Silver	CODE: 17296

DLMH550

- Fixed 70W metal halide downlight
- Recessed frosted glass diffuser with suspension chain to hold glass during lamp replacement (glass removes with reflector)
- Removable polished external aluminium reflector and matt aluminium internal reflector
- Adjustable clips
- Requires remote 70W metal halide control gear not included
- OM PAK 70W (code 22570)

Suitable for 70W 240V RX7s tubular double ended metal halide lamp




DLMH550W/S	White/Silver	CODE: 20708
------------	--------------	-------------

DLMH500

- Fixed 150W metal halide downlight
- Recessed frosted glass diffuser with suspension chain to hold glass during lamp replacement (glass removes with reflector)
- Removable polished external aluminium reflector and matt aluminium internal reflector
- Adjustable clips
- Requires remote 150W metal halide control gear not included
- OM PAK 150W (code 22572)

Suitable for 150W 240V RX7s tubular double ended metal halide lamp




DLMH500W/S	White/Silver	CODE: 20707
------------	--------------	-------------

DLMH511

- Adjustable 70W metal halide wall washer
- Powder coated die-cast aluminium
- Tempered clear safety glass
- Hinged opening for lamp replacement
- Matt aluminium reflector
- Adjustable spring clips
- Fitted with flex & plug with round earth pin for connection to remote 70W metal halide control gear not included
- OM PAK 70W (code 22570)

Suitable for 70W 240V RX7s tubular double ended metal halide lamp



Cut-out: 215mm x 125mm




DLMH511W	White	CODE: 10645
DLMH511B	Black	CODE: 10644
DLMH511S	Silver	CODE: 17279

DLMH510

- Adjustable 150W metal halide wall washer
- Powder coated die-cast aluminium
- Tempered clear safety glass
- Hinged opening for lamp replacement
- Matt aluminium reflector
- Adjustable spring clips
- Fitted with flex & plug with round earth pin for connection to remote 150W metal halide control gear not included
- OM PAK 150W (code 22572)

Suitable for 150W 240V RX7s tubular double ended metal halide lamp



Cut-out: 215mm x 125mm




DLMH510W	White	CODE: 10643
DLMH510B	Black	CODE: 10642
DLMH510S	Silver	CODE: 16881

DLMH515

- Adjustable 70W metal halide downlight
- Compact size
- Pressed metal construction with white rim
- UV filtered clear safety glass
- Aluminium reflector
- Four adjustable spring clips
- Requires remote 70W metal halide control gear not included
- OM PAK 70W (code 22570)

Suitable for 70W 240V RX7s tubular double ended metal halide lamp



Cut-out: 140mm x 160mm



DLMH515W	White	CODE: 10652
----------	-------	-------------




DLMH53 I

- Gimbal 70W or 150W metal halide downlight
- Die-cast aluminium construction
- Tempered clear safety glass
- 350° rotation
- Requires remote metal halide control gear not included
- OM PAK 70W (code 22570)
- OM PAK 150W (code 22572)

Suitable for 70W 240V G12 84mm tubular single ended metal halide lamp

Or
150W 240V G12 84mm tubular single ended metal halide lamp

Note: Standard 110mm lamps are not suitable for this fitting



350°

DLMH53IW	White	CODE: 10672
DLMH53IS	Silver	CODE: 18836


DLMH513

- Fixed 70W or 150W metal halide downlight
- Tempered UV filtered glass mounted on a white powder coated die-cast aluminium ring with hinged opening for lamp replacement
- Matt aluminium reflector
- Adjustable spring clips and ceiling spacer
- Fitted with flex & plug with round earth pin
- Requires remote 70W or 150W metal halide control gear not included
- OM PAK 70W (code 22570)
- OM PAK 150W (code 22572)

Suitable for 70W 240V G12 84mm tubular single ended metal halide lamp

Or
150W 240V G12 84mm tubular single ended metal halide lamp

Note: Standard 110mm lamps are not suitable for this fitting



DLMH513W	White	CODE: 10648
----------	-------	-------------




DLMH518

- Adjustable round 70W or 150W metal halide downlight
- Painted metal fascia and body
- Polished and specular combination reflector
- Protective clear glass cover
- Round earth pin and flexible cord

Suitable for 70W or 150W 240V G12 84mm metal halide lamp

Note: Must be used with 240V 70W/150W control gear



DLMH518

White

CODE: 26527


DLMH533

- Fixed round 35W or 70W metal halide downlight
- Painted metal fascia and body
- Polished and matt combination reflector
- Protective clear glass cover
- Round earth pin and flexible cord

Only suitable for 35W 240V G12 metal halide lamp 3000K (code 26766) / 4200K (code 26767)

Or
70W 240V G12 metal halide lamp 3000K (code 26768) / 4200K (code 26769)

Note: Must be used with 240V 35W/70W control gear



DLMH533

White

CODE: 26525


DLMH534

- Fixed round 35W or 70W metal halide downlight
- Painted metal fascia and body
- Polished and specular combination reflector
- Protective clear glass cover
- Round earth pin and flexible cord

Only suitable for 35W 240V G12 metal halide lamp 3000K (code 26766) / 4200K (code 26767)

Or
70W 240V G12 metal halide lamp 3000K (code 26768) / 4200K (code 26769)

Note: Must be used with 240V 35W/70W control gear



DLMH534


White

CODE: 26526



DLMH519

- Fixed round vertical 20W/35W metal halide mini downlight
- Powder coated die-cast aluminium construction
- Glass diffuser
- Die-cast aluminium ring twist lock diffuser
- Polished aluminium reflector
- Mouse trap style spring clips
- Enclosed terminal block prewired to flex and round earth plug




Suitable for 20W or 35W 240V G8.5 metal halide lamp

DLMH519W	White	CODE: 26478
DLMH519SC	Satin Chrome	CODE: 26479

DLMH514

- Fixed round 20W/35W metal halide downlight
- Powder coated die-cast aluminium construction
- Glass diffuser
- Polished aluminium reflector
- Mouse trap style spring clips
- Enclosed terminal block prewired to flex and round earth plug




Suitable for 20W or 35W 240V G8.5 metal halide lamp

DLMH514W	White	CODE: 26471
DLMH514SC	Satin Chrome	CODE: 26472

DLMH512

- Adjustable rectangular 20W/35W metal halide downlight
- Powder coated die-cast aluminium construction
- Glass diffuser
- Polished aluminium reflector
- Mouse trap style spring clips
- Enclosed terminal block prewired to flex and round earth plug




Suitable for 20W or 35W 240V G8.5 metal halide lamp

DLMH512W	White	CODE: 26473
DLMH512SC	Satin Chrome	CODE: 26494

KDLMH514-20W / KDLHM514-35W

- Fixed round 20W/35W metal halide downlight
- Powder coated die-cast aluminium construction
- Glass diffuser
- Polished aluminium reflector
- Mouse trap style spring clips
- Enclosed terminal block prewired to flex and round earth plug
- Electronic ballast completes with 1.5m flex & plug and 300mm secondary lead
- Includes 20W (2800K) or 35W (4000K) 240V G8.5 metal halide lamp




KDLMH514-20W	White	CODE: 26474
KDLMH514-35W	White	CODE: 26475



KDLMH512-20W / KDLHM512-35W

- Adjustable rectangular 20W/35W metal halide downlight
- Powder coated die-cast aluminium construction
- Glass diffuser
- Polished aluminium reflector
- Mouse trap style spring clips
- Enclosed terminal block prewired to flex and round earth plug
- Electronic ballast completes with 1.5m flex & plug and 300mm secondary lead
- Includes 20W (2800K) or 35W (4000K) 240V G8.5 metal halide lamp




KDLMH512-20W	White	CODE: 26476
KDLMH512-35W	White	CODE: 26477



Metal Halide Wall Washer 'Shoplighter' Kits

D



KDLMH511

70W SHOPLIGHTER KIT

- 70W metal halide wall washer kit containing:
- DLMH511 70W metal halide wall washer
 - IP65 encapsulated 70W metal halide control gear with 3 core flex and plug
 - 70W 240V RX7s tubular double ended metal halide lamp (4000K)

KDLMH511W	White	CODE: 11718
KDLMH511B	Black	CODE: 23862
KDLMH511S	Silver	CODE: 23863

KDLMH510

150W SHOPLIGHTER KIT

- 150W metal halide wall washer kit containing:
- DLMH510 150W metal halide wall washer
 - IP65 encapsulated 150W metal halide control gear with 3 core flex and plug
 - 150W 240V RX7s tubular double ended metal halide lamp (4000K)

KDLMH510W	White	CODE: 11693
KDLMH510B	Black	CODE: 23866
KDLMH510S	Silver	CODE: 23867

Metal Halide Wall Washer Electronic "Shoplighter" Kits

KEDLMH511W

ELECTRONIC 70W SHOPLIGHTER KIT

- 70W metal halide wall washer kit containing:
- DLMH511 70W metal halide wall washer
 - Electronic 70W metal halide control gear with 3 core flex and plug
 - 70W 240V RX7s tubular double ended metal halide lamp (4000K)



KEDLMH511W	70W	White	CODE: 25565
------------	-----	-------	-------------

KEDLMH510W


ELECTRONIC 150W SHOPLIGHTER KIT

- 150W metal halide wall washer kit containing:
- DLMH510 150W metal halide wall washer
 - Electronic 150W metal halide control gear with 3 core flex and plug
 - 150W 240V RX7s tubular double ended metal halide lamp (4000K)



KEDLMH510W	150W	White	CODE: 25673
------------	------	-------	-------------

Metal Halide 'Comlite' Downlight Kits



KDLMH539 70W 'COMLITE' KIT

70W metal halide downlight kit containing:

- DLMH539 70W metal halide downlight
- IP65 encapsulated 70W metal halide control gear with 3 core flex and plug
- 70W 240V RX7s tubular double ended metal halide lamp (4000K)

KDLMH539W	White	CODE: 15816
KDLMH539S	Silver	CODE: 24765

KDLMH517 150W 'COMLITE' KIT

150W metal halide downlight kit containing:

- DLMH517 150W metal halide downlight
- IP65 encapsulated 150W metal halide control gear with 3 core flex and plug
- 150W 240V RX7s tubular double ended metal halide lamp (4000K)

KDLMH517W	White	CODE: 11805
KDLMH517S	Silver	CODE: 24764

Metal Halide Electronic 'Comlite' Downlight Kits

KEDLMH539W

ELECTRONIC 70W DOWNLIGHT KIT

- DLMH539 70W metal halide downlight
- Electronic 70W metal halide control gear with 3 core flex and plug
- 70W 240V RX7s tubular double ended metal halide lamp (4000K)



KEDLMH539W	70W	White	CODE: 25698
------------	-----	-------	-------------

KEDLMH517W

ELECTRONIC 150W DOWNLIGHT KIT


- DLMH517 150W metal halide downlight
- Electronic 150W metal halide control gear with 3 core flex and plug
- 150W 240V RX7s tubular double ended metal halide lamp (4000K)



KEDLMH517W	150W	White	CODE: 25537
------------	------	-------	-------------

Spotlights

S



Low Voltage Spotlights	72
R80 Spotlights	79
G9 Halogen Spotlights	80
GU10 Compact Fluorescent Spotlights	82
GX53 Compact Fluorescent Spotlights	86
GU10 Halogen Spotlights	88
Metal Halide Spotlights	96
Schematic Photometrics	97

Low Voltage Spotlights


Low voltage spotlights provide a versatile solution to task and accent lighting requirements in both domestic and commercial situations. The pleasant white light they produce coupled with adjustable heads makes them ideal for task lighting kitchens, offices, shops and living areas and also makes them highly suited to accentuating architectural and design elements around the home and items of interest in the shop or office



TRI8C

- Single cube head spotlight
- Die-cast aluminium head
- 90° head tilt
- 350° head rotation
- Requires remote 12V/60VA electronic transformer
- Ceramic lampholder

Suitable for 1 x 50W MR16 "ALUSTAR" halogen lamp with aluminium reflector




TRI8CW	White	CODE: I2943
TRI8CB	Black	CODE: I2942
THI8CSC	Satin Chrome	CODE: 23042

BLI8/2

- Two light cube head bar light
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 2 x 50W MR16 "ALUSTAR" halogen lamps with aluminium reflector




BLI8/2W	White	CODE: I5038
---------	-------	-------------

BLI8/3

- Three light cube head bar light
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 3 x 50W MR16 "ALUSTAR" halogen lamps with aluminium reflector




BLI8/3W	White	CODE: I5040
BLI8/3SC	Satin Chrome	CODE: 23058

TRI9C

- Single round barrel head spotlight
- Die-cast aluminium head
- 90° head tilt
- 350° head rotation
- Requires remote 12V/60VA electronic transformer
- Ceramic lampholder

Suitable for 1 x 50W MR16 "ALUSTAR"
halogen lamp with aluminium reflector



E
ELECTRONIC




TRI9CW	White	CODE: 12963
TRI9CB	Black	CODE: 12961
THI9CSC	Satin Chrome	CODE: 23039

BLI9/2

- Two light round barrel head bar light
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 2 x 50W MR16 "ALUSTAR"
halogen lamps with aluminium reflector



E
ELECTRONIC



BLI9/2W	White	CODE: 10448
BLI9/2SC	Satin Chrome	CODE: 15782



'ALUSTAR' Halogen Lamps

Low voltage 'ALUSTAR' halogen, aluminium backed reflector lamps offer the following advantages:

- A brighter, crisper light than old incandescent lamps
- An energy saving of around 20% compared to old incandescent lamps offering the same light output
- Due to the aluminium backed reflector, heat is distributed mainly forward of the lamp where with standard halogen dichroic lamps heat is distributed backwards from the lamp

'ALUSTAR' lamps are available in two types


BAB 360 beam spread 20W Code: 25122
FNV 600 beam spread 50W Code: 24524

(See page 367)

BL19/3

- Three light round barrel head bar light
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 3 x 50W MR16 "ALUSTAR" halogen lamps with aluminium reflector



Head dimensions: 80(l)mm x 58(w)mm
Width of bar: 65mm



E


ELECTRONIC

BL19/3W	White	CODE: 10450
BL19/3B	Black	CODE: 10449
BL19/3SC	Satin Chrome	CODE: 15781

TR303C

- Single round barrel head spotlight
- Die-cast aluminium head with twist lock face
- 90° head tilt
- 350° head rotation
- Requires remote 12V/60VA electronic transformer
- Ceramic lampholder

Suitable for 1 x 50W MR16 "ALUSTAR" halogen lamp with aluminium reflector



Head dimensions:
80(l)mm x 58(w)mm



E


ELECTRONIC

TR303CW	White	CODE: 19770
TR303CB	Black	CODE: 19760
TR303CC	Chrome	CODE: 19761
TR303CSC	Satin Chrome	CODE: 19769

BL303/3

- Three light barrel head bar light
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 3 x 50W MR16 "ALUSTAR" halogen lamps with aluminium reflector



Head dimensions: 80(l)mm x 58(w)mm
Width of bar: 52mm



E


ELECTRONIC

BL303/3SC	Satin Chrome	CODE: 19789
-----------	--------------	-------------

TR802C

- Single drum head spotlight
- Frosted glass head with metal trim
- 90° head tilt
- 350° head rotation
- Requires remote 12V/60VA electronic transformer
- Ceramic lampholders

Suitable for 1 x 50W 12V bi-pin halogen lamp



Head dimensions:
100(l)mm x 58(w)mm



E


ELECTRONIC

TR802CW	White	CODE: 23065
---------	-------	-------------

TR808C

- Single bullet head spotlight
- Die-cast aluminium head with twist lock face
- 90° head tilt
- 350° head rotation
- Requires remote 12V/60VA electronic transformer
- Ceramic lampholder

Suitable for 1 x 50W MR16 "ALUSTAR"
halogen lamp with aluminium reflector




E
ELECTRONIC

TR808CW	White	CODE: 20325
TR808CSC	Satin Chrome	CODE: 20324

BL808/2

- Two light bullet head bar light
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 2 x 50W MR16 "ALUSTAR"
halogen lamps with aluminium reflector




E
ELECTRONIC

BL808/2W	White	CODE: 20298
----------	-------	-------------

BL808/3

- Three light bullet head bar light
- 90 ° head tilt
- 350 ° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 3 x 50W MR16 "ALUSTAR"
halogen lamps with aluminium reflector




E
ELECTRONIC

BL808/3SC	Satin Chrome	CODE: 20307
-----------	--------------	-------------

RT808/I

- Single bullet head spotlight
- Die-cast aluminium head with twist lock face
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformer
- Ceramic lampholder

Suitable for 1 x 50W MR16 "ALUSTAR"
halogen lamp with aluminium reflector




E
ELECTRONIC

RT808/IW	White	CODE: 20293
RT808/IB	Black	CODE: 20289
RT808/ISC	Satin Chrome	CODE: 20292

RT808/3

- Three light bullet head round plate
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 3 x 50W MR16 "ALUSTAR" halogen lamps with aluminium reflector



Head dimensions:
100(l)mm x 58(w)mm



E


ELECTRONIC

RT808/3W	White	CODE: 20315
RT808/3SC	Satin Chrome	CODE: 20314

RT18/1

- Single cube head spotlight
- Die-cast aluminium head
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformer
- Ceramic lampholder

Suitable for 1 x 50W MR16 "ALUSTAR" halogen lamp with aluminium reflector



Head dimensions:
75(l)mm x 58(w)mm



E


ELECTRONIC

RT18/1SC	Satin Chrome	CODE: 23049
----------	--------------	-------------

RT19/1

- Single round barrel head spotlight
- Die-cast aluminium head
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformer
- Ceramic lampholder

Suitable for 1 x 50W MR16 "ALUSTAR" halogen lamp with aluminium reflector



Head dimensions:
80(l)mm x 58(w)mm



E


ELECTRONIC

RT19/1W	White	CODE: 15506
RT19/1SC	Satin Chrome	CODE: 15780

RT19/2

- Two light round barrel head round plate
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 2 x 50W MR16 "ALUSTAR" halogen lamps with aluminium reflector



Head dimensions:
80(l)mm x 58(w)mm



E

ELECTRONIC

RT19/2W	White	CODE: 15510
---------	-------	-------------




S

RT19/3

- Three light round barrel head round plate
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 3 x 50W MR16 "ALUSTAR"
halogen lamps with aluminium reflector



RT19/3W


White

CODE: 15158

RT303/1

- Single round barrel head spotlight
- Die-cast aluminium head with twist lock face
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformer
- Ceramic lampholder

Suitable for 1 x 50W MR16 "ALUSTAR"
halogen lamp with aluminium reflector



RT303/1W

White

CODE: 19768

RT303/1B

Black

CODE: 19764

RT303/1SC


Satin Chrome

CODE: 19767

RT303/3

- Three light round barrel head round plate
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformers
- Ceramic lampholders

Suitable for 3 x 50W MR16 "ALUSTAR"
halogen lamps with aluminium reflector



E
ELECTRONIC


RT303/3W	White	CODE: 19797
RT303/3SC	Satin Chrome	CODE: 19796



TR707C

- Single flat head spotlight
- Die-cast aluminium head with twist lock face
- 90° head tilt
- 350° head rotation
- Requires remote 12V/60VA electronic transformer
- Ceramic lampholder

Suitable for 1 x 50W MR16 "ALUSTAR"
halogen lamp with aluminium reflector



E
ELECTRONIC


TR707CW	White	CODE: 20249
TR707CB	Black	CODE: 20245



RT707/I

- Single flat head spotlight
- Die-cast aluminium head with twist lock face
- 90° head tilt
- 350° head rotation
- Integral 12V electronic dimmable transformer
- Ceramic lampholder

Suitable for 1 x 50W MR16 "ALUSTAR"
halogen lamp with aluminium reflector



E
ELECTRONIC


RT707/IW	White	CODE: 20217
RT707/ISC	Satin Chrome	CODE: 20216



EX3001

- Single spotlight
- Fully adjustable
- Metal construction
- Ceramic lampholder

Suitable for 1 x maximum 75W 240V ES R80 reflector lamp




EX3001W	White	CODE: 22361
EX3001SC	Satin Chrome	CODE: 22360

EX3002B

- Two light bar light
- Fully adjustable
- Metal construction
- Ceramic lampholders

Suitable for 2 x maximum 75W 240V ES R80 reflector lamps




EX3002BW	White	CODE: 22372
EX3002BSC	Satin Chrome	CODE: 22371

EX3003B

- Three light bar light
- Fully adjustable
- Metal construction
- Ceramic lampholders

Suitable for 3 x maximum 75W 240V ES R80 reflector lamps




EX3003BW	White	CODE: 22374
EX3003BSC	Satin Chrome	CODE: 22373

EX3002R

- Two light round plate
- Fully adjustable
- Metal construction
- Ceramic lampholders

Suitable for 2 x maximum 75W 240V ES R80 reflector lamps




EX3002RW	White	CODE: 22389
EX3002RSC	Satin Chrome	CODE: 22388

EX3003R

- Three light round plate
- Fully adjustable
- Metal construction
- Ceramic lampholders

Suitable for 3 x maximum 75W 240V ES R80 reflector lamps



EX3003RPW	White	CODE: 22391
EX3003RSC	Satin Chrome	CODE: 22390

G9 Spotlights

These stylish 240V G9 halogen spotlights provide a warm, ambient glow with the higher light output and longer lamp life of halogen lamps. The absence of transformers in these fixtures, in addition to the compact size of the G9 halogen lamp, have allowed for their attractive slimline design. Glass has been utilised in these light fittings to compliment the G9 halogen lamp.



EX402/I

- Single G9 halogen spotlight
- Drum shaped frosted glass and metal head
- Frosted glass base features clear detail around edge
- 90° head tilt
- 350° head rotation
- Ceramic lampholder
- Includes 1 x 60W 240V G9 halogen lamp




EX402/I

Satin Chrome

CODE: 22850

EX402/3B

- Three light G9 halogen bar light
- Frosted glass base features clear detail around edge
- 90° head tilt
- 350° head rotation
- Ceramic lampholders
- Includes 3 x 60W 240V G9 halogen lamps




EX402/3BSC

Satin Chrome

CODE: 22852

EX502/3B

- Three light G9 halogen bar light
- Frosted glass base features clear detail around edge
- 90° head tilt
- 350° head rotation
- Ceramic lampholders
- Includes 3 x 60W 240V G9 halogen lamps




EX502/3BSC

Satin Chrome

CODE: 22848

BL825/4

- Four light G9 halogen bar light
- Glass heads have external clear glass and internal frosted glass
- Curved die-cast aluminium bar with satin chrome finish and chrome tips
- Adjustable heads
- Ceramic lampholders



BL825/4B

Satin Nickel

CODE: 24833

Suitable for 4 x maximum 60W 240V G9 halogen lamps




GU10 Spotlights Energy Saving Compact Fluorescents

This range of spotlights utilises the technology in GU10 energy saving compact fluorescent lamps - long lamp life and saving in energy costs.

SLLSGUI01IW

- Single light GU10 240V 11W energy saver bar light
- Adjustable head
- Satin chrome finish
- Includes 1 x GU10 11W 5000K compact fluorescent lamp



Head dimensions (with lamp):
110(l)mm x 60(w)mm
Height of Base: 22mm
Diameter of Base: 80mm




ENERGY
SAVING

SLLSGUI01IW Satin Chrome CODE: 25592

BL2LSGUI01IW

- Two light GU10 240V 11W energy saver bar light
- Adjustable heads
- Satin chrome finish
- Includes 2 x GU10 11W 5000K compact fluorescent lamps



Head dimensions (with lamp):
110(l)mm x 60(w)mm
Height of Base: 22mm
Width of Base: 42mm
Length of Base: 360mm




ENERGY
SAVING

BL2LSGUI01IW Satin Chrome CODE: 25591

BL3LSGUI01IW

- Three light GU10 240V 11W energy saver bar light
- Adjustable heads
- Satin chrome finish
- Includes 3 x GU10 11W 5000K compact fluorescent lamps



Head dimensions (with lamp):
110(l)mm x 60(w)mm
Height of Base: 22mm
Width of Base: 42mm
Length of Base: 560mm



ENERGY
SAVING

BL3SGUI01IW Satin Chrome CODE: 25590




(See page 397)

GU10 Compact Fluorescent 240V Lamps

Their many advantages, including longer life and energy efficiency, makes them an ideal replacement for standard and less efficient GU10 base halogen lamps.

BLLS60401

- Single energy saving 240V GU10 spotlight
- Chrome plated head mounted on matching post
- Frosted glass and plated metal base
- 90° tilt and 350° head rotation
- Includes 1 x 11W (maximum) GU10 compact fluorescent lamp




ENERGY
SAVING

BLLS60401 Satin Chrome CODE: 25841

BLLS60402

- Two light energy saving 240V GU10 bar light
- Chrome plated heads mounted on matching posts
- Frosted glass and plated metal base
- 90° tilt and 350° head rotation
- Includes 2 x 11W (maximum) GU10 compact fluorescent lamps




ENERGY
SAVING

BLLS60402 Satin Chrome CODE: 25842

BLLS60403

- Three light energy saving 240V GU10 bar light
- Chrome plated heads mounted on matching posts
- Frosted glass and plated metal base
- 90° tilt and 350° head rotation
- Includes 3 x 11W (maximum) GU10 compact fluorescent lamps




ENERGY
SAVING

BLLS60403 Satin Chrome CODE: 25843

BLLS60404

- Four light energy saving 240V GU10 bar light
- Chrome plated heads mounted on matching posts
- Frosted glass and plated metal base
- 90° tilt and 350° head rotation
- Includes 4 x 11W (maximum) GU10 compact fluorescent lamps




ENERGY
SAVING

BLLS60404 Satin Chrome CODE: 25844

S KLSB6002-1

- 'Do It Yourself' single energy saving spotlight
- Satin chrome finish
- Ceramic lampholder
- Pre-wired BC adaptor housed inside the canopy
- Includes 1 x 11W (maximum) 5000K GU10 compact fluorescent lamp




KLSB6002-1

Satin Chrome

CODE: 25838

KLSB6002-2

- 'Do It Yourself' two light energy saving bar light
- Satin chrome finish
- Ceramic lampholders
- Pre-wired BC adaptor housed inside the canopy
- Includes 2 x 11W (maximum) 5000K GU10 compact fluorescent lamps





KLSB6002-2

Satin Chrome

CODE: 25839

KLSB6002-3

- 'Do It Yourself' three light energy saving bar light
- Satin chrome finish
- Ceramic lampholders
- Pre-wired BC adaptor housed inside the canopy
- Includes 3 x 11W (maximum) 5000K GU10 compact fluorescent lamps




KLSB6002-3

Satin Chrome

CODE: 25840

KLSB20092-1

- Single compact fluorescent GU10 spotlight
- Satin chrome/chrome combination head and plate
- 90° tilt and 350° rotation
- Ceramic GU10 lampholder
- Internal wiring complete with terminal block
- Includes 1 x 11W 5000K CGU GU10 compact fluorescent lamp




ENERGY
SAVING

KLSB20092-1 Satin Chrome CODE: 26223

KLSB20092-2

- Twin compact fluorescent GU10 barlight
- Satin chrome/chrome combination head and plate
- 90° tilt and 350° rotation
- Ceramic GU10 lampholders
- Internal wiring complete with terminal block
- Includes 2 x 11W 5000K CGU GU10 compact fluorescent lamps




ENERGY
SAVING

KLSB20092-2 Satin Chrome CODE: 26224

KLSB20092-3

- Three light compact fluorescent GU10 barlight
- Satin chrome/chrome combination head and plate
- 90° tilt and 350° rotation
- Ceramic GU10 lampholders
- Internal wiring complete with terminal block
- Includes 3 x 11W 5000K CGU GU10 compact fluorescent lamps




ENERGY
SAVING

KLSB20092-3 Satin Chrome CODE: 26225

KLSB20092-4

- Four light compact fluorescent GU10 spotlight
- Satin chrome/chrome combination head and plate
- 90° tilt and 350° rotation
- Ceramic GU10 lampholders
- Internal wiring complete with terminal block
- Includes 4 x 11W 5000K CGU GU10 compact fluorescent lamps



ENERGY
SAVING

KLSB20092-4 Satin Chrome CODE: 26226

GX53 Spotlights Energy Saving Compact Fluorescents

This range of spotlights utilises the latest technology in GX53 energy saving compact fluorescent lamps - long lamp life and saving in energy costs.




BLLSGX5311IW

- GX53 fluorescent spotlight
- Brushed chrome base plate and housing
- Adjustable satin chrome head
- GX53 lampholder and 3 way terminal block

Suitable for 1 x 11W GX53 fluorescent lamp

Base width: 50mm
Total height: 190mm



ENERGY
SAVING

BLLSGX5311IW

Satin Chrome


CODE: 26008

BLLSGX5321IW

- GX53 fluorescent bar light
- Brushed chrome base plate and housing
- Adjustable satin chrome heads
- GX53 lampholders and 3 way terminal block

Suitable for 2 x 11W GX53 fluorescent lamps

Base width: 50mm
Total height: 190mm



ENERGY
SAVING

BLLSGX5321IW

Satin Chrome


CODE: 25953

BLLSGX5331IW

- GX53 fluorescent bar light
- Brushed chrome base plate and housing
- Adjustable satin chrome heads
- GX53 lampholders and 3 way terminal block

Suitable for 3 x 11W GX53 fluorescent lamps

Base width: 50mm
Total height: 190mm



ENERGY
SAVING


BLLSGX5331IW

Satin Chrome

CODE: 25952

BLLS61001

- Single energy saving fluorescent GX53 spotlight
- Brushed chrome head mounted on matching post and plate
- Twist lock fascia
- Painted metal base with three way terminal block
- 90° tilt and 350° head rotation
- Includes 1 x 11W 4000K GX53 fluorescent lamp




ENERGY
SAVING




BLLS61001 Satin Chrome CODE: 25867

BLLS61002

- Two light energy saving fluorescent GX53 bar light
- Brushed chrome heads mounted on matching posts and plate
- Twist lock fascia
- Painted metal base with three way terminal block
- 90° tilt and 350° head rotation
- Includes 2 x 11W 4000K GX53 fluorescent lamps




ENERGY
SAVING



BLLS61002 Satin Chrome CODE: 25868

BLLS61003

- Three light energy saving fluorescent GX53 bar light
- Brushed chrome heads mounted on matching posts and plate
- Twist lock fascia
- Painted metal base with three way terminal block
- 90° tilt and 350° head rotation
- Includes 3 x 11W 4000K GX53 fluorescent lamps




ENERGY
SAVING



BLLS61003 Satin Chrome CODE: 25869

BLLS61004

- Four light energy saving fluorescent GX53 bar light
- Brushed chrome heads mounted on matching posts and plate
- Twist lock fascia
- Painted metal base with three way terminal block
- 90° tilt and 350° head rotation
- Includes 4 x 11W 4000K GX53 fluorescent lamps



ENERGY
SAVING



BLLS61004 Satin Chrome CODE: 25870


GU10 Spotlights

Cromptons' 240V GU10 spotlights provide the crisp white light of halogen dichroic lamps without requiring transformers. The absence of transformers in these fittings has allowed them to be designed in a more innovative and slimline style than traditional low voltage halogen spotlights. All of the fittings featured in this section utilise GU10 halogen lamps which are of similar size and appearance to standard MR16 base halogen lamps.

SPI062

- Single light GU10 240V bar light
- Adjustable head
- Satin chrome finish

Suitable for 1 x 50W GU10 240V halogen lamp



SPI062


Satin Chrome

CODE: 25598

BLI062-2

- Two light GU10 240V bar light
- Adjustable heads
- Satin chrome finish

Suitable for 2 x 50W GU10 240V halogen lamps



BLI062-2


Satin Chrome

CODE: 25599

BLI062-3

- Three light GU10 240V bar light
- Adjustable heads
- Satin chrome finish

Suitable for 3 x 50W GU10 240V halogen lamps



BLI062-3


Satin Chrome

CODE: 25600

RPI062-4

- Four light GU10 240V square plate
- Adjustable heads
- Satin chrome finish

Suitable for 4 x 50W GU10 240V halogen lamps



RPI062-4

Satin Chrome

CODE: 25608



(See page 369)


GU10 Halogen 240V Lamps

GU10 halogen lamps operate on mains voltage and comprise a quartz halogen burner positioned in an aluminum coated reflector, providing similar light output to MR16 lamps without the need for a transformer. Crompton Lighting's GU10 halogen range includes a 50W standard life, 50W long life, 20W and 35W standard life versions. Crompton GU10 Lamp Features:

- Aluminium reflector which directs most of the IR radiation or heat to the front of the lamp
 - ideal for use in fittings such as spotlights, where the lamps are operating close to the ceiling
- Integral UV stop as per AS/NZS60432.2:2007
- Constant light output over lamp life • Glass cover • Dimmable • Internally fused for safety

RT371

- Single bullet head GU10 halogen spotlight
- Die-cast aluminium construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholder
- Includes 1 x 50W 240V GU10 halogen lamp



Head dimensions (no lamp):
70(l)mm x 40(w)mm
Height of Base: 32mm
Width of Base: 75mm
Length of Base: 87mm



RT371BSC


Satin Chrome

CODE: 17751

BL372

- Two light bullet head GU10 halogen bar light
- Die-cast aluminium construction
- No transformer required
- 90° head tilt
- 350° head rotation
- Ceramic lampholders
- Includes 2 x 50W 240V GU10 halogen lamps

Head dimensions (no lamp):
70(l)mm x 40(w)mm
Height of Base: 25mm
Width of Base: 55mm



Dimensions do not include the lamp




BL372BSC

Satin Chrome

CODE: 17753

BL373

- Three light bullet head GU10 halogen bar light
- Die-cast aluminium construction
- No transformer required
- 90° head tilt
- 350° head rotation
- Ceramic lampholders
- Includes 3 x 50W 240V GU10 halogen lamps



Dimensions do not include the lamp

Head dimensions (no lamp):
70(l)mm x 40(w)mm
Height of Base: 25mm
Width of Base: 55mm



BL373BSC


Satin Chrome

CODE: 17762

EX361

- Single head GU10 halogen spotlight
- Metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholder

Suitable for 1 x 50W 240V GU10 halogen lamp



Head dimensions:
95(l)mm x 58(w)mm
Height of Plate: 20mm



EX361W/C

White/Chrome

CODE: 19925

EX361SB

Satin Brass

CODE: 19922

EX361SC


Satin Chrome

CODE: 19923

EX362B

- Two light GU10 halogen bar light
- Metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholders

Suitable for 2 x 50W 240V GU10 halogen lamps



Head dimensions:
95(l)mm x 58(w)mm
Width of bar: 40mm
Height of Bar: 25mm



EX362BW/C

White/Chrome

CODE: 19929

EX362BSC


Satin Chrome

CODE: 19927

EX363B

- Three light GU10 halogen bar light
- Metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholders

Suitable for 3 x 50W 240V GU10 halogen lamps




EX363BW/C	White/Chrome	CODE: I9933
EX363BSC	Satin Chrome	CODE: I993I

EX363R

- Three light GU10 halogen round plate
- Metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholders

Suitable for 3 x 50W 240V GU10 halogen lamps



Head dimensions:
90(l)mm x 65(w)mm
Height of Plate: 25mm




EX363RW/C	White/Chrome	CODE: I9937
EX363RSB	Satin Brass	CODE: I9934
EX363RSC	Satin Chrome	CODE: I9935

EX364B

- Four light GU10 halogen s-bar light
- Metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholders

Suitable for 4 x 50W 240V GU10 halogen lamps



Head dimensions: 95(l)mm x 58(w)mm
Diameter of Base: 130mm
Height of Bar: 25mm




EX364BW/C	White/Chrome	CODE: I994I
EX364BSB	Satin Brass	CODE: I9938
EX364BSC	Satin Chrome	CODE: I9939



EX333R

- Three light GU10 halogen round plate
- Die-cast aluminium and metal construction
- No transformer required
- 90° head tilt
- 350° head rotation
- Ceramic lampholders

Suitable for 3 x 50W 240V GU10 halogen lamps




EX333RW/C	White/Chrome	CODE: 19868
EX333RSC	Satin Chrome	CODE: 19866

EX332S

- Two light GU10 halogen s-bar light
- Metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholders

Suitable for 2 x 50W 240V GU10 halogen lamps




EX332SSC	Satin Chrome	CODE: 23579
----------	--------------	-------------

EX333S

- Three light classic head GU10 halogen s-bar light
- Metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholders

Suitable for 3 x 50W 240V GU10 halogen lamps




EX333SSC	Satin Chrome	CODE: 23580
----------	--------------	-------------

EX334S

- Four light classic head GU10 halogen s-bar light
- Metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholders

Suitable for 4 x 50W 240V GU10 halogen lamps



EX334SW/C	White/Chrome	CODE: 19872
EX334SSB	Satin Brass	CODE: 19869
EX334SSC	Satin Chrome	CODE: 19870

S

EX331

- Single GU10 halogen spotlight
- Die-cast aluminium and metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholder

Suitable for 1 x 50W 240V GU10 halogen lamp




EX331W/C	White/Chrome	CODE: 19855
EX331SB	Satin Brass	CODE: 19852
EX331SC	Satin Chrome	CODE: 19853

EX332B

- Two light GU10 halogen bar light
- Die-cast aluminium and metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholders

Suitable for 2 x 50W 240V GU10 halogen lamps




EX332BW/C	White/Chrome	CODE: 19859
EX332BSC	Satin Chrome	CODE: 19857

EX333B

- Three light GU10 halogen bar light
- Die-cast aluminium and metal construction
- 90° head tilt
- 350° head rotation
- Ceramic lampholders

Suitable for 3 x 50W 240V GU10 halogen lamps




EX333BW/C	White/Chrome	CODE: 19863
EX333BSB	Satin Brass	CODE: 19860
EX333BSC	Satin Chrome	CODE: 19861

RP7I005-01

- Single GU10 halogen spotlight
- No transformer required
- Satin chrome finish head and base
- Adjustable head

Suitable for 1 x 50W 240V halogen GU10 lamp



RP7I005-01


Satin Chrome

CODE: 26149

RP7I005-02

- Two light GU10 halogen round plate
- No transformer required
- Satin chrome finish heads and base
- Adjustable heads

Suitable for 2 x 50W 240V halogen GU10 lamps



RP7I005-02


Satin Chrome

CODE: 26150

RP7I005-03

- Three light GU10 halogen round plate
- No transformer required
- Satin chrome finish heads and base
- Adjustable heads

Suitable for 3 x 50W 240V halogen GU10 lamps



RP7I005-03


Satin Chrome

CODE: 26151

BL7I005-12

- Two light GU10 halogen barlight
- No transformer required
- Satin chrome finish heads and base
- Adjustable heads

Suitable for 2 x 50W 240V halogen GU10 lamps



BL7I005-12


Satin Chrome

CODE: 26152

BL7I005-13

- Three light GU10 halogen barlight
- No transformer required
- Satin chrome finish heads and base
- Adjustable heads

Suitable for 3 x 50W 240V halogen GU10 lamps




BL7I005-13

Satin Chrome

CODE: 26153

BL6708/1


- GU10 Halogen spotlight
- Conical head and oval base with brushed chrome finish
- 350° head rotation
- 90° head tilt
- Ceramic lampholder
- Inner terminal block complete with internal wiring
- Includes 1 x maximum 240V 50W GU10 halogen lamp



BL6708/1	Brushed Chrome	CODE: 26454
----------	----------------	-------------

BL6708/2

- Twin GU10 halogen bar light
- Conical heads and oval base with brushed chrome finish
- 350° head rotation
- 90° head tilt
- Ceramic lampholders
- Inner terminal block complete with internal wiring
- Includes 2 x maximum 240V 50W GU10 halogen lamps




BL6708/2	Brushed Chrome	CODE: 26455
----------	----------------	-------------



BL6708/4

- Four light GU10 halogen bar light
- Conical heads and oval base with brushed chrome finish
- 350° head rotation
- 90° head tilt
- Ceramic lampholders
- Inner terminal block complete with internal wiring
- Includes 4 x maximum 240V 50W GU10 halogen lamps




BL6708/4

Brushed Chrome

CODE: 26457

BL6708/3R

- Three light GU10 halogen round plate
- Conical heads and round plate with brushed chrome finish
- 350° head rotation
- 90° head tilt
- Ceramic lampholders
- Inner terminal block complete with internal wiring
- Includes 3 x maximum 240V 50W GU10 halogen lamps



BL6708/3R

Brushed Chrome

CODE: 26456



Metal Halide Spotlights

Crompton Lighting's range of quality commercial spotlights utilise metal halide lamps to provide an efficient and bright source of light with good colour rendering capabilities. These spotlights are designed to light up large areas with a powerful general light. Although these spotlights are wall mounted they may also be adapted for use on the 'Trex Track' system

TR707P

- 150W metal halide surface mounted floodlight
- Die-cast aluminium with epoxy polyester paint finish
- Heat tempered safety glass
- Asymmetrical aluminium alloy reflector
- Remote control gear not included
- Barn doors available in White (code 14163) Black (code 14162) Silver (code 24972)

Suitable for 1 x 150W tubular double ended metal halide lamp with RX7s base



TR707PW	White	CODE: 15774
---------	-------	-------------


Barn Doors to suit TR707P and TR700/IP series Floodlights

TR700BW	White	CODE: 14163
TR700BB	Black	CODE: 14162
TR700BA	Silver	CODE: 24972

TR700P

- 70W/240V metal halide surface mounted floodlight
- Die-cast aluminium with epoxy polyester paint finish
- Heat tempered safety glass
- Asymmetrical aluminium alloy reflector
- Integral electro magnetic control gear (non dimmable)
- Power factor corrected
- Barn doors available in White (code 14163) Black (code 14162) Silver (code 24972)

Suitable for 1 x 70W tubular double ended metal halide lamp with RX7s base




TR700PW	White	CODE: 15356
---------	-------	-------------

TR701P

- 150W/240V metal halide surface mounted floodlight
- Die-cast aluminium with epoxy polyester paint finish
- Heat tempered safety glass
- Asymmetrical aluminium alloy reflector
- Integral electro magnetic control gear (non dimmable)
- Power factor corrected
- Barn doors available in White (code 14163) Black (code 14162) Silver (code 24972)


Suitable for 1 x 150W tubular double ended metal halide lamp with RX7s base




TR701PW	White	CODE: 15358
TR701PB	Black	CODE: 15359
TR701PA	Silver	CODE: 15223

TIP: These spotlights, with the exception of the TR707, are also available in a track mounted version suitable for use with the 'Trex Track' 3 circuit mains volt track system. The TR707 can be adapted for use on this system by using the TX764 mechanical/electrical adaptor.


TR707P



TR700P



TR701P



The Metal Halide Lamp

Crompton Lighting's range of tubular metal halide discharge lamps are ideal for commercial and industrial applications where a bright and efficient light source with good colour rendition capability is required.

Commonly used in commercial interiors for accent and general lighting and for illuminating buildings and landscapes these lamps are suitable for use both indoors and in enclosed exterior fittings.

These lamps feature UV block to reduce fading and exposure to UV radiation, high lamp efficacy and low heat output.

Cromptons' single ended and double ended metal halide lamps are available in both 70W and 150W versions, with a choice of two colour temperatures: 3000K and 4000K

(See page 409)

Track Lighting

T

A blue grid pattern on a dark background, representing a track lighting system. The grid is composed of squares that are slightly distorted, giving it a three-dimensional appearance. The pattern is centered and fills most of the page.

Mains/Low Voltage Tracklighting	100
Mains/Low Voltage Tracklight Accessories	103
Mains/Low Voltage Track Packs	106
Halogen Track Heads	107
GU10 Halogen Track Packs	108
Trex Track Heads	109
Trex Track Accessories	112
Trapeze Kit	117

Mains/Low Voltage Track Heads


Crompton's extensive range of tracklights provide a simple and easily adaptable way to provide task or accent lighting around the home or office, enabling light to be directed on specific work areas, such as the kitchen bench or upon decorative features that need to be highlighted. Once installed, the adjustable track heads may be moved or removed from the track with a simple twist with no additional wiring necessary.

Note: Transformer dimensions may change from those illustrated.

TRI9T

- Round barrel head track light
- Die-cast aluminium construction
- Integral 12V electronic dimmable transformer
- 90° vertical adjustment
- 350° rotation adjustment
- Ceramic lampholder

Suitable for 1 x 50W 12V MR16 "ALUSTAR" halogen lamp with aluminium reflector




TRI9TW	White	CODE: 12975
TRI9TB	Black	CODE: 12973
TRI9TSV	Silver	CODE: 24250

TRI8T

- Cube head track light
- Die-cast aluminium construction
- Integral 12V electronic dimmable transformer
- 90° vertical adjustment
- 350° rotation adjustment
- Ceramic lampholder

Suitable for 1 x 50W 12V MR16 "ALUSTAR" halogen lamp with aluminium reflector




TRI8TW	White	CODE: 12955
TRI8TB	Black	CODE: 12953
TRI8TSV	Silver	CODE: 24251

TR372T

- Collar head track light
- Die-cast aluminium construction
- Integral 12V electronic dimmable transformer
- 90° vertical adjustment
- 350° rotation adjustment
- Ceramic lampholder

Suitable for 1 x 50W 12V MR16 "ALUSTAR" halogen lamp with aluminium reflector




TR372TW	White	CODE: 14602
TR372TB	Black	CODE: 14603
TR372TSV	Silver	CODE: 24252

TR303T

- Barrel head track light with twist lock face
- Die-cast aluminium construction
- Integral 12V electronic dimmable transformer
- 90° vertical adjustment
- 350° rotation adjustment
- Ceramic lampholder

Suitable for 1 x 50W 12V MR16 "ALUSTAR" halogen lamp with aluminium reflector

Note: Satin chrome and satin brass fittings available in black transformer only




TR303TW	White	CODE: 20899
TR303TB	Black	CODE: 20894
TR303TSC	Satin Chrome	CODE: 20898
TR303TSB	Satin Brass	CODE: 20897

TR707T

- Flat head track light with twist lock face
- Die-cast aluminium construction
- Integral 12V electronic dimmable transformer
- 90° vertical adjustment
- 350° rotation adjustment
- Ceramic lampholder

Suitable for 1 x 50W 12V MR16 "ALUSTAR" halogen lamp with aluminium reflector

Note: Satin chrome and satin brass fittings available in black transformer only




TR707TW	White	CODE: 20932
TR707TB	Black	CODE: 20926
TR707TSC	Satin Chrome	CODE: 20929
TR707TSB	Satin Brass	CODE: 20928

TR808T

- Cone head track light with twist lock face
- Die-cast aluminium construction
- Integral 12V electronic dimmable transformer
- 90° vertical adjustment
- 350° rotation adjustment
- Ceramic lampholder

Suitable for 1 x 50W 12V MR16 "ALUSTAR" halogen lamp with aluminium reflector

Note: Satin chrome and satin brass fittings available in black transformer only




TR808TW	White	CODE: 20937
TR808TB	Black	CODE: 20934
TR808TSC	Satin Chrome	CODE: 20936
TR808TSB	Satin Brass	CODE: 20933

TR802T

- Glass drum head track light
- Die-cast aluminium and frosted glass construction
- Integral 12V electronic dimmable transformer
- 90° vertical adjustment
- 350° rotation adjustment
- Ceramic lampholder

Suitable for 1 x 50W 12V bi-pin halogen lamp

Note: Satin chrome and satin brass fittings available in black transformer only



E


ELECTRONIC

TR802TW	White	CODE: 22663
TR802TB	Black	CODE: 22664
TR802TSC	Satin Chrome	CODE: 22667
TR802TSB	Satin Brass	CODE: 22665

TRI001T

- Bullet head track light
- Die-cast aluminium construction
- Integral 12V electronic dimmable transformer
- 90° vertical adjustment
- 350° rotation adjustment
- Ceramic lampholder

Suitable for 1 x 50W 12V MR16 "ALUSTAR" halogen lamp with aluminium reflector



E

ELECTRONIC

TRI001TSV	Silver	CODE: 24249
-----------	--------	-------------



Mains/Low Voltage Track Accessories


Crompton Lighting's selection of low voltage track accessories adds greatly to the versatility of its track lighting range, allowing innumerable configurations to be designed that suit a wide range of lighting applications. Some ways in which these accessories can be utilised are depicted on page 105. It is important to note however that Crompton's track system is not universal and only fittings supplied with suitable adaptors may be used.



T

TRK


- 240V 3 wire single circuit track
- Aluminium construction
- Available in 600mm, 1200mm, and 2400mm
- Includes plastic end caps
(Re-order codes: White 12791, Black 12790)



TRK600W	600mm	White	CODE: 12778
TRK600B	600mm	Black	CODE: 12777
TRK600S	600mm	Silver	CODE: 24192
TRK1200W	1200mm	White	CODE: 12780
TRK1200B	1200mm	Black	CODE: 12779
TRK1200S	1200mm	Silver	CODE: 24193
TRK2400W	2400mm	White	CODE: 12785
TRK2400B	2400mm	Black	CODE: 12784
TRK2400S	2400mm	Silver	CODE: 24194

THV


- 240V live end
- Supplies power to the lighting track
- Suitable for 240V 3 wire single circuit track only



THVW	White	CODE: 12805
THVB	Black	CODE: 12804
THVS	Silver	CODE: 24196

THI


- 240V straight joiner
- Joins two track sections end to end
- Suitable for 240V 3 wire single circuit track only



THIW	White	CODE: 12797
THIB	Black	CODE: 12796
THIS	Silver	CODE: 24198

THC


- 240V live centre feed
- Used to connect two track sections
- Suitable for 240V 3 wire single circuit track only



THCW	White	CODE: 12789
THCB	Black	CODE: 12788
THCS	Silver	CODE: 24197

THL


- 240V L shaped joiner
- Joins two track sections
- Suitable for 240V 3 wire single circuit track only



THLW	White	CODE: 12799
THLB	Black	CODE: 12798
THLS	Silver	CODE: 24195

THF


- 240V flexible joiner
- Flexes 90° to the left, right up or down
- Suitable for 240V 3 wire single circuit track only



THFW	White	CODE: 12795
THFB	Black	CODE: 12792
THFS	Silver	CODE: 24200

THT

- 240V T shaped joiner
- Joins three track sections
- Suitable for 240V 3 wire single circuit track only



THTW	White	CODE: 12803
THTB	Black	CODE: 12800
THTS	Silver	CODE: 24199


THE

- End cap
- Dead end for track ends
- Suitable for 240V 3 wire single circuit track only

THEW	White	CODE: 12791
THEB	Black	CODE: 12790

THAD

- 240V track adaptor
- Suitable for 240V 3 wire single circuit track only



THADW	White	CODE: 12787
THADB	Black	CODE: 12786

Low Voltage Track Set-up

how it all fits together

TRACK
240V 3 wire single circuit track
available in three different
lengths.

T SHAPE JOINER
Joins three track
sections.

LIVE END
Supplies power to
the lighting track.

Handy Hint
When working out how
many track heads you
need for your track, a
general rule of thumb
is to space them 500-
600mm apart- eg 2 on
the 600mm track, 3 on
the 1200mm track and
5-6 on the 2400mm
track.

**STRAIGHT
JOINER**
Joins two track
sections end to end.

L SHAPE JOINER
Joins two track
sections to make a 90°
angle.

FLEXIBLE JOINER
Joins two track
sections, can flex 90°
to the left, right, up or
down.

LIVE CENTRE FEED
Power feed connector used
to connect two track
sections.



Mains/Low Voltage Track Packs

Crompton Lighting's track packs are the easiest way to purchase low voltage track lighting and include all the components (excluding lamps) needed for basic installations. To create more complex configurations (for example assembling the tracks to form a square), connectors, such as T and L shape joiners, can be purchased separately. Once the track has been installed, the lighting effect can be further customised by either adjusting the heads or by adding or removing fixtures.


KTRI8T3

Three light low voltage halogen track pack consisting of:

- 1 x 1200mm 240V 3 wire single circuit track
- 1 x 240V live end
- 3 x TRI8T cube head track lights with integral electronic transformer

Dimmable with trailing edge dimmer

Suitable for 3 x 50W 12V MR16 "ALUSTAR" halogen lamps with aluminium reflector



KTRI8T3W	White	CODE: 12197
----------	-------	-------------


KTRI9T2

Two light low voltage halogen track pack consisting of:

- 1 x 600mm 240V 3 wire single circuit track
- 1 x 240V live end
- 2 x TRI9T round barrel head track lights with integral electronic transformer

Dimmable with trailing edge dimmer

Suitable for 2 x 50W 12V MR16 "ALUSTAR" halogen lamps with aluminium reflector



KTRI9T2W	White	CODE: 12203
KTRI9T2B	Black	CODE: 12200
KTRI9T2SV	Silver	CODE: 24804


KTRI9T3

Three light low voltage halogen track pack consisting of:

- 1 x 1200mm 240V 3 wire single circuit track
- 1 x 240V live end
- 3 x TRI9T round barrel head track lights with integral electronic transformer

Dimmable with trailing edge dimmer

Suitable for 3 x 50W 12V MR16 "ALUSTAR" halogen lamps with aluminium reflector



KTRI9T3W	White	CODE: 12209
KTRI9T3B	Black	CODE: 12206
KTRI9T3SV	Silver	CODE: 24805



240V Track Heads

Crompton Lighting's 240V linear halogen tracklights provide an alternative to the low voltage heads, suitable for applications where a more intense light source is required, for instance in shop, kitchen, gallery and office lighting. Just as versatile as the low voltage track lights, these heads may be used on the track system illustrated on the previous pages.


SAFETY NOTE: The glass protective shields supplied with these track fittings are essential to their operation and must not be removed. The standard covering this, AS/NZS60598:2003, makes it mandatory to have glass shields fitted on all luminaires designed to take lamps that do not feature an integral glass envelope, such as linear halogen lamps. The glass shield is designed to prevent potential hazards that may occur in the unlikely event that the lamp explodes.



TR683T

- 240V rectangular tracklight with barndoors
- Aluminium reflector
- Safety glass
- 90° adjustable head
- Die-cast aluminium construction

Suitable for 1 x 150W 240V 78mm R7s linear halogen lamp



TR683TW	White	CODE: 20924
TR683TB	Black	CODE: 20923



240V Linear Halogen Lamps

Crompton Lighting's mains voltage double ended halogen lamps are designed to provide an efficient and powerful source of crisp white light for general, task and security lighting applications.

Crompton Lighting's mains voltage linear halogen range includes lamps with lengths of 78mm, 118mm, 189mm and 254mm, with wattages from 60W to 1500W.

Crompton Linear Halogen Lamp Features:

- Immediate start
- Dimmable (when dimming halogen lamps, it is recommended that the lamps are run at full operating temperature at the end of each switching cycle (i.e. reduce dimming to normal operation))
- Constant light output during lamp life
- Long lamp life of 2000 hours
- Excellent colour rendering with a colour temperature of 3000K
- Reinforced filament designed to withstand vibrations and movement
- Ceramic ends

Linear halogen lamps are ideal for use in track lights for providing high light output for feature lighting and task lighting in domestic and commercial interiors.

(See page 374)



TIP: For lighting wall hangings with track fixtures, the track should be mounted on the ceiling in such a location that will allow each track fixture to be aimed at a 30-degree angle from the vertical. This will prevent both direct and indirect glare and will minimize any shadows produced when the track fixture is too close to the wall hanging being lit.

240V GU10 Track Packs


Crompton Lighting's track packs are the easiest way to purchase GU10 halogen track lighting and include all the components (excluding lamps) needed for basic installations. To create more complex configurations (for example assembling the tracks to form a square), connectors, such as T and L shape joiners, can be purchased separately. Once the track has been installed, the lighting effect can be further customised by either adjusting the heads or by adding or removing fixtures.



KTR303T2 - GU10

- Two light GU10 halogen track pack consisting of:
- 1 x 600mm 3 wire single circuit track
 - 1 x 240V live end
 - 2 x TR303T round barrel head track lights with twist lock lamp replacement and die-cast aluminium heads

Suitable for 2 x 50W 240V GU10 halogen lamps




KTR303T2-GU10W	White	CODE: 24808
KTR303T2-GU10B	Black	CODE: 24806
KTR303T2-GU10SC	Silver Head/Silver Track	CODE: 24807



KTR303T3-GU10

- Three light GU10 halogen track pack consisting of:
- 1 x 1200mm 3 wire single circuit track
 - 1 x 240V Live end
 - 3 x TR303T round barrel head track lights with twist lock lamp replacement and die-cast aluminium heads

Suitable for 3 x 50W 240V GU10 halogen lamps



KTR303T3-GU10W	White	CODE: 24811
KTR303T3-GU10B	Black	CODE: 24809
KTR303T3-GU10SC	Silver Head/Silver Track	CODE: 24810

Commercial 'Trex Track' Heads

Crompton Lighting's commercial track head range features quality fittings. The track mounted floodlights are most commonly used to light up large areas with a powerful general light, whereas the track mounted spotlight 'Balance' may be used to give additional lighting to specific spaces. All track heads in this range are designed to be used with the Trex Track system.

HAWK

- Metal halide track mounted floodlight
- Designed for use only with "Trex Track" system
- Quality die-cast aluminium construction
- Tempered safety glass
- Anodised aluminium reflector
- Integral ferromagnetic control gear (non dimmable)
- Track adaptor

Suitable for 1 x 70W G12 tubular single ended metal halide lamp
Or
1 x 150W G12 tubular single ended metal halide lamp



HAWKW 70W	White	CODE: 25505
HAWKS 70W	Silver	CODE: 25506

HAWKW 150W	White	CODE: 24789
HAWKS 150W	Silver	CODE: 24790



The Metal Halide Lamp


Crompton Lighting's range of tubular metal halide discharge lamps are ideal for commercial and industrial applications where a bright and efficient light source with good colour rendition capabilities is required.

Commonly used in commercial interiors for accent and general lighting and for illuminating buildings and landscapes these lamps are suitable for use both indoors and in enclosed exterior fittings.

Crompton's quality lamps feature a UV block to reduce fading and exposure to UV radiation, high lamp efficacy and low heat output.

Crompton's single ended and double ended metal halide lamps are available in 35W, 70W and 150W versions, with a choice of two colour temperatures: 3000K, 4000K and 4200K.

(See page 410)




T



BALANCE

- 50W/12V halogen track mounted spotlight
- Thermoplastic housing
- Rotates 360° and vertically adjustable by 90°
- Integral electronic transformer - may be dimmed using an appropriate dimmer and is equipped with thermal switch and short circuit protection
- Universal track adaptor
- Quality finish

Suitable for 50W 12V MR16 “ALUSTAR” halogen lamp with aluminium reflector



BALANCEW	White	CODE: 24787
BALANCEB	Black	CODE: 18731
BALANCES	Silver	CODE: 24788






TR700PX

- 70W/240V metal halide track mounted floodlight
- Quality die-cast aluminium with epoxy polyester paint finish
- Tempered safety glass
- 99.9 pure aluminium reflector
- Integral electromagnetic control gear (not dimmable)
- Wired for 230V-50Hz and power factor corrected
- Barn doors available in White (code 14163) Black (code 14162) Silver (code 24972)

Suitable for 1 x 70W RX7s tubular double ended metal halide lamp



Net Weight: 4.7Kg




Tabella delle intensità luminose in cd/klm

Gamma	0°	15°	30°	45°	60°	70°	90°
C 0°	270.6	280.9	236.7	179.3	99.0	28.4	0.0
C 45°	276.8	271.0	235.1	174.5	117.2	28.9	0.0
C 90°	276.8	262.6	221.3	162.9	76.1	24.2	0.0
C 135°	270.6	257.6	220.2	166.0	109.9	25.1	0.0
C 180°	270.6	264.3	218.4	163.0	51.7	22.2	0.0


TR700PXW 70	White	CODE: 15350
TR700PXB 70	Black	CODE: 15345



TR701PX

- 150W/240V metal halide track mounted floodlight
- Designed for use only with "Trex Track" system
- Quality die-cast aluminium with epoxy polyester paint finish
- Tempered safety glass
- 99.9 pure aluminium reflector
- Integral electromagnetic control gear (not dimmable)
- Wired for 230V-50Hz and power factor corrected
- Barn doors available in White (code 14163) Black (code 14162) Silver (code 24972)

Suitable for 1 x 150W RX7s tubular double ended metal halide lamp



Net Weight: 4.7Kg




Tabella delle intensità luminose in cd/klm

Gamma	0°	15°	30°	45°	60°	70°	90°
C 0°	283.9	277.1	233.9	182.9	70.3	27.2	0.0
C 45°	283.9	273.0	234.0	172.0	111.9	29.3	0.0
C 90°	283.9	262.3	215.2	143.7	61.6	20.9	0.0
C 135°	283.9	260.8	208.0	142.5	88.5	26.0	0.0
C 180°	283.9	267.7	217.2	166.9	72.7	21.1	0.0

TR701PXW 150	White	CODE: 15409
TR701PXB 150	Black	CODE: 15410
TR701PXS 150	Silver	CODE: 15818




Barn Doors to suit TR700PX and TR701PX series Floodlights

TR700BW	White	CODE: 14163
TR700BB	Black	CODE: 14162
TR700BA	Silver	CODE: 24972

TX750/751/752


- 'Trex Track' - mains voltage 230/250V-16A
- Three circuit track system for surface mounting
- Ductile for a continuous line without joints
- Suitable for large display areas such as shops and art galleries
- Rounded extruded aluminium profile
- Available in a polyester paint finish (white and black) or anodised aluminium finish
- Copper conducting wires located on the inside of a PVC extruded profile



TX750W	1000mm	White	CODE: 13207
TX750B	1000mm	Black	CODE: 13206
TX750S	1000mm	Aluminium	CODE: 24069
TX751W	2000mm	White	CODE: 13209
TX751B	2000mm	Black	CODE: 13208
TX751S	2000mm	Aluminium	CODE: 24070
TX752W	3000mm	White	CODE: 13211
TX752B	3000mm	Black	CODE: 13210
TX752S	3000mm	Aluminium	CODE: 24071

TX753


- 230/250V right live end
- Supplies power to the lighting track
- Suitable for "Trex Track" three circuit track only



TX753W	White	CODE: 13213
TX753B	Black	CODE: 13212
TX753S	Silver	CODE: 24072

TX754


- 230/250V left live end
- Supplies power to the lighting track
- Suitable for "Trex Track" three circuit track only



TX754W	White	CODE: 13215
TX754B	Black	CODE: 13214
TX754S	Silver	CODE: 24073

TX755


- 230/250V electrical joiner
- Joins two track sections end to end and supplies power between them
- Suitable for "Trex Track" three circuit track only



TX755W	White	CODE: 13217
TX755B	Black	CODE: 13216

TX756


- 230/250V mechanical joiner
- Joins two track sections end to end
- Suitable for "Trex Track" three circuit track only



TX756W	White	CODE: 13219
TX756B	Black	CODE: 13218

TX757

- 230/250V flexible joiner
- Flexes 90° to the left, right, up or down
- Suitable for "Trex Track" three circuit track only



TX757W	White	CODE: 13221
TX757B	Black	CODE: 13220
TX757S	Silver	CODE: 24074

TX758

- 230/250V 90° connector
- Inside or outside connector
- Suitable for "Trex Track" three circuit track only




TX758W	White	Inside 90° Connector	CODE: 24075
TX758B	Black	Inside 90° Connector	CODE: 24076
TX758S	Silver	Inside 90° Connector	CODE: 24077
TX758W	White	Outside 90° Connector	CODE: 24078
TX758B	Black	Outside 90° Connector	CODE: 24079
TX758S	Silver	Outside 90° Connector	CODE: 24080



TX760


- 230/250V T connector
- Inside earth
- Joins three track sections
- Suitable for "Trex Track" three circuit track only



TX760W	White	CODE: 13227
TX760B	Black	CODE: 24081
TX760S	Silver	CODE: 24082

TX761

- 230/250V T connector
- Outside earth
- Joins three track sections
- Suitable for "Trex Track" three circuit track only




TX761B	Black	CODE: 24083
TX761S	Silver	CODE: 24084



TX762


- 230/250V cross connector with inside earth
- Joins four track sections at cross intersection
- Suitable for "Trex Track" three circuit track only



TX762B	Black	CODE: 24085
TX762S	Silver	CODE: 24086

TX763


- 230/250V centre feed
- Joins two track sections end to end
- Suitable for "Trex Track" three circuit track only



TX763W	White	CODE: 13233
TX763B	Black	CODE: 13232

TX764


- 230/250V universal mechanical/electrical adaptor
- Enables the correct mechanical/electrical connection between standard floodlights and the track system
- Suitable for "Trex Track" three circuit track only



TX764W	White	CODE: 13235
TX764B	Black	CODE: 13234
TX764S	Silver	CODE: 24088

TX765

- Mechanical adaptor
- Enables non-electrical items to be suspended from the track
- Suitable for "Trex Track" three circuit track only



TX765W	White	CODE: 13237
TX765B	Black	CODE: 13236

TX766


- Track end plate
- Suitable for "Trex Track" three circuit track only



TX766W	White	CODE: 13239
TX766B	Black	CODE: 13238
TX766S	Silver	CODE: 24091

TX768

- Suspension kit – single pack
- Supplied with steel wire 2000mm
- Suitable for "Trex Track" three circuit track only



TX768W	White	CODE: 13243
TX768B	Black	CODE: 13242



Trapeze Lighting

This trapeze system revolves around two rows of wires, stretched between two points in a room. This allows flexibility in the design of the lighting installation as cable anchor points can be set up anywhere on walls or ceilings. No other lighting system allows the same level of freedom to direct the light fittings onto positions then move them at a later date. The trapeze system can be used almost anywhere in all types of retail shops, offices and homes.

DIY
LIGHTING


T



TS520

DIY low voltage trapeze lighting kit containing:

- 5 x adjustable straight arm trapeze heads
- 5 x 12V/20W glass covered MR16 halogen dichroic lamps
- 2 x 5 metre lengths of 3mm² insulated trapeze cables
- 1 x 105VA electronic transformer with 2 metre flex and plug
- 1 x mounting kit including: 2 turnbuckles, 4 screw hooks, 4 cable clamps and 4 screws with plugs
- Kit is packaged in a coloured retail box with instructions



Dimensions:
Height of head: 250mm
Length of Cable: 5000mm




TS520

Steel

CODE: 18821

Fluorescent

F



T8 Fluorescent Battens	120
T5 Fluorescent Battens	122
T8 Aluminium Fluorescent Battens	124
Electronic T8 Fluorescent Battens	125
Specialty Fluorescents	126
Miniature Fluorescents	130
Weatherproof Fittings	134
Strip Lights	136
Xenon Cable Lighting System	137
T5 Fluorescent Troffer	138

Fluorescent Battens

Fluorescent battens offer an energy efficient, cost effective lighting solution which benefits both the user and the environment. Fluorescent tubes use less electricity than an old incandescent lamp, last longer and give off less heat. Tri-phosphor fluorescent tubes offer improved colour rendering and the linear distribution of light is uniform for more effective illumination of kitchen, garage or work areas.




F T8 Bare Fluorescent Battens




- Powder coated pressed metal construction
- High power factor corrected
- Large accessible terminal block (15 amp)
- Large bushed cable entry
- Quality components
- Includes 4000K tri-phosphor cool white fluorescent tube/s
- Coloured retail box

FL118B	Bare	CODE: I6767
FL218B	Bare	CODE: I6867
FL136B	Bare	CODE: I6371
FL236B	Bare	CODE: I6372


FL118B	1 x 18W
--------	---------




FL218B	2 x 18W
--------	---------



FL136B	1 x 36W
--------	---------



FL236B	2 x 36W
--------	---------




Fluorescent Tubes

Fluorescent tubes are becoming an increasingly popular choice for use in both domestic and office lighting due to their energy efficiency. In households, fluorescent tubes are most commonly used in areas where the light is frequently on such as in garages, work areas and kitchens. Fluorescent tubes that produce the same amount of light as the old incandescent lamps typically do so using up to 70% less electricity. This results in savings on energy costs for the user and also helps to lower demand for electricity and reduce greenhouse gas emissions and other pollution from energy production.

To generate further energy savings and extend lamp life, fluorescent lights should be turned off when not in use. Although it is widely believed that the energy savings achieved by turning off the lamps are largely offset by the momentary burst of electrical energy required to turn the lamp on again, this surge is very small and draws the equivalent of approximately five seconds of normal operation. It should be noted however that very frequent switching may reduce the life of the tube. In most circumstances it is cost effective to turn fluorescent lights off if they won't be in use for 15 to 20 minutes or longer.

(See page 379)



T8 Diffused Fluorescent Battens



- Reeded diffuser
- Powder coated pressed metal construction
- High power factor corrected
- Large accessible terminal block (15 amp)
- Large bushed cable entry
- Quality components
- Includes 4000K tri-phosphor cool white fluorescent tube/s
- Coloured retail box

FL118D 1 x 18W

Replacement diffuser code: 24546

FL218D 2 x 18W

Replacement diffuser code: 24546





FL136D 1 x 36W

Replacement diffuser code: 24547

FL236D 2 x 36W


Replacement diffuser code: 24547

FL118D	Diffused	CODE: 16768
FL218D	Diffused	CODE: 16766
FL136D	Diffused	CODE: 16370
FL236D	Diffused	CODE: 16868



FL236DE

- Twin 36W fluorescent batten
- Reeded diffuser
- Powder coated pressed metal construction
- Large accessible terminal block (15 amp)
- Large cable entry with bush
- Energy saving electronic ballast – not dimmable
- Includes 2 x 36W T8 tri-phosphor 4000K cool white fluorescent tubes



E
ELECTRONIC

FL236DE Diffused CODE: 25520

T5 Fluorescent Battens

T5 Bare Fluorescent Battens **IP iReady**



- White powder coated pressed metal construction
- Electronic ballast – not dimmable
- 25mm cable entry
- Large 3 way terminal block
- Includes 4000K tri-phosphor cool white fluorescent tube/s
- Coloured retail box




FLT5114B	Bare	CODE: 25983
FLT5214B	Bare	CODE: 25979
FLT5128B	Bare	CODE: 25981
FLT5228B	Bare	CODE: 25977

FLT5114B 1 x 14W

FLT5214B 2 x 14W

FLT5128B 1 x 28W

FLT5228B 2 x 28W



T5 Diffused Fluorescent Battens **IP iReady**



- White powder coated pressed metal construction
- Reeded acrylic diffuser
- Electronic ballast – not dimmable
- 25mm cable entry
- Large 3 way terminal block
- Includes 4000K tri-phosphor cool white fluorescent tube/s
- Coloured retail box




FLT5114D	Diffused	CODE: 25982
FLT5214D	Diffused	CODE: 25978
FLT5128D	Diffused	CODE: 25980
FLT5228D	Diffused	CODE: 25976

FLT5114D 1 x 14W

FLT5214D 2 x 14W

FLT5128D 1 x 28W

FLT5228D 2 x 28W



T5 Fluorescent Surface Mounted Battens




- Slimline white T5 fluorescent surface mounted fitting
- White painted metal base
- White plastic diffuser end caps
- Clear reeded acrylic diffuser
- Electronic ballast – not dimmable
- Includes 4000K tri-phosphor cool white fluorescent tube/s
- Coloured retail box




SLT5114	Diffused	CODE: 26775
SLT5214	Diffused	CODE: 26776
SLT5128	Diffused	CODE: 26777
SLT5228	Diffused	CODE: 26778


SLT5114	1 x 14W
---------	---------




SLT5214	2 x 14W
---------	---------



SLT5128	1 x 28W
---------	---------



SLT5228	2 x 28W
---------	---------



T8 Aluminium
Fluorescent Battens



F




- Powder coated aluminium extrusion construction
- Corrosion resistant
- Acrylic diffuser
- Ideal for coastal areas
- Rounded design
- High power factor corrected
- Quality components
- Tube not included
- Coloured retail box


Suitable for 4000K tri-phosphor cool white
fluorescent tube/s

FL118D/AL	Opal	CODE: 20748
FL218D/AL	Opal	CODE: 20772
FL136D/AL	Reeded	CODE: 20763
FL136D/AL	Opal	CODE: 20760
FL236D/AL	Opal	CODE: 20784


FL118D/AL	1 x 18W
-----------	---------




FL218D/AL	2 x 18W
-----------	---------



FL136D/AL	1 x 36W
-----------	---------



FL236D/AL	2 x 36W
-----------	---------



Using Quality Components the tri-phosphor batten range

All T8 battens in the range at time of printing incorporate the following components unless otherwise stated:

- European Lampholders
- ATCO EC Ballasts
- Quality Tri-phosphor Tubes
- Quality Capacitors
- Crompton Starters

All battens are manufactured to AS/N25 60598.1:2003



CROMPTON Electronic T8 Fluorescent Batten




E ELECTRONIC


- Powder coated, pressed metal construction
- High power factor corrected
- Large, easily accessible terminal block (15 amp) to permit looping in
- Large cable entry with bush
- Quality components included
- Includes 4000K tri-phosphor cool white fluorescent tube/s with G13 base

FLT8118EB	Bare	CODE: 26288
FLT8118ED	Diffused	CODE: 26289
FLT8218EB	Bare	CODE: 26290
FLT8218ED	Diffused	CODE: 26291
FLT8136EB	Bare	CODE: 26292
FLT8136ED	Diffused	CODE: 26293
FLT8236EB	Bare	CODE: 26294
FLT8236ED	Diffused	CODE: 26295


FLT8118EB 1 x 18W




FLT8118ED 1 x 18W




FLT8218EB 2 x 18W




FLT8218ED 2 x 18W




FLT8136EB 1 x 36W




FLT8136ED 1 x 36W



FLT8236EB 2 x 36W




FLT8236ED 2 x 36W





KITCHEN PRO218


- Twin rectangular fluorescent fitting
- Satin chrome metal base
- White acrylic reeded diffuser
- Includes starters
- Integral ballast
- Includes 2 x 18W T8 tri-phosphor 4000K cool white fluorescent tubes



KITCHENPRO218 Diffused CODE: 25744

KITCHEN PRO236

- Twin rectangular fluorescent fitting
- White painted metal base
- Satin chrome end caps
- White acrylic reeded diffuser
- Integral ballast
- Includes starters
- Includes 2 x 36W T8 tri-phosphor 4000K cool white fluorescent tubes




KITCHENPRO236 Diffused CODE: 25893



FLI36B/Flex & Plug


- Single 36W bare fluorescent batten
- Flex and plug fitted
- Powder coated pressed metal construction
- Slimline design
- High power factor corrected
- Mounting clips included
- Quality components
- Includes 1 x 36W tri-phosphor 4000K cool white fluorescent tube



FLI36B/FP Bare with Flex & Plug CODE: 22567

FL236B-FP


- Twin 36W bare fluorescent batten
- Flex and plug fitted
- Powder coated pressed metal construction
- High power factor corrected
- Quality components
- Includes 2 x 36W tri-phosphor 4000K cool white fluorescent tube with G13 bases



FL236B-FP Bare with Flex & Plug CODE: 26199

FLI36B/WG

- Single 36W wire guard fluorescent batten
- Powder coated pressed metal construction
- Slimline design
- High power factor corrected
- Large accessible terminal block (15 amp)
- Large cable entry with bush
- Mounting screws included
- Quality components
- Includes 1 x 36W tri-phosphor 4000K cool white fluorescent tube



FLI36B/WG Wire Guard CODE: 17787

FL236B/WG

- Twin 36W wire guard fluorescent batten
- Powder coated pressed metal construction
- High power factor corrected
- Large accessible terminal block (15 amp)
- Large cable entry with bush
- Quality components
- Includes 2 x 36W tri-phosphor 4000K cool white fluorescent tubes



FL236B/WG Wire Guard CODE: 24460

DF28WG

- Wire guard
- Powder coated pressed metal construction
- To suit single 28W batten or twin 28W batten


Dimension (mm)
1184(W) x 78(H) x 42.5(D)



DF28WG Wire Guard CODE: 26493

FLASH-G13

- 'Do It Yourself' fluorescent shelf light
- Silver grey powder coated aluminium alloy body
- Internally reeded clear acrylic diffuser
- Tempered glass shelf
- Electronic ballast – not dimmable
- On/off switch
- 1.5 metre flex and plug
- Includes 1 x 13W T5 4000K tri-phosphor fluorescent tube




FLASH G13

Satin Chrome

CODE: 25885

FLNAFI4W

- Under cabinet fluorescent light
- White powder coated aluminium alloy casing
- White acrylic internally reeded diffuser
- On/off switch
- Integral electronic ballast
- 1.5 metre flex and plug
- Includes 1 x 14W T5 4000K tri-phosphor fluorescent tube




FLNAFI4W

White

CODE: 25884

FLNAFI4WS

- 'Do It Yourself' under cabinet fluorescent light
- White powder coated aluminium alloy casing
- White acrylic internally reeded diffuser
- PIR mini sensor inbuilt (60 degree detection angle, 1 metre range, 1 minute preset timing)
- Integral electronic ballast
- 1-5 metre flex and plug
- Includes 1 x 14W T5 4000K fluorescent lamp




FLNAFI4WS

White

CODE: 25890

FLKRT10

- Fluorescent kitchen rail light
- Satin nickel and chrome finish body
- Stainless steel rail with 5 hanging hooks
- Clear reeded diffuser
- On/off switch
- Includes 1 x 10W T4 4200K tri-phosphor lamp




FLKRT10

Satin Nickel

CODE: 25886

FLCLF14WT5

- 'Do It Yourself' T5 fluorescent corner light
- White powder coated aluminium housing
- Clear acrylic internally reeded diffuser
- On/off switch
- Integral electronic ballast
- 1-5 metre flex and plug
- Includes 1x 14W T5 4000K fluorescent lamp




FLCLF14WT5

White

CODE: 25887

FLCLF28WT5

- 'Do It Yourself' T5 fluorescent corner light
- White powder coated aluminium housing
- Clear acrylic internally reeded diffuser
- On/off switch
- Integral electronic ballast
- 1-5 metre flex and plug
- Includes 1x 28W T5 4000K fluorescent lamp



FLCLF28WT5

White

CODE: 25888




Miniature Fluorescents

Crompton Lighting's miniature fluorescent fittings offer an energy efficient and cost effective solution to lighting benches, shelves, desks, work areas and beneath pelmets and architraves. An excellent alternative to standard under-shelf downlights and striplights, these miniature fluorescents utilise T4 and T5 fluorescent lamps, allowing the fittings to be smaller in both length and width than standard fluorescent battens. The small size of these fittings allows them to be concealed, providing a bright, energy efficient light with excellent colour rendering capabilities.

F

FL8D/Reeded

- 8W under shelf T5 fluorescent fitting
- Powder coated aluminium extrusion construction
- Reeded diffuser
- Accessible on/off switch
- Suitable for concealed lighting
- Includes 1 x 8W T5 4000K cool white fluorescent tube




FL8D/R

Reeded

CODE: 20792

FL8D/Opal

- 8W under shelf T5 fluorescent fitting
- Powder coated aluminium extrusion construction
- Opal diffuser
- Accessible on/off switch
- Suitable for concealed lighting
- Includes 1 x 8W T5 4000K cool white fluorescent tube




FL8D/O

Opal

CODE: 20791

FL13D/Reeded

- 13W under shelf T5 fluorescent fitting
- Powder coated aluminium extrusion construction
- Reeded diffuser
- Accessible on/off switch
- Suitable for concealed lighting
- Includes 1 x 13W T5 4000K cool white fluorescent tube




FL13D/R

Reeded

CODE: 20767

FLI3D/Opal

- 13W under shelf T5 fluorescent fitting
- Powder coated aluminium extrusion construction
- Opal diffuser
- Accessible on/off switch
- Suitable for concealed lighting
- Includes 1 x 13W T5 4000K cool white fluorescent tube




FLI3D/O

Opal

CODE: 20766

LFD6

- 'Do It Yourself' slimline linkable fluorescent fitting
- White finish
- Aluminium reflector
- Reeded diffuser
- Includes mounting kit and 1.5m 240V flex and plug
- On/off switch
- Up to six units may be linked together.
- Includes 1 x 6W T4 tri-phosphor 6500K daylight fluorescent tube



LFD6W

Reeded Diffuser

CODE: 18842

LFD10

- 'Do It Yourself' slimline linkable fluorescent fitting
- White finish
- Aluminium reflector
- Reeded diffuser
- Includes mounting kit and 1.5m 240V flex and plug
- On/off switch
- Up to six units may be linked together.
- Includes 1 x 10W T4 tri-phosphor 6500K daylight fluorescent tube




LFD10W

Reeded Diffuser

CODE: 18841

LFD16

- 'Do It Yourself' slimline linkable fluorescent fitting
- White finish
- Aluminium reflector
- Reeded diffuser
- Includes mounting kit and 1.5m 240V flex and plug
- On/off switch
- Up to six units may be linked together.
- Includes 1 x 16W T4 tri-phosphor 6500K daylight fluorescent tube




LFD16W

Reeded Diffuser

CODE: 18840

LFD20

- 'Do It Yourself' slimline linkable fluorescent fitting
- White finish
- Aluminium reflector
- Reeded diffuser
- Includes mounting kit and 1.5m 240V flex and plug
- On/off switch
- Up to six units may be linked together.
- Includes 1 x 20W T4 tri-phosphor 6500K daylight fluorescent tube




LFD20W

Reeded Diffuser

CODE: 18839

LT5F8W

- 'Do It Yourself' slimline linkable fluorescent fitting
- Chrome housing with white end caps
- Aluminium reflector
- Reeded diffuser
- Includes mounting kit and 1.5m 240V flex and plug
- On/off switch
- Up to six units may be linked together
- Electronic inbuilt ballast
- Not dimmable
- Includes 1 x 8W T5 tri-phosphor 4000K cool white fluorescent tube




LT5F8W

Reeded Diffuser

CODE: 25787

LT5F14W

- 'Do It Yourself' slimline linkable fluorescent fitting
- Chrome housing with white end caps
- Aluminium reflector
- Reeded diffuser
- Includes mounting kit and 1.5m 240V flex and plug
- On/off switch
- Up to six units may be linked together
- Electronic inbuilt ballast
- Not dimmable
- Includes 1 x 14W T5 tri-phosphor 4000K cool white fluorescent tube




LT5F14W

Reeded Diffuser

CODE: 25292

LT5F21W

- 'Do It Yourself' slimline linkable fluorescent fitting
- Chrome housing with white end caps
- Aluminium reflector
- Reeded diffuser
- Includes mounting kit and 1.5m 240V flex and plug
- On/off switch
- Up to six units may be linked together
- Electronic inbuilt ballast
- Not dimmable
- Includes 1 x 21W T5 tri-phosphor 4000K cool white fluorescent tube




LT5F21W

Reeded Diffuser

CODE: 25293

LT5F28W

- 'Do It Yourself' slimline linkable fluorescent fitting
- Chrome housing with white end caps
- Aluminium reflector
- Reeded diffuser
- Includes mounting kit and 1.5m 240V flex and plug
- On/off switch
- Up to six units may be linked together
- Electronic inbuilt ballast
- Not dimmable
- Includes 1 x 28W T5 tri-phosphor 4000K cool white fluorescent tube



LT5F28W


Reeded Diffuser

CODE: 25294

F

LT5F35W

- 'Do It Yourself' slimline linkable fluorescent fitting
- Chrome housing with white end caps
- Aluminium reflector
- Reeded diffuser
- Includes mounting kit and 1.5m 240V flex and plug
- On/off switch
- Up to six units may be linked together
- Electronic inbuilt ballast
- Not dimmable
- Includes 1 x 35W T5 tri-phosphor 4000K cool white fluorescent tube



LT5F35W

Reeded Diffuser

CODE: 25295

LFC

- Linkable connector
- Allows linkable to go around corners




LFC 200mm White Connector

CODE: 25171

LFC 500mm White Connector

CODE: 22856

Linkable Usage Tips



Link up to six units together with built in connectors to a single power-point
Connectors for going around corners available (see below)



Each unit has its own switch to allow for complete control of the light
* Linkable fluorescents are not to be used as a portable work light


Weatherproof Fittings

For situations that are exposed to extreme weather conditions or vandalism, it is always necessary to install fittings that offer the appropriate level of protection against environmental damage. Crompton Lighting's selection of weatherproof fluorescent fixtures feature vandal resistant polycarbonate diffusers and are weatherproof to IP65, meaning that they are completely protected against dust and against jets of water from all directions - ie. from heavy rain or from hosing. These fittings range in size from 30cm to over 1.2m and suit a range of applications from outdoor entertainment areas to car-parks.




18W - BAYVIEW

- 18W weatherproof fluorescent fitting
- Polycarbonate (RAL 9003) base with white powder coated steel gear tray reflector
- Shock resistant polycarbonate diffuser UV stabilised with prismatic interior
- Stainless steel clips and closed cell polyurethane foam gasket
- Quality components - Electronic ballast and lampholder
- Cable knock outs with waterproof PP cable glands supplied
- IP65
- Includes 18W 4000K tri-phosphor cool white fluorescent tube/s




FDE118 1 x 18W CODE: 26121




FDE218 2 x 18W CODE: 26122

36W - BAYVIEW

- 36W weatherproof fluorescent fitting
- Polycarbonate (RAL 9003) base with white powder coated steel gear tray reflector
- Shock resistant polycarbonate diffuser UV stabilised with prismatic interior
- Stainless steel clips and closed cell polyurethane foam gasket
- Quality components - Electronic ballast and lampholder
- Cable knock outs with waterproof PP cable glands supplied
- IP65
- Includes 36W 4000K tri-phosphor cool white fluorescent tube/s



FDE136 1 x 36W CODE: 26123




FDE236 2 x 36W CODE: 26015

'Mini Securelite' MBV29GY

- Vandal resistant 2 x 9W compact fluorescent weatherproof fitting
- Shock resistant grey polycarbonate base
- Opal polycarbonate diffuser
- Integral "Tridonic" ballast
- 20mm punch or drill required to remove cable knock-out
- IP65

Suitable for 2 x 9W PL G23 fluorescent lamps



IP65
INGRESS
PROTECTION

MBV29GY


Weatherproof - IP65

CODE: 22563

F

'Securelite' BVI8WGY

- Vandal resistant single 18W fluorescent weatherproof fitting
- Shock resistant grey polycarbonate base
- Opal polycarbonate diffuser
- "Tridonic" low loss ballast
- 20mm punch or drill required to remove cable knock-out
- IP65
- Includes 1 x 18W tri-phosphor Colour 840 fluorescent tube



IP65
INGRESS
PROTECTION

BVI8WGY

Weatherproof - IP65

CODE: 22565

IP Protection

IP65
INGRESS
PROTECTION

Not all light fittings are designed to be used in situations where they are exposed to the elements, such as on the outside of buildings.

The fixtures in this section are designed for use in locations exposed to heavy rain and hosing. None of the other fluorescent battens in Crompton's range can be used outside, except under weather protected pergolas or patios.

It is always important to check if a product is weatherproof before selecting it for use in an exposed situation. IP or Ingress Protection numbers are used to specify the degree of protection provided by the enclosures of electrical equipment such as light fittings. These rating are always composed of two numbers with the first referring to the degree of protection from solid objects such as dust and the second, the protection from liquids.

An IP65 rating for a luminaire means that: its 6 indicates there is no physical access to the hazardous parts by solid objects and the enclosure is 'dust tight'. The number 5 indicates that the enclosure will protect the interior from the effects of water projected from any direction; ie hosing and powerful rain.

REMEMBER - If no IP rating is specified then it cannot be used outdoors, unless in a fully protected area.




Incandescent Strip Lights

These mains voltage, linear incandescent striplights are designed for indoor use, where a clear and discreet look is required. All of Crompton's striplights use linear architectural lamps. In these lamps, the tungsten filament extends over the entire length of the lamp to provide a bright and uniform strip of light. With these features, incandescent striplights are ideal for use in shop, cabinet, picture and kitchen lighting. The STRIP/60W has the additional benefit of being a 'Do It Yourself' product, that can be easily installed.

STRIP/60W

- 'Do It Yourself' strip light
- Compact size
- Includes mounting kit
- Flex and plug
- On/off push switch
- Includes 1 x 60W 240V double ended opal tubular strip light



STRIP/60W

Compact Striplight

CODE: 24407



Linear Strip Light Lamps

Often confused for fluorescent lamps, linear strip lights are available in two main types: double ended tubular and single ended tubular.

All of these lamps are used in fittings designed for domestic and commercial applications where a discreet, uniform light source is required, for instance in picture lighting and in the illumination of cabinets and alchitraves.

TIP: If you are having difficulty determining whether a linear lamp is fluorescent or incandescent, look at the lamp wattage. Incandescent strip light lamps are available in 30W and 60W. If it is a 30W lamp, the lamp caps on the incandescent strip lights are smaller than the diameter of the tube.

(See page 418)

Xenon Strip Lighting System

The 24V Xenon strip lighting combines the benefits of a compact and discreet illumination system with those of xenon technology. Incandescent xenon lamps consist of a tungsten filament encased in a glass envelope filled with xenon gas which replenishes the lamp filament. These lamps fit into polycarbonate lampholders which are mounted on insulated PVC cable. This cable can be attached to most surfaces and can be easily concealed behind pelments, cabinets, shelves and architraves. This system provides a versatile and cost effective method of accenting features in commercial and domestic interiors.

Usage Guidelines

- ◆ One line of cable can accommodate up to 72 lampholders.
- ◆ Recommended spacing is one lamp per 100mm
- ◆ For every 10 lamps, a 24V/50W transformer is required.

F

Insulated Cable - XCB

- Insulated 2.0 mm² PVC cable
- Rated at 105°C
- Accepts 15 amps current
- Available in 20 metre rolls



XCB	Insulated Cable	CODE: 25237
-----	-----------------	-------------

End Cap - XCE

- End cap for finishing of cable ends



XCE	End Cap	CODE: 17155
-----	---------	-------------

Lampholder - XCLH

- Polycarbonate lampholder
- Complete with reflector
- Rated at 130°C
- Snap in bulb socket for easy lamp replacement

Lampholder
Measurements
Height: 23mm
Width: 45mm
Depth: 18mm



XCLH	Lampholder c/w reflector	CODE: 17154
------	--------------------------	-------------

Xenon Lamp - XCL5W

- 5W/24V Xenon lamp with RLB base
- Frosted finishes
- Extended lamp life of 10000 hours
- Dimmable
- Recommended spacing is one lamp per 100mm
- Every ten lamps require a 24V/50W transformer


Lamp Measurements
Height: 44mm Width: 10mm



XCL5WF	Frosted	CODE: 17174
--------	---------	-------------


T5 Fluorescent Troffer

The Crompton fluorescent range is a T bar T5 troffer in both louvred and prismatic versions. These products provide an economical yet effective lighting solution for a variety of commercial lighting applications.



T5 Louvred Troffer **IP iReady**


- Twin 28W fluorescent troffer
- Polished aluminium reflector
- Perforated white powder coated centre infill
- Powder coated pressed metal housing
- Electronic transformer (not dimmable)
- Large accessible terminal block (15 amp)
- Large cable entry with bush
- Includes 2 x 28W tri-phosphor 4000K cool white fluorescent tubes



TRL228


White

CODE: 25810



T5 Prismatic Troffer **IP iReady**

- Twin 28W fluorescent troffer
- Prismatic diffuser
- Powder coated pressed metal housing
- Electronic transformer (not dimmable)
- Large accessible terminal block (15 amp)
- Large cable entry with bush
- Includes 2 x 28W tri-phosphor 4000K cool white fluorescent tubes



TRP228

White

CODE: 25811

Oysters

Linear Halogen Oysters141

Main Voltage Oysters142

Fluorescent Oysters152

LED Oysters161

Linear Halogen Oysters

The slimline profile and modern designs of Crompton's linear halogen oyster range makes them highly suited to use in rooms with low ceilings and in contemporary styled housing developments, hotels and apartments.



240V Linear Halogen Lamps

Crompton Lighting's mains voltage double ended halogen lamps are designed to provide an efficient and powerful source of crisp white light for many lighting applications.

The linear halogen range includes lamps with lengths of 78mm, 118mm, 189mm and 254mm, with wattages from 60W to 1500W.

Crompton Linear Halogen Lamp Features:


- Immediate start • Dimmable • Constant light output during lamp life
- Long lamp life of 2000 hours • Ceramic ends
- Excellent colour rendering with a colour temperature of 3000K
- Reinforced filament designed to withstand vibrations and movement

(See page 374)

FA1600

- Spike clipped oyster
- Frosted glass
- Chrome clips rotate for diffuser removal
- Ceramic lampholder (both types)
- Matching wall light available (code 21328)
- Replacement diffuser available (code 21338)

Suitable for 1 x maximum 100W 240V 78mm R7s linear halogen lamp




FA1600HC	Frosted/Chrome	CODE: 21335
----------	----------------	-------------

FA1601

- Spike clipped oyster
- Frosted glass
- Chrome clips rotate for diffuser removal
- Ceramic lampholders (both types)
- Matching wall light available (code 21328)
- Replacement diffuser available (code 21348)

Suitable for 1 x maximum 200W 240V 118mm R7s linear halogen lamp



FA1601HC	Frosted/Chrome	CODE: 21345
----------	----------------	-------------



Oysters

Provide a pleasant diffused light and are ideal for lighting rooms such as bathrooms, bedrooms, hallways and dining rooms where the lights are subjected to frequent on and off switching. The slimline profile of oyster lights also makes them highly suited to use in rooms with low ceilings.


To increase the energy efficiency of these oysters, consider using Crompton Lighting's range of compact electronic fluorescent lamps (see page 390), which use 80% less energy than traditional household lamps



EX252S

- Small round oyster
- Sand blasted glass diffuser
- Three pairs of rotating chrome clips for diffuser removal
- Ceramic lampholder
- Matching wall light available (code 22889)

Suitable for 1 x maximum 240V 52W ES lamp




EX252S Satin Chrome Sand Blasted CODE: I9000

EX252M

- Medium round oyster
- Sand blasted glass diffuser
- Three pairs of rotating chrome clips for diffuser removal
- Ceramic lampholders
- Matching wall light available (code 22889)

Suitable for 2 x maximum 240V 42W ES lamps




EX252M Satin Chrome Sand Blasted CODE: I8999

FA201 I

- Large round oyster
- Metal base with two metal satin nickel rings
- Bottom ring screws out for diffuser removal
- Frosted glass diffuser
- Ceramic lampholder

Suitable for 2 x maximum 240V 42W ES lamps




FA201 I Satin Nickel CODE: 25264

FA2648/30

- Three clip oyster
- Frosted glass diffuser
- Metal base with satin chrome finish and bevelled detail
- Chrome clips rotate for diffuser removal
- Ceramic lampholder

Suitable for 1 x maximum 240V 42W ES lamp




FA2648/30 Frosted/Satin Chrome CODE: 24890

FA2648/40

- Three clip oyster
- Frosted glass diffuser
- Metal base with satin chrome finish and bevelled detail
- Chrome clips rotate for diffuser removal
- Ceramic lampholders

Suitable for 2 x maximum 240V 42W ES lamps




FA2648/40 Frosted/Satin Chrome CODE: 24891

FA1702

- Full glass oyster
- Frosted centre glass
- Frosted glass rim
- Chrome screws on inner glass for removal
- Ceramic lampholder
- Matching wall light available (code 21379)

Suitable for 1 x maximum 240V 42W ES lamp




FA1702W Frosted CODE: 21388

FA1703

- Full glass oyster
- Frosted centre glass
- Frosted glass rim
- Chrome screws on inner glass for removal
- Ceramic lampholders
- Matching wall light available (code 21379)

Suitable for 2 x maximum 240V 42W ES lamps




FA1703W Frosted CODE: 21402

FA1760

- Three clip oyster
- Frosted centre glass
- Satin chrome base and clips
- Spring loaded clip for diffuser removal
- Ceramic lampholder
- Matching wall light available (code 21423)

Suitable for 1 x maximum 240V 42W ES lamp




FA1760SC	Frosted/Satin Chrome	CODE: 21429
----------	----------------------	-------------

FA1761

- Three clip oyster
- Frosted centre glass
- Satin chrome base and clips
- Spring loaded clip for diffuser removal
- Ceramic lampholders
- Matching wall light available (code 21423)
- Replacement diffuser available (code 21436)

Suitable for 2 x maximum 240V 42W ES lamps




FA1761SC	Frosted/Satin Chrome	CODE: 21435
----------	----------------------	-------------

EX3D

- Medium slimline oyster
- White alabaster glass diffuser
- Metal clips and base
- Torsion spring clips for lamp replacement
- Ceramic lampholder
- Matching wall light available EX1D

Suitable for 1 x maximum 240V 42W ES lamp




EX3DW	White Clips	CODE: 19747
EX3DBR	Brass Clips	CODE: 19744
EX3DC	Chrome Clips	CODE: 19745
EX3DSC	Satin Chrome Clips	CODE: 19746

EX4D

- Large slimline oyster
- White alabaster glass diffuser
- Metal clips and base
- Torsion spring clips for lamp replacement
- Ceramic lampholders
- Matching wall light available EX1D
- Replacement diffuser available (code 26147)

Suitable for 2 x maximum 240V 42W ES lamps

Fluorescent version available – EX4D/I




EX4DW	White Clips	CODE: 20015
EX4DBR	Brass Clips	CODE: 20012
EX4DC	Chrome Clips	CODE: 20013
EX4DSC	Satin Chrome Clips	CODE: 20014

EX603S

- Small full glass oyster
- Frosted glass diffuser
- White powder coated metal base
- Diffuser screws out for lamp replacement
- Ceramic lampholder

Suitable for 1 x maximum 240V 42W ES lamp



Glass Diameter 240mm
Base Diameter: 185mm
Base Height: 20mm




EX603S	White	CODE: I9074
--------	-------	-------------

EX603M

- Medium full glass oyster
- Frosted glass diffuser
- White powder coated metal base
- Diffuser screws out for lamp replacement
- Ceramic lampholder

Suitable for 1 x maximum 240V 52W ES lamp



Glass Diameter 300mm
Base Diameter: 210mm
Base Height: 20mm




EX603M	White	CODE: I9073
--------	-------	-------------

EX603L

- Large full glass oyster
- Frosted glass diffuser
- White powder coated metal base
- Diffuser screws out for lamp replacement
- Ceramic lampholders

Suitable for 2 x maximum 240V 42W ES lamps



Glass Diameter 400mm
Base Diameter: 245mm
Base Height: 24mm




EX603L	White	CODE: I9072
--------	-------	-------------

EX403SS

- Small round stepped oyster
- Frosted glass diffuser
- White powder coated metal base
- Diffuser retained by three extending arms
- Ceramic lampholder

Suitable for 1 x maximum 240V 52W ES lamp



Glass Diameter 220mm
Base Diameter: 285mm
Base Height: 30mm




EX403SSW	Frosted White	CODE: I9033
----------	---------------	-------------

EX403MS

- Medium round stepped oyster
- Frosted glass diffuser
- White powder coated metal base
- Diffuser retained by three extending arms
- Ceramic lampholders

Suitable for 2 x maximum 240V 42W ES lamps



Glass Diameter 280mm
Base Diameter: 350mm
Base Height: 30mm




EX403MSW	Frosted White	CODE: I9021
----------	---------------	-------------

EX988-1

- Small glass oyster
- Painted metal base
- Matt opal glass diffuser
- Spring loaded chrome clips

Suitable for 1 x maximum 240V 42W BC lamp



Glass Diffuser Height: 50mm
Base Diameter: 320mm x 30mm



EX988/1


Opal

CODE: 25951

EX988-2

- Medium glass oyster
- Painted metal base
- Matt opal glass diffuser
- Spring loaded chrome clips

Suitable for 2 x maximum 240V 42W BC lamps



Glass Diffuser Height: 60mm
Base Diameter: 390mm x 30mm



EX988/2


Opal

CODE: 25950

EX406

- Small round clipper oyster
- Matt opal glass diffuser
- Powder coated metal base
- Twist diffuser for lamp replacement
- Ceramic lampholder

Suitable for 1 x maximum 240V 42W ES lamp



Glass Diameter: 200mm
Base Diameter: 200mm



EX406W


White

CODE: 20017

EX408

- Large round clipper oyster
- Matt opal glass diffuser
- Powder coated metal base
- Twist diffuser for lamp replacement
- Ceramic lampholder

Suitable for 1 x maximum 240V 42W ES lamp



Glass Diameter: 240mm
Base Diameter: 240mm



EX408W


White

CODE: 20019

FA170I

- Slimline oyster
- Frosted glass diffuser
- Metal base
- Diffuser screws out for lamp replacement
- Ceramic lampholder
- Replacement diffuser available (code 21376)

Suitable for 1 x maximum 240V 42W ES lamp



Glass Diameter 280mm
Base Diameter: 290mm
Base Height: 28mm




FA170IW	White Frosted	CODE: 21374
FA170ISC	Satin Chrome Frosted	CODE: 21375

EX777S

- Small slimline oyster
- Frosted glass diffuser
- Powder coated metal base
- Diffuser retained by three torsion springs
- Ceramic lampholder

Suitable for 1 x maximum 240V 42W ES lamp



Glass Diameter 220mm
Base Diameter: 260mm
Base Height: 25mm



EX777SW	Frosted White	CODE: 19093
EX777SSC	Frosted Satin Chrome	CODE: 19092

EX777M

- Medium slimline oyster
- Frosted glass diffuser
- Powder coated metal base
- Diffuser retained by three torsion springs
- Ceramic lampholders

Suitable for 2 x maximum 42W ES lamps



Glass Diameter 280mm
Base Diameter: 320mm
Base Height: 30mm




EX777MW	White	CODE: 19089
EX777MSC	Satin Chrome	CODE: 19088

FA264IM

- Square oyster
- Frosted glass rim and centre glass with clear edging
- Square metal base with satin chrome finish
- Spring loaded rectangular chrome clips for diffuser removal
- Ceramic lampholder

Suitable for 1 x maximum 240V 70W ES lamp



Height: 80mm
Diffuser: 240mm x 240mm
Base Plate Dimensions (at ceiling):
240mm x 240mm




FA264IM	Frosted/Chrome	CODE: 24884
---------	----------------	-------------

FA2643M

- Square oyster
- Frosted centre glass
- Square metal base and rim with satin chrome finish
- Rim has chrome inserts at corners
- Chrome knobs retain centre glass
- Ceramic lampholder

Suitable for 1 x maximum 240V 70W ES lamp



FA2643M


Frosted/Satin Chrome

CODE: 24886

FA2642M

- Square oyster
- Frosted glass rim and centre glass with clear glass edging
- White painted square metal base
- Satin chrome knobs retain centre glass
- Ceramic lampholder

Suitable for 1 x maximum 240V 70W ES lamp



FA2642M


Frosted/Satin Chrome

CODE: 24885

FA2644M

- Square oyster
- Metal rim with satin chrome finish
- White painted square metal base
- Frosted glass diffuser
- Chrome clips rotate for diffuser removal
- Ceramic lampholder
- Matching wall light available (code 24880)

Suitable for 1 x maximum 240V 70W ES lamp



FA2644M

Frosted/Satin Chrome


CODE: 24887



EX2010M

- Medium slimline square oyster
- Metal rim with satin nickel finish
- Round metal base
- Frosted glass diffuser
- Satin nickel knobs screw out for diffuser removal
- Ceramic lampholder

Suitable for 1 x maximum 240V 42W ES
fancy round lamp



Base Height: 75mm




EX2010M	Satin Nickel	CODE: 25262
---------	--------------	-------------

EX2010L

- Large slimline square oyster
- Metal rim with satin nickel finish
- Round metal base
- Frosted glass diffuser
- Satin nickel knobs screw out for diffuser removal
- Ceramic lampholders

Suitable for 2 x maximum 240V 42W ES
fancy round lamps



Base Height: 75mm




EX2010L	Satin Nickel	CODE: 25263
---------	--------------	-------------

FA1600

- Spike clipped oyster
- Frosted glass
- Chrome clips rotate for diffuser removal
- Ceramic lampholder (both types)
- Matching wall light available (code 21328)
- Replacement diffuser available (code 21338)

Suitable for 1 x maximum 240V 42W ES lamp




FA1600C	Frosted/Chrome	CODE: 21334
---------	----------------	-------------

FA1601

- Spike clipped oyster
- Frosted glass
- Chrome clips rotate for diffuser removal
- Ceramic lampholders (both types)
- Matching wall light available (code 21328)
- Replacement diffuser available (code 21348)

Suitable for 2 x maximum 42W ES lamps




FA1601C	Frosted/Chrome	CODE: 21344
---------	----------------	-------------

EX80318-03

- Interior oyster
- Frosted and clear glass diffuser
- Satin chrome finish trim

Suitable for 1 x maximum 240V 42W ES lamp




EX80318-03	Frosted/Clear	CODE: 26154
------------	---------------	-------------

EX80318-04

- Interior oyster
- Frosted glass diffuser
- Chrome finish trim
- Satin chrome base

Suitable for 2 x maximum 240V 42W ES lamps




EX80318-04	Frosted/Chrome	CODE: 26155
------------	----------------	-------------

EX80309-02

- Interior oyster
- Opal glass diffuser
- White painted metal base

Suitable for 1 x maximum 240V 42W ES lamp




EX80309-02	White	CODE: 26156
------------	-------	-------------

EX80309-03

- Interior oyster
- Opal glass diffuser
- White painted metal base

Suitable for 1 x maximum 240V 42W ES lamp




EX80309-03	White	CODE: 26157
------------	-------	-------------

EX80309-04

- Interior oyster
- Opal glass diffuser
- White painted metal base

Suitable for 1 x maximum 240V 42W ES lamp




EX80309-04	White	CODE: 26158
------------	-------	-------------

EX80309-05

- Interior oyster
- Opal glass diffuser
- White painted round metal base

Suitable for 1 x maximum 240V 42W ES lamp



EX80309-05


White

CODE: 26159

EX80309-06

- Interior oyster
- Opal glass diffuser
- White painted round metal base

Suitable for 1 x maximum 240V 42W ES lamp



EX80309-06

White

CODE: 26160



Fluorescent Oysters


With the importance of saving energy becoming increasingly relevant to home owners and builders, many are now looking for new ways to use fluorescent lighting in the home.

Crompton's range of fluorescent oyster fittings are a stylish and energy efficient solution to lighting areas such as kitchens, living rooms and bathrooms.



EX4D/I


- Large slimline fluorescent oyster
- White alabaster glass diffuser
- Metal clips and base
- Torsion spring clips for lamp replacement
- Fluorescent starter and ballast
- Replacement diffuser available (code 26147)
- Includes 1 x 32W 5000K 4 pin circular fluorescent lamp



EX4D Satin Chrome CODE: 18873

EX771


- T5 fluorescent oyster
- Twist lock opal acrylic diffuser
- White powder coated metal base
- Electronic ballast
- IP44
- Includes T5 22W 4000K circular fluorescent lamp



EX771 White CODE: 25745

EX772

- T5 fluorescent oyster
- Twist lock opal acrylic diffuser
- White powder coated metal base
- Electronic ballast
- IP44
- Includes T5 55W 4000K circular fluorescent lamp




EX772 White CODE: 25746

EXI 16S

- Small fluorescent oyster
- Acrylic diffuser
- Lightweight painted metal base
- Twist clips for diffuser removal
- Integral ballast
- Fluorescent starter
- Replacement diffuser available (code 22788)

Suitable for 1 x 22W circular fluorescent lamp



Diffuser Diameter 310mm
Base Plate Diameter: 270mm
Base Plate Height: 18mm




EXI 16S	White	CODE: 22498
---------	-------	-------------

EXI 16M

- Medium fluorescent oyster
- Acrylic diffuser
- Lightweight painted metal base
- Twist clips for diffuser removal
- Integral ballast
- Fluorescent starter
- Replacement diffuser available (code 22789)

Suitable for 1 x 32W circular fluorescent lamp



Diffuser Diameter 370mm
Base Plate Diameter: 340mm
Base Plate Height: 18mm




EXI 16M	White	CODE: 16207
---------	-------	-------------

EXI 16L

- Large fluorescent oyster
- Acrylic diffuser
- Painted metal base
- Twist clips for diffuser removal
- Integral ballast
- Fluorescent starter
- Replacement diffuser available (code 22790)

Suitable for 1 x 40W circular fluorescent lamp




Diffuser Diameter 480mm
Base Plate Diameter: 440mm
Base Plate Height: 18mm



EXI 16L	White	CODE: 22499
---------	-------	-------------

EXI 32-DIY

- Easy to install 'DO IT YOURSELF'
- Domed acrylic diffuser
- Chrome plated spring clips
- Connects directly to a standard batten holder
- Includes 1 x 32W 4000K circular tri-phosphor fluorescent lamp



EXI 32-DIY	White	CODE: 26229
------------	-------	-------------



(See page 386)

Energy Saving Oysters

FEATURES


Crompton's tri phosphor circular fluorescent tubes feature high colour rendering capabilities and consistent light output over their 3000 hour average rated life. The tubes are available in 22W, 32W and 40W versions and feature a 'natural' colour temperature of 5000K. The 32W version is also available in a 'daylight' model with a colour temperature of 6000K.

BENEFITS

Circular fluorescent tubes provide significant energy savings when compared to old incandescent lamps. A 22W circular fluorescent produces roughly the same light output as a 75W GLS lamp but uses less than 30% of its energy. The 32W tube is approximately equivalent in light output to an old 120W incandescent lamp, with the 40W tube being proportionate to a 160W lamp. Circular fluorescents are best used in situations where they are on for extended periods of time.

EXI 16SK


- Small fluorescent oyster
- Acrylic diffuser
- Lightweight painted metal base
- Includes integral ballast and starter
- Includes 1 x 22W 4000K T8 circular fluorescent tri-phosphor tube
- Replacement diffuser available (code 22788)



EXI 16SK White CODE: 25148

EXI 16MK


- Medium fluorescent oyster
- Acrylic diffuser
- Lightweight painted metal base
- Includes integral ballast and starter
- Includes 1 x 32W 4000K T8 circular fluorescent tri-phosphor tube
- Replacement diffuser available (code 22789)



EXI 16MK White CODE: 25818

EXI 16LK

- Large fluorescent oyster
- Acrylic diffuser
- Lightweight painted metal base
- Includes integral ballast and starter
- Includes 1 x 40W 4000K T8 circular fluorescent tri-phosphor tube
- Replacement diffuser available (code 22790)




EXI 16LK White CODE: 25150

EXI I 06/30

- Medium patterned glass oyster
- White painted metal base
- Satin nickel metal trim plate
- Ceramic lampholder

Suitable for 20W ES compact fluorescent lamp



EXI I 06/30


Satin Nickel

CODE: 25902

EXI I 06/40

- Large patterned glass oyster
- White painted metal base
- Satin nickel metal trim plate
- Ceramic lampholder

Suitable for 20W ES compact fluorescent lamp



EXI I 06/40


Satin Nickel

CODE: 25903



EXLSC037M

- Medium circular fluorescent oyster
- Matt opal parabolic glass diffuser
- Brushed Chrome finish metal base
- Twist lock grooves for easy lamp replacement
- Electronic ballast
- Includes T5 22W 4000K circular fluorescent lamp




EXLSC037M

Opal/Brushed Chrome

CODE: 26145

EXLSC037L

- Large circular fluorescent oyster
- Matt opal parabolic glass diffuser
- Brushed Chrome finish metal base
- Twist lock grooves for easy lamp replacement
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp




EXLSC037L

Opal/Brushed Chrome

CODE: 26144

EXLS5156I


- Circular fluorescent oyster
- Frosted glass diffuser
- Painted metal base
- Chrome rim
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp



EXLS5156I


Frosted/Chrome

CODE: 26118



EXLS51151

- Circular fluorescent oyster
- Frosted glass diffuser
- Painted metal base
- Satin chrome side clips
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp




EXLS51151

Frosted/Satin Chrome

CODE: 26119

EXLS51361

- Circular fluorescent oyster
- Frosted glass diffuser
- Painted metal base
- Rotating spike clips
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp




EXLS51361

Frosted/Satin Chrome

CODE: 26120

EXLSB1108S

- Circular fluorescent oyster
- Glass mirror trim
- Frosted glass diffuser
- Painted metal base
- Electronic ballast
- Includes T5 22W 4000K circular fluorescent lamp




EXLSB1108S

Frosted/Mirror

CODE: 26227

EXLSB1108M

- Circular fluorescent oyster
- Glass mirror trim
- Frosted glass diffuser
- Painted metal base
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp




EXLSB1108M

Frosted/Mirror

CODE: 26228

EXLS2303/22W

- Small square glass box circular fluorescent oyster
- Smooth finish square frosted glass diffuser and 4 sides
- Brushed chrome metal trim plate
- Chrome knobs
- White painted square metal base
- Electronic ballast
- Includes T5 22W 4000K circular fluorescent lamp




Height: 80mm



EXLS2303/22W Frosted/Brushed Chrome CODE: 26446

EXLS2303/40W

- Large square glass box circular fluorescent oyster
- Smooth finish square frosted glass diffuser and 4 sides
- Brushed chrome metal trim plate
- Chrome knobs
- White painted square metal base
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp




Height: 80mm



EXLS2303/40W Frosted/Brushed Chrome CODE: 26447

EXLS2304/22W

- Small square glass circular fluorescent oyster
- Smooth finish square frosted glass diffuser
- Brushed chrome metal trim plate
- Chrome clips
- White painted square metal base
- Electronic ballast
- Includes T5 22W 4000K circular fluorescent lamp




Height: 80mm



EXLS2304/22W Frosted/Brushed Chrome CODE: 26448

EXLS2304/40W

- Large square glass circular fluorescent oyster
- Smooth finish square frosted glass diffuser
- Brushed chrome metal trim plate
- Chrome clips
- White painted square metal base
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp




Height: 80mm



EXLS2304/40W Frosted/Brushed Chrome CODE: 26449

EXLS2305/22W

- Small square circular fluorescent oyster
- Curved frosted square glass diffuser
- Smooth finish square glass plate with mirror trim
- Chrome knobs
- White painted square metal base
- Electronic ballast
- Includes T5 22W 4000K circular fluorescent lamp




EXLS2305/22W Frosted

CODE: 26450

EXLS2305/40W

- Large square circular fluorescent oyster
- Curved frosted square glass diffuser
- Smooth finish square glass plate with mirror trim
- Chrome knobs
- White painted square metal base
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp




EXLS2305/40W Frosted

CODE: 26451

EXLS2306/22W

- Small square circular fluorescent oyster
- Smooth finish square frosted with clear glass edging for diffuser and rim
- White painted square metal base
- Satin chrome knobs
- Electronic ballast
- Includes T5 22W 4000K circular fluorescent lamp




EXLS2306/22W Frosted

CODE: 26452

EXLS2306/40W

- Large square circular fluorescent oyster
- Smooth finish square frosted with clear glass edging for diffuser and rim
- White painted square metal base
- Satin chrome knobs
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp




EXLS2306/40W Frosted

CODE: 26453

EX555-TR5S

- Small circular fluorescent oyster
- Matt opal flat glass diffuser
- Painted metal base
- Twist lock grooves for easy lamp replacement
- Electronic ballast
- Includes T5 22W 4000K circular fluorescent lamp




EX555-TR5S

Opal

CODE: 26092

EX555-TR5M

- Medium circular fluorescent oyster
- Matt opal flat glass diffuser
- Painted metal base
- Twist lock grooves for easy lamp replacement
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp




EX555-TR5M

Opal

CODE: 26091

EXC0033S

- Small circular fluorescent oyster
- Circular twist lock opal glass diffuser
- Painted metal base
- Electronic ballast
- Includes T5 22W 4000K circular fluorescent lamp




EXC0033S

Opal

CODE: 26385

EXC0033L

- Large circular fluorescent oyster
- Circular twist lock opal glass diffuser
- Painted metal base
- Electronic ballast
- Includes T5 40W 4000K circular fluorescent lamp



EXC0033L

Opal

CODE: 26386

XL-LED Oysters

Cromptons' XL-LED oysters with the latest technology to provide users with an LED option to achieve significantly improved energy efficiency, colour rendering quality and light output



0

XLLED116S **IP iReady**

- Circular 9W 4000K LED oyster
- White painted metallic base
- Opal acrylic diffuser
- 3528 LED mounted on PCB
- Inbuilt integral driver

Feature:

Light source : 3528 SMD

Power : 9W

Power Factor : >0.85

Input Voltage : 185~264V

Frequency Range : 50-60Hz

Luminous Flux : 540Lm(4000K)

Color Rendering Index(CRI) : >75Ra

Beam Angle : 180°

Ambient Temperature : -20°C to +50°C

Working Humidity : 20%-85%

Working Life : >30,000 Hrs



XLLED116S

Opal

CODE: 26560

XLLED116M **IP iReady**

- Circular 11W 4000K LED oyster
- White painted metallic base
- Opal acrylic diffuser
- 3528 LED mounted on PCB
- Inbuilt integral driver

Feature:

Light source : 3528 SMD

Power : 11W

Power Factor : >0.85

Input Voltage : 185~264V

Frequency Range : 50-60Hz

Luminous Flux : 730Lm(4000K)


Color Rendering Index(CRI) : >75Ra

Beam Angle : 180°

Ambient Temperature : -20°C to +50°C

Working Humidity : 20%-85%

Working Life : >30,000 Hrs



XLLED116M

Opal

CODE: 26561

Batten Fix

B

Batten Fix


Often overlooked, batten fix offer the perfect 'Do It Yourself' lighting solution being affordable, dependable and easy to install. Fittings from Crompton Lighting's extensive range of both contemporary styled and traditional batten fix are ideally suited in covering bare bulbs and replacing old fashioned shades in all domestic lighting applications including family rooms, entertainment areas, kitchens, hallways, bedrooms and living areas.



FA713

- 'Do It Yourself' batten fix
- Ball shaped
- Frosted iced glass shade
- Satin chrome gallery


Suitable for 1 x maximum 240V 42W BC lamp



FA714

- 'Do It Yourself' batten fix
- Schoolhouse shape
- Frosted iced glass shade
- Satin chrome gallery

Suitable for 1 x maximum 240V 42W BC lamp



FA716 – Christelle

- 'Do It Yourself' batten fix
- Curved shape
- Frosted iced glass shade
- Satin chrome gallery
- Matching pendant available (code 24297)


Suitable for 1 x maximum 240V 42W BC lamp



FA717 – Lucas

- 'Do It Yourself' batten fix
- Open bulb shape
- Frosted opal fluted glass shade
- Satin chrome gallery
- Matching pendant available (code 24299)


Suitable for 1 x maximum 240V 42W BC lamp



FA718 – Emilie

- 'Do It Yourself' batten fix
- Curved cone shape
- Frosted opal ribbed glass shade
- Satin chrome gallery

Suitable for 1 x maximum 240V 42W BC lamp




FA718	Frosted Opal	CODE: 24308
-------	--------------	-------------

FA1226

- 'Do It Yourself' batten fix
- Open curve shape
- Choice of matt glass shade colours
- Satin chrome gallery

Suitable for 1 x maximum 240V 42W BC lamp




FA1226OP/C	Matt Opal	CODE: 21086
FA1226BL/C	Matt Blue	CODE: 21085

FA1246

- 'Do It Yourself' batten fix
- Teardrop shape
- Choice of matt glass shade colours
- Satin chrome gallery

Suitable for 1 x maximum 240V 42W BC lamp




FA1246OP/C	Matt Opal	CODE: 23591
FA1246BL/C	Matt Blue	CODE: 23592
FA1246P/C	Matt Pink	CODE: 23593


FA1247

- 'Do It Yourself' batten fix
- Square shape
- Choice of matt glass shade colours
- Satin chrome gallery

Suitable for 1 x maximum 240V 42W BC lamp



FA1247OP/C	Matt Opal	CODE: 23594
FA1247BL/C	Matt Blue	CODE: 23595
FA1247P/C	Matt Pink	CODE: 23596



B

FAI 245

- 'Do It Yourself' batten fix
- Cylindrical shape
- Choice of matt glass shade colours
- Satin chrome gallery

Suitable for 1 x maximum 240V 42W BC lamp




FAI 245OP/C	Matt Opal	CODE: 23599
FAI 245BL/C	Matt Blue	CODE: 23600
FAI 245P/C	Matt Pink	CODE: 23601

FAI 220

- 'Do It Yourself' batten fix
- Small ball shape
- Opal glass shade
- Choice of coloured metal galleries

Suitable for 1 x maximum 240V 42W BC lamp



FAI 220OP/W	White	CODE: 21060
FAI 220OP/BR	Brass	CODE: 21061
FAI 220P/C	Chrome	CODE: 21057

FAI 221

- 'Do It Yourself' batten fix
- Large ball shape
- Opal glass shade
- Choice of coloured metal galleries

Suitable for 1 x maximum 240V 42W BC lamp




FAI 221OP/W	White	CODE: 21065
FAI 221OP/BR	Brass	CODE: 21066
FAI 221P/C	Chrome	CODE: 21062

FA1224

- 'Do It Yourself' batten fix
- Schoolhouse shape
- Opal glass shade
- Choice of coloured metal galleries

Suitable for 1 x maximum 240V 42W BC lamp



Gallery Diameter: 130mm




FA1224OP/W	White	CODE: 21079
FA1224OP/BR	Brass	CODE: 21080
FA1224OP/C	Chrome	CODE: 21077

KL6027/ET

- 'Do It Yourself' batten fix
- Schoolhouse shape
- Acid etched floral patterned glass shade
- Brass look gallery

Suitable for 1 x maximum 240V 42W BC lamp



Gallery Diameter: 130mm




FA6027/ET	Brass/Etched glass	CODE: 18291
-----------	--------------------	-------------

KL6027/PK

- 'Do It Yourself' batten fix
- Schoolhouse shape
- Floral patterned glass shade
- Brass look gallery

Suitable for 1 x maximum 240V 42W BC lamp



Gallery Diameter: 130mm




FA6027/PK	Brass	CODE: 18290
-----------	-------	-------------

KL6027/BL

- 'Do It Yourself' batten fix
- Schoolhouse shape
- Blue leaf patterned glass shade
- Brass look gallery

Suitable for 1 x maximum 240V 42W BC lamp



Gallery Diameter: 130mm




FA6027/BL	Brass	CODE: 18287
-----------	-------	-------------

FA1214

- 'Do It Yourself' batten fix
- Ovoid shape
- Pearl glass shade
- Brass look gallery

Suitable for 1 x maximum 240V 42W BC lamp



Gallery Diameter: 130mm



FA1214PL/BR


Pearl/Brass

CODE: 21046

FA1240

- 'Do It Yourself' close to ceiling batten fix
- Bowl shaped
- Frosted glass shade
- Brass look gallery and clips
- Clip off shade for lamp replacement

Suitable for 1 x maximum 240V 42W BC lamp



Gallery Diameter: 100mm



FA1240BR


Brass

CODE: 18941

FA360/265 – Candice

- 'Do It Yourself' lucite flowered batten fix
- Unique bouquet design
- Choice of rainbow acrylic flowers and brass look gallery or opal acrylic flowers and chrome gallery
- 250mm diameter

Suitable for 1 x maximum 240V 42W BC lamp



Gallery Diameter: 80mm



FA360/265/RA/BR

Brass/Rainbow

CODE: 21619

FA360/265/OP/C


Chrome/Opal

CODE: 21620

FA360/380 – Candice

- 'Do It Yourself' lucite flowered batten fix
- Unique bouquet design
- Choice of rainbow acrylic flowers and brass look gallery or opal acrylic flowers and chrome gallery
- 380mm diameter

Suitable for 1 x maximum 240V 42W BC lamp



Gallery Diameter: 80mm



FA360/380/RA/BR

Brass/Rainbow

CODE: 21621

FA360/380/OP/C


Chrome/Opal

CODE: 21622

FA2604C

- Square close to ceiling batten fix fitting
- Matt square opal glasses
- Satin chrome gallery

Suitable for 1 x maximum 240V 42W
fancy round BC lamp



FA2604C

Opal


CODE: 24925



FA2607C

- Round close to ceiling batten fix fitting
- Matt round opal glasses
- Satin chrome gallery

Suitable for 1 x maximum 240V 42W BC lamp



FA2607C


Opal

CODE: 24926

FA40131 – Bronte

- 'Do It Yourself' abaca batten fix
- Natural finish
- Fixes directly to a standard batten holder

Suitable for 1 x maximum 240V 42W BC lamp




FA40131	Natural	CODE: 26393
---------	---------	-------------

B

FA11494 – Alice

- 'Do It Yourself' cylindrical batten fix
- Metal frame with sprayed flock finish
- Fixes directly to a standard batten holder

Suitable for 1 x maximum 240V 42W BC lamp




FA11494W	White	CODE: 26485
FA11494G	Green	CODE: 26486
FA11494P	Pink	CODE: 26487

FA11495 – Alice

- 'Do It Yourself' rectangular batten fix
- Metal frame with sprayed flock finish
- Fixes directly to a standard batten holder

Suitable for 1 x maximum 240V 42W BC lamp




FA11495W	White	CODE: 26488
FA11495G	Green	CODE: 26489
FA11495P	Pink	CODE: 26490

FAI 1279 – Newport

- 'Do It Yourself' cylindrical batten fix
- White polypropylene and chrome finish
- Fixes directly to a standard batten holder

Suitable for 1 x maximum 240V 42W BC lamp



FAI 1279


White/Chrome

CODE: 26395

FAI 1281 – Newport

- 'Do It Yourself' square batten fix
- White polypropylene and chrome finish
- Fixes directly to a standard batten holder

Suitable for 1 x maximum 240V 42W BC lamp



FAI 1281

White/Chrome


CODE: 26396



FA40076

- Black batten fix shade with gold foil lining
- Decorative cut-out feature
- Fixes directly to batten holder with no need for gallery or screws

Suitable for 1 x maximum 240V 42W BC lamp




FA40076	Black/Gold	CODE: 25836
---------	------------	-------------

FA8175

- 'Do It Yourself' batten fix shade
- Square shape
- Cloth shade in choice of fashion colours
- Includes gallery to fix to batten holder

Suitable for 1 x maximum 240V 42W BC lamp




FA8175	Light Green	CODE: 24869
FA8175	Burgandy	CODE: 24872
FA8175	Taupe	CODE: 24871
FA8175	Grey Blue	CODE: 24870

FA8176

- 'Do It Yourself' batten fix shade
- Round shape
- Cloth shade in choice of fashion colours
- Includes gallery to fix to batten holder

Suitable for 1 x maximum 240V 42W BC lamp




FA8176	Taupe	CODE: 24875
FA8176	Grey Blue	CODE: 24874

WOVEN

- 'Do It Yourself' batten fix
- Cylindrical shape
- Hand woven shade
- Fixes directly to batten holder

Suitable for 1 x maximum 240V 42W BC lamp




WOVEN	Silver	CODE: 24309
WOVEN	White	CODE: 24310

FAI2019

- 'Do It Yourself' batten fix
- Lantern shaped
- Hand made polished aluminium shade
- Fixes directly to batten holder

Suitable for 1 x maximum 240V 70W BC lamp



FAI2019


Aluminium

CODE: 24983

FAI2020

- 'Do It Yourself' batten fix
- Tear drop shaped hand made polished aluminium shade
- Fixes directly to batten holder

Suitable for 1 x maximum 240V 70W BC lamp



Gallery Diameter: 80mm



FAI2020


Aluminium

CODE: 24984

FAI2021

- 'Do It Yourself' batten fix
- Pumpkin shaped
- Hand made polished aluminium shade
- Fixes directly to batten holder

Suitable for 1 x maximum 240V 70W BC lamp



FAI2021

Aluminium


CODE: 24985

BATTEN FIX

WARNING: PLEASE TURN POWER OFF BEFORE INSTALLING.



BATTEN HOLDER:
You must have a batten (globe) holder in your ceiling to install a DIY fitting.



SHADE:
Unscrew lower portion of batten holder (skirt)
Insert the shade over the batten holder.



SKIRT:
Place the skirt through the shade and screw into batten holder.



GLOBE:
Insert globe into lampholder in fitting, ensuring globe is secure.

4 SIMPLE STEPS TO INSTALL

FA2044 I – Sophie

- 'Do It Yourself' batten fix
- Chrome metal shade
- Transparent crystal like beads

Suitable for 1 x maximum 240V 42W BC lamp

Dimensions
Width: 230mm
Body height: 305mm



FA2044 I


Chrome

CODE: 25925

FAI0455

- 'Do It Yourself' cylindrical batten fix
- Shade with crystal like beads
- Brushed chrome canopy
- Fixes directly to batten holder

Suitable for 1 x maximum 240V 42W BC lamp



FAI0455


Clear

CODE: 26321

FAI0123

- 'Do It Yourself' close to ceiling batten fix
- Beaded bowl shade with mirrors
- Brushed chrome gallery
- Fixes directly to batten holder

Suitable for 1 x maximum 240V 42W BC lamp



FAI0123


Mirror

CODE: 26320

FAI0468

- 'Do It Yourself' close to ceiling batten fix
- Square shade with horizontal beaded strings
- Brushed chrome gallery
- Fixes directly to batten holder

Suitable for 1 x maximum 240V 42W BC lamp



FAI0468


Clear

CODE: 25665

FAI0488

- 'Do It Yourself' close to ceiling batten fix
- Bowl shade with horizontal beaded strings
- Brushed chrome gallery
- Fixes directly to batten holder


Suitable for 1 x maximum 240V 42W BC lamp



FAI0488

Clear

CODE: 25666



PENDKIT

- Suspension kit for converting a batten fitting to a pendant
- Plugs into batten holder
- Length 850mm

Suitable for most batten fix fittings



PENDANT KIT

Satin Chrome

CODE: 24877

PENDANT KIT

White

CODE: 26736

PENDANT KIT

Polish Chrome


CODE: 26737

PENDANT KIT

Antique Brass

CODE: 26738

Pendants



DIY Pendants177

Fixed Pendants188

DIY Pendants

Do it Yourself Lighting, although available for many years in the form of traditional batten fix light fittings, is now coming of age with an increasing number of batten fix and pendants.

Crompton Lighting's extensive range of both contemporary styled and traditional DIY pendants are ideally suited to replacing bare lamps and old fashioned shades in all domestic lighting applications including family rooms, entertainment areas, kitchens, bedrooms and living areas. These pendants are the perfect 'Do It Yourself' lighting solution being affordable, dependable and easy to install.



BELL

- 'Do It Yourself' three light pendant
- Hand blown bell shaped matt opal glass shades
- Satin chrome canopy
- Attaches to a standard batten fix holder

Suitable for 3 x maximum 240V 52W BC lamps

Dimensions
Height: 600mm
Width: 450mm
Body height: 300mm



BELL/PEND/DIY/3SC Satin Chrome

CODE: 24281

MODERN

- 'Do It Yourself' three light pendant
- Hand blown matt opal glass shades
- Satin chrome canopy
- Attaches to a standard batten fix holder

Suitable for 3 x maximum 240V 52W BC lamps

Dimensions
Height: 600mm
Width: 450mm
Body height: 300mm



MODERN/PEND/DIY Satin Chrome

CODE: 24280



LUXOR

- 'Luxor' - 'Do It Yourself' pendant
- Hat shaped satin chrome shade
- Satin chrome canopy and rod
- Attaches to a standard batten fix holder

Suitable for 1 x maximum 240V 52W BC lamp

Dimensions
Height: 770mm
Width: 300mm
Body height: 200mm



LUXOR/PEND/DIY/SC	Satin Chrome	CODE: 24284
-------------------	--------------	-------------

ORION

- 'Orion' - 'Do It Yourself' pendant
- Hat shaped satin chrome shade
- Satin chrome canopy
- Attaches to a standard batten fix holder

Suitable for 1 x maximum 240V 52W BC lamp

Dimensions
Height: 770mm
Width: 300mm
Body height: 200mm



ORION/PEND/DIY/SC	Satin Chrome	CODE: 24283
-------------------	--------------	-------------

FAI 209DIY

- 'Do It Yourself' pendant
- Hand blown tubular shaped matt glass shade
- Satin chrome canopy
- Attaches to a standard batten fix holder

Suitable for 1 x maximum 240V 42W BC lamp

Dimensions
Height: 1000mm
Width: 150mm
Body height: 400mm




FAI 209/PEND/ DIY/OP	Satin Chrome Opal	CODE: 23889
FAI 209/PEND/ DIY/Y	Satin Chrome Yellow	CODE: 23898

FA1203DIY

- 'Do It Yourself' pendant
- Hand blown teardrop shaped matt glass shade
- Satin chrome canopy
- Attaches to a standard batten fix holder

Suitable for 1 x maximum 11W BC compact fluorescent lamp



FA1203/PEND/
DIY/OP

Satin Chrome
Opal

CODE: 23896

FA1207DIY

- 'Do It Yourself' pendant
- Hand blown cigar shaped matt glass shade
- Satin chrome canopy
- Attaches to a standard batten fix holder

Suitable for 1 x maximum 240V 42W BC lamp



Dimensions
Height: 900mm
Width: 110mm
Body height: 370mm



FA1207/PEND/
DIY/OP

Satin Chrome
Opal

CODE: 23893

FA708 – Christelle

- 'Do It Yourself' pendant
- Open curved shaped hand blown 'iced glass finish' shade
- Satin chrome canopy
- Attaches to a standard batten fix holder
- Matching batten fix available (code 24306)

Suitable for 1 x maximum 240V 42W BC lamp



Dimensions
Height: 800mm
Width: 140mm
Body height: 170mm



FA708/PEND/
DIY/SC


Satin Chrome
Iced Glass

CODE: 24964

FA710 – Lucas

- 'Do It Yourself' pendant
- Hand blown fluted matt opal glass shade
- Satin chrome canopy
- Attaches to a standard batten fix holder
- Matching batten fix available (code 24307)

Suitable for 1 x maximum 240V 42W BC lamp



FA710/PEND/
DIY/SC


Satin Chrome
Frosted Glass

CODE: 24299

FA027

- 'Do It Yourself' pendant fitting
- Spun aluminium finish
- Internal surface painted white
- Pre-wired suspension with BC plug in adapter

Suitable for maximum 240V 52W BC lamp





FA027	Satin Chrome	CODE: 25871
-------	--------------	-------------

FA030

- 'Do It Yourself' pendant fitting
- Spun aluminium finish
- Internal surface painted white
- Pre-wired suspension with BC plug in adapter

Suitable for maximum 240V 52W BC lamp



FA030	Satin Chrome	CODE: 25872
-------	--------------	-------------



PENDKIT

- Suspension kit for converting a batten fitting to a pendant
- Plugs into batten holder
- Length 850mm

Suitable for most batten fix fittings



PENDANT KIT	Satin Chrome	CODE: 24877
PENDANT KIT	White	CODE: 26736
PENDANT KIT	Polish Chrome	CODE: 26737
PENDANT KIT	Antique Brass	CODE: 26738

PENDANT

WARNING: PLEASE TURN POWER OFF BEFORE INSTALLING.


1



BATTEN HOLDER:
You must have a batten (globe) holder in your ceiling to install a DIY fitting.

PLUG:

Insert the plug into the batten holder as you would normally insert a globe.



2


3



CANOPY:
Place the canopy (metal base) around the batten holder and screw in place.

SHADE:

Attach shade using screws provided (if necessary)



4

5



GLOBE:
Insert globe into lampholder in fitting, ensuring globe is secure.

5 SIMPLE STEPS TO INSTALL

Energy Saving Lamps



Crompton Lighting's range of quality electronic fluorescent lamps are available in a wide range of shapes and wattages, designed to replace common globes.

The candle lamp for example is ideal for replacing 25W - 40W fancy round or candle lamps commonly used in the pendants.

By using the candle or other replacement lamps in these fittings you will be cutting the energy consumed by these lights by up to 80%, saving money and protecting the environment.

Also feature a long life of up to 8000 hours (except for the candle, which has a rated life between 5000 to 8000 hours), up to eight times that of a standard household globe based on average rated lamp life.

That is why we say energy saving lamps light the home without costing the earth.


(See page 396)

FA505 – Sparkle

- 'Do It Yourself' G9 halogen pendant
- Sphere shaped metal shade with decorative cut outs
- Satin brass canopy
- Ceramic lampholder
- Attaches to a standard batten fix holder

Suitable for 1 x maximum 60W 240V G9 halogen lamp

Dimensions
Height: 700mm
Width: 125mm
Body Height: 110mm



FA505SB

Satin Brass

CODE: 23902

G9PLEAT/2

- 'Do It Yourself' two light G9 halogen pendant
- Small cone shaped hand blown matt glass shades with pleated detail
- Satin chrome canopy
- Attaches to a standard batten fix holder

Suitable for 2 x maximum 60W 240V G9 halogen lamps


Dimensions
Height: 800mm
Canopy Width: 200mm
Shade: 130mm x 135mm



G9PLEAT/PEND/
2/OP

Satin Chrome
Opal Pleated Glass

CODE: 24287



FA712 – Josette

- 'Do It Yourself' pendant
- Cigar shaped hand blown 'iced glass finish' shade
- Satin chrome canopy
- Attaches to a standard batten fix holder

Suitable for 1 x maximum 42W fancy round BC lamp

Dimensions
Height: 800mm
Width: 90mm
Body height: 340mm



FA712/PEND/
DIY/SC

Satin Chrome
Iced Glass

CODE: 24301

P

FA90056

- 'Do It Yourself' pendant
- Aluminium shade with coloured beads
- Brushed chrome gallery
- Clear cord
- Fixes directly to batten holder

Suitable for 1 x maximum 240V 42W BC lamp


Dimensions
Height: 900mm
Width: 130mm
Body height: 150mm



FA90056

Brushed Chrome
Clear

CODE: 25671






FA2027I – Chantelle

- 'Do It Yourself' pendant
- Organza fabric shade with acrylic crystal style beads
- Chrome base
- DIY pendant kit
- Satin chrome gallery
- Matching table lamps (FA50748 series) and floor lamps (FA60103 series) available

Suitable for 1 x maximum 240V 42W BC lamp



FA2027IW	White	CODE: 25827
FA2027IBR	Brown	CODE: 25828
FA2027IB	Black	CODE: 25829

FA10486

- 'Do It Yourself' pendant
- Woven shade with crystal look beads
- Brushed chrome gallery
- Clear cord
- Fixes directly to batten holder

Suitable for 1 x maximum 240V 42W BC lamp

Dimensions
Height: 1090mm
Width: 300mm
Body height: 225mm



FA10486C	Chocolate	CODE: 25668
FA10486G	Gold	CODE: 25669

FA90038

- 'Do It Yourself' pendant
- Aluminium ball shade
- Brushed chrome gallery
- Clear cord
- Fixes directly to batten holder

Suitable for 1x maximum 240V 42W BC lamp

Dimensions
Height: 1000mm
Width: 220mm
Body height: 200mm



FA90038

Brushed Chrome
Silver

CODE: 25670

FA10459

- 'Do It Yourself' pendant
- Beaded ball shade
- Brushed chrome gallery
- Clear cord
- Fixes directly to batten holder

Suitable for 1x maximum 240V 42W BC lamp

Dimensions
Height: 1000mm
Width: 240mm
Body height: 300mm



FA10459

Brushed Chrome
Clear

CODE: 25667

FA1493M – Alice

- 'Do It Yourself' pendant
- Metal frame with sprayed flock finish
- Chrome canopy
- Clear cord
- Fixes directly to batten holder

Suitable for 1x maximum 240V 42W BC lamp

Dimensions
Total Height: 1000mm
Width: 355mm
Body height: 250mm



FA1493MW

White

CODE: 26482

FA1493MG

Green

CODE: 26483

FA1493MP

Pink

CODE: 26484



FAI I 368 – Jasmine

- 'Do It Yourself' pendant
- Chrome shade with simple flower pattern
- Frosted cylindrical inner glass
- Brushed chrome gallery
- Clear cord
- Fixes directly to batten holder

Suitable for 1x maximum 240V 42W BC lamp

Dimensions
Height: 1000mm
Body Width: 145mm
Body height: 205mm
Inner Glass Dimensions
100mm(W) x 200mm(H)



FAI I 368

Frosted/Chrome

CODE: 26399

FAI I 283 – Newport

- 'Do It Yourself' pendant
- White polypropylene and chrome finish
- Brushed chrome gallery
- Clear cord
- Fixes directly to batten holder

Suitable for 1x maximum 240V 42W BC lamp

Dimensions
Height: 1000mm
Body Width: 185mm
Body height: 185mm



FAI I 283

White/Chrome

CODE: 26398

FA2 I 021 – Georgia

- 'Do It Yourself' pendant
- Frosted cylindrical inner glass
- Onion shaped wire shade with chrome finish
- Clear cord
- Fixes directly to batten holder

Suitable for 1x maximum 240V 42W BC lamp

Dimensions
Height: 1000mm
Body Top Width: 110mm
Body Bottom Width: 260mm
Body height: 210mm
Inner Glass Dimensions
100mm(W) x 155mm(H)



FA2 I 021

White/Chrome

CODE: 26392

FA11171 – Ava

- 'Do It Yourself' pendant
- Chrome metal shade
- Transparent crystal style beads
- Brushed chrome gallery
- Clear cord
- Fixes directly to batten holder

Suitable for 1x maximum 240V 42W BC lamp



Dimensions
Height: 1000mm
Body Width: 230mm
Body height: 195mm



FA11171

Chrome

CODE: 26394

FA20604 – Lucy

- 'Do It Yourself' pendant
- Traditional lantern style chrome metal shade
- Transparent crystal style beads
- Brushed chrome gallery
- Clear cord
- Fixes directly to batten holder

Suitable for 1x maximum 240V 42W BC lamp



Dimensions
Height: 1000mm
Body Width: 250mm
Body height: 250mm



FA20604

Chrome

CODE: 26390

FA20944 – Amelie

- 'Do It Yourself' pendant
- Chrome metal shade with flower pattern
- Transparent crystal style beads
- Brushed chrome gallery
- Clear cord
- Fixes directly to batten holder

Suitable for 1x maximum 240V 42W BC lamp



Dimensions
Height: 1000mm
Body Width: 270mm
Body height: 170mm




FA20944

Chrome

CODE: 26391

Fixed Pendants


Usually found in dining rooms, formal lounge areas, bedrooms, over kitchen tables and in foyers, pendants are excellent sources of both ambient and decorative lighting. Pendants are considered to be more a statement of style than a source of light and combined with other accessories in a room, help to create the overall feeling and style. Crompton Lighting's wide range of pendants are ideally suited to use in the modern home with its relaxed and informal décor.



FA920/3 – August

- Three light pendant
- Bell shaped white alabaster glass shades
- Satin chrome chain and canopy

Suitable for 3 x maximum 240V 42W
fancy round BC lamps




FA920/3/PEND/SC Satin Chrome/Alabaster CODE: 21821

FA900/1 – Gillian

- One light classic style pendant
- White alabaster glass shade
- Wrought iron look finish
- Matching wall light available (code 21768)

Suitable for 1 x maximum 240V 42W
fancy round BC lamp




FA900/1 Black/Alabaster CODE: 21770

FA900/5 – Gillian

- Five light classic style pendant
- White alabaster glass shades
- Wrought iron look finish
- Matching wall light available (code 21768)

Suitable for 5 x maximum 240V 42W
fancy round BC lamps



FA900/5 Black/Alabaster CODE: 21772

FA20529C

- Metallic chrome finish with crystal like clear beads
- Hardwired suspension kit with cord and lampholder

Suitable for 1 x maximum 240V 42W BC lamp

Dimensions
Height: 1050mm
Width: 340mm
Body height: 355mm



FA20529C	Chrome	CODE: 25924
----------	--------	-------------

FA20498W

- White metal shade
- Transparent pink crystal like beads
- Hardwired suspension kit with cord and lampholder

Suitable for 1 x maximum 240V 42W BC lamp

Dimensions
Height: 1050mm
Width: 335mm
Body height: 335mm



FA20498W	White	CODE: 25926
----------	-------	-------------

FA20506

- Black brush gold metallic shade with crystal like clear beads
- Hardwired suspension kit with cord and lampholder

Suitable for 1 x maximum 240V 42W BC lamp

Dimensions
Height: 1050mm
Width: 315mm
Body height: 385mm



FA20506	Black	CODE: 25927
---------	-------	-------------

FA1207

- Hand blown cigar shaped matt opal glass shade
- Satin chrome canopy
- Removable shade for lamp replacement

Suitable for 1 x maximum 240V 42W BC lamp

Dimensions
Height: 780mm
Width: 110mm
Body height: 370mm



FA1207OP	Satin Chrome	CODE: 21031
----------	--------------	-------------

FA307

- Cylindrical pendant with twin glasses
- Die-cast aluminium canopy with satin chrome finish
- Clear outer glass with frosted detail on ends
- Frosted inner glass with clear ends
- Pendant may be used with both glasses or with inner glass only
- Clear cord
- Unscrew glasses for lamp replacement

Suitable for 1 x maximum 240V 42W SBC fancy round lamp

Dimensions
Total Height: 2300mm
Outer Glass: 100mm(W) x 180mm(H)
Inner Glass: 60mm(W) x 180mm(H)
Gallery: 90mm(W) x 25mm(H)



FA307	Satin Chrome/Clear	CODE: 24851
-------	--------------------	-------------

FA581

- Pendant with twin shades
- Die-cast aluminium canopy with satin chrome finish
- Textured outer glass shade with striped detail
- Matt opal inner glass diffuses the lamp producing a low glare uniform light

Suitable for 1 x maximum 240V 42W fancy round ES lamp

Dimensions
Height: 800mm
Width: 400mm
Body Height: 250mm




FA581	Satin Chrome	CODE: 24856
-------	--------------	-------------



FA264 I I

- Egg shaped pendant
- Satin chrome canopy
- Matt opal glass shade
- Clear cord with wire support
- Shade clips off for lamp replacement
- Ceramic lampholder

Suitable for 1 x maximum 240V 70W BC lamp



FA264 I I


Satin Chrome/Matt Opal

CODE: 2488 I

FA590/I

- Matt opal glass shade
- Chrome canopy
- Pendant kit – double insulated

Suitable for 1 x maximum 240V 42W SBC lamp



FA590/I

Matt Opal

CODE: 25946

FA1004 – Rochelle

- Hardwired clear glass cylindrical shade
- Silver nano plated twisted hangings
- Clear cord
- Circular base canopy

Suitable for 1 x maximum 240V 42W SES lamp

Dimensions
Canopy: 110mm(W) x 25mm(H)
Drop Length: 800mm
Body Width: 120mm
Body Height: 300mm



FA1004

Clear/Silver

CODE: 26407

FA453 I

- Dome shaped clear and frosted combination glass shade
- Adjustable twisted wire rope
- Chrome canopy and gallery
- Thermoplastic lampholder

Suitable for 1 x maximum 240V 42W ES lamp



Dimensions
Shade: 240mm Ø x 145mm
Total Height: 1150mm



FA453 I


White

CODE: 26095

FA40113 – Kaja

- Circular rattan wood pendant
- Cylindrical acrylic white inner shade
- Rattan wood circular outer surround
- Black flexible cord and gallery

Suitable for 1 x maximum 240V 42W BC lamp



FA40113


Brown Wood

CODE: 26491

FA40114 – Kai

- Square rattan wood pendant
- Rectangular acrylic white inner shade
- Rattan wood rectangular outer surround
- Black flexible cord and gallery

Suitable for 1 x maximum 240V 42W BC lamp



FA40114


Brown Wood

CODE: 26492

FAP0039-SBR – Jamaica

- Small rattan wood pendant
- Brown rattan wood outer shade
- White fabric inner shade
- Black powder coated canopy attached to flexible cord

Suitable for 1 x maximum 240V 42W SES lamp



FAP0039-SBR


Brown Rattan

CODE: 26384

FAP0039-LBR – Jamaica

- Large rattan wood pendant
- Brown rattan wood outer shade
- White fabric inner shade
- Black powder coated canopy attached to flexible cord

Suitable for 1 x maximum 240V 42W ES lamp



FAP0039-LBR


Brown Rattan

CODE: 26383

FAP0085-S – Kingston

- Small woven pendant
- Spherical cotton line woven shade
- Brushed chrome lamp holder support attached to clear cord
- Brushed chrome canopy

Suitable for 1 x maximum 240V 42W ES lamp



FAP0085-XL – Kingston

- Large woven pendant
- Spherical cotton line woven shade
- Brushed chrome lamp holder support attached to clear cord
- Brushed chrome canopy

Suitable for 1 x maximum 240V 52W ES lamp




P



FA583-2 – Oxford

- 2 light opal glass pendant
- Curved opal glass shades
- Chrome plated base and body
- Clear cords

Suitable for 2 x maximum 240V 42W ES lamps



FA583-2


Chrome/Opal

CODE: 26339

FA583-3 – Oxford

- 3 light opal glass pendant
- Curved opal glass shades
- Chrome plated base and body
- Clear cord with wire support

Suitable for 3 x maximum 240V 42W ES lamps



FA583-3

Chrome/Opal


CODE: 26340



FA989-1 – Galen

- Decorative pendant
- Curved opal glass shade
- Satin chrome circular canopy
- Clear cord with wire support

Suitable for 1 x maximum 240V 42W SES lamp



FA989-1


Satin Chrome/Opal

CODE: 26341

FA989-2 – Galen

- 2 light decorative pendant
- Curved opal glass shades
- Satin chrome plated base and body
- Clear cord with wire support

Suitable for 2 x maximum 240V 42W SES lamps



FA989-2



Satin Chrome/Opal

CODE: 26342

FA989-3 – Galen

- 3 light decorative pendant
- Curved opal glass shades
- Satin chrome plated base and body
- Clear cord with wire support

Suitable for 3 x maximum 240V 42W SES lamps



FA989-3


Satin Chrome/Opal

CODE: 26343

FA69 I-1 – Alexis

- Decorative pendant
- Black polycarbonate outer frame with inner opal glass diffuser and cylindrical opal glass shade
- Chrome plated canopy
- Clear cord

Suitable for 1 x maximum 240V 42W ES lamp



FA69 I-1


Black/Opal

CODE: 26337

FA69 I-2 – Alexis

- 2 light decorative pendant
- Black polycarbonate outer frame with inner opal glass diffusers and cylindrical opal glass shades
- Chrome plated base
- Clear cords

Suitable for 2 x maximum 240V 42W ES lamps



FA69 I-2


Black/Opal

CODE: 26338

FA6 I 8-3 – Ashley

- 3 light pendant
- Decorative chrome plated surrounds
- Elliptical shaped opal glass shades
- Satin chrome plated base and support
- Clear cords

Suitable for 3 x maximum 240V 42W SES lamps



FA6 I 8-3


Satin Chrome/Opal

CODE: 26331

FA1083 IS – Saturn

- Small decorative pendant
- Clear polycarbonate semicircular design outer frame with inner opal glass diffuser
- Chrome plated canopy
- Clear cord

Suitable for 1 x maximum 240V 42W SES lamp



FA1083 IS


Clear/Opal

CODE: 26332

FA1083 IL – Saturn

- Large decorative pendant
- Clear polycarbonate semicircular design outer frame with inner opal glass diffuser
- Chrome plated canopy
- Clear cord

Suitable for 1 x maximum 240V 42W ES lamp



FA1083 IL


Clear/Opal

CODE: 26333

FA376 I – Adric

- Modern glass pendant
- Satin chrome plated metal base and rigid post
- Clear glass diffuser

Suitable for 1 x maximum 240V 42W SES lamp



FA376 I


Satin Chrome

CODE: 26325

FAI037-IS – Savoy

- Chrome pendant
- Chrome plated frame shade with cylindrical inner opal glass diffuser
- Chrome plated canopy with wire support and clear cord

Suitable for 1 x maximum 240V 42W ES lamp



FAI037-IS


Chrome/Opal

CODE: 26328

FAI101-2 – Savoy

- 2 light chrome pendant
- Chrome plated frame shade with cylindrical inner opal glass diffusers
- Chrome plated base with wire support and clear cord

Suitable for 2 x maximum 240V 42W ES lamps



FAI101-2


Chrome/Opal

CODE: 26330

FAI103-IS – Lesley

- Chrome pendant
- Chrome plated wire metal frame shade
- Cylindrical opal inner glass diffuser
- Chrome plated base with clear cord

Suitable for 1 x maximum 240V 42W SES lamp



FAI103-IS


Chrome/Opal

CODE: 26347

FAI095-2 – Fisher

- 2 light chrome pendant
- Chrome plated frame shade with cylindrical inner opal glass diffusers
- Chrome plated base with wire support and clear cord

Suitable for 2 x maximum 240V 42W SES lamps



FAI095-2


Chrome/Opal

CODE: 26335

FAI095-3 – Fisher

- 3 light chrome pendant
- Chrome plated frame shade with cylindrical inner opal glass diffusers
- Chrome plated base with wire support and clear cord

Suitable for 3 x maximum 240V 42W SES lamps



FAI095-3

Chrome/Opal


CODE: 26334



FAP0054-1 – Concord

- Single light opal glass pendant
- Brushed chrome circular canopy and stem
- Cylindrical opal matt glass shade
- Matching wall light, table lamp and floor lamp available (FA0054 series)

Suitable for 1 x maximum 240V 42W ES lamp



FAP0054-1


Brushed Chrome/Opal

CODE: 26420

FAP0054-3 – Concord

- 3 light opal glass pendant
- Brushed chrome circular canopy and stem
- Cylindrical opal matt glass shades
- Matching wall light, table lamp and floor lamp available (FA0054 series)

Suitable for 3 x maximum 240V 42W ES lamps



FAP0054-3

Brushed Chrome/Opal


CODE: 26421



FAP0054-5 – Concord

- 5 light opal glass pendant
- Brushed chrome circular canopy and stem
- Cylindrical opal matt glass shades
- Matching wall light, table lamp and floor lamp available (FA0054 series)

Suitable for 5 x maximum 240V 42W ES lamps



FAP0054-5


Brushed Chrome/Opal

CODE: 26423

FAP0054-4 – Concord

- 4 light opal glass pendant
- Brushed chrome circular canopy and stems
- Cylindrical opal matt glass shades
- Matching wall light, table lamp and floor lamp available (FA0054 series)

Suitable for 4 x maximum 240V 42W ES lamps



FAP0054-4

Brushed Chrome/Opal


CODE: 26422



FAP0367MB – London

- Medium woven pendant
- Black string fabric woven outer shade
- White fabric inner shade
- Frosted glass bottom diffuser
- Chrome plated base with wire support and black cord

Suitable for 3 x maximum 240V 42W ES lamps



FAP0367MB

Woven Black

CODE: 26377

FAP0367LB – London

- Large woven pendant
- Black string fabric woven outer shade
- White fabric inner shade
- Frosted glass bottom diffuser
- Chrome plated base with wire support and black cord

Suitable for 5 x maximum 240V 42W ES lamps



FAP0367LB


Woven Black

CODE: 26375

FAP0367MW – London

- Medium woven pendant
- White string fabric woven outer shade
- White fabric inner shade
- Frosted glass bottom diffuser
- Chrome plated base with wire support and clear cord

Suitable for 3 x maximum 240V 42W ES lamps



FAP0367MW


Woven White

CODE: 26376

FAP0367LW – London

- Large woven pendant
- White string fabric woven outer shade
- White fabric inner shade
- Frosted glass bottom diffuser
- Chrome plated base with wire support and clear cord

Suitable for 5 x maximum 240V 42W ES lamps



FAP0367LW


Woven White

CODE: 26374

FA190-6 – Fleur

- Decorative 6 light pendant
- Decorative chrome curved support arms and body
- Chrome plated canopy with matching support chain
- Metallic grey fabric and acrylic shades with glass bases
- Suitable for SES candle lamps

Suitable for 6 x maximum 240V 42W SES lamps



FA190-6


Metallic Grey/Chrome

CODE: 26356

FA292-3 – Calista

- Decorative 3 light pendant
- Chrome curved support arms and body
- Chrome plated canopy with matching support chain
- Clear crystal style decorative hanging glass beads
- Black fabric and acrylic shades with glass bases
- Matching wall lights available (EX292 series)

Suitable for 3 x maximum 240V 42W SES lamps



FA292-3


Black/Chrome

CODE: 26354

FA292-6 – Calista

- Decorative 6 light pendant
- Chrome curved support arms and body
- Chrome plated canopy with matching support chain
- Clear crystal style decorative hanging glass beads
- Black fabric and acrylic shades with glass bases
- Matching wall lights available (EX292 series)

Suitable for 6 x maximum 240V 42W SES lamps



FA292-6


Black/Chrome

CODE: 26351

FA307-6 – Valencia

- Decorative crystal style 6 light pendant
- Decorative chrome curved support arms and body with hanging crystal style glass beads
- Chrome plated canopy with matching support chain
- Cream fabric shades with glass bases
- Suitable for SES candle lamps

Suitable for 6 x maximum 240V 42W SES lamps



FA307-6


Cream/Chrome

CODE: 26365

FA222-3 – Elizabeth

- K9 crystal 3 light pendant
- French gold plated canopy and support chain
- French gold plated decorative arms with hanging K9 crystal beads
- Fine cut glass lamp shroud bases
- Matching wall lights (EX222 series), floor lamp and table lamp (FA222 series) available

Suitable for 3 x maximum 240V 42W SES lamps



FA222-3


Gold

CODE: 26362

FA222-6 – Elizabeth

- K9 crystal 6 light pendant
- French gold plated canopy and support chain
- French gold plated decorative arms with hanging K9 crystal beads
- Fine cut glass lamp shroud bases
- Matching wall lights (EX222 series), floor lamp and table lamp (FA222 series) available

Suitable for 6 x maximum 240V 42W SES lamps



FA222-6


Gold

CODE: 26359

FA279-5A – Leila

- Chrome K9 crystal close to ceiling pendant
- Chrome plated base and support
- Clear K9 crystal decorative beads arranged in a dome shape

Suitable for 5 x maximum 240V 42W SES lamps




FA279-5A	Chrome	CODE: 26357
----------	--------	-------------

FA279-5B – Leila

- Polished golden K9 crystal close to ceiling pendant
- Polished golden finished base and support
- Clear K9 crystal decorative beads arranged in a dome shape

Suitable for 5 x maximum 240V 42W SES lamps




FA279-5B	Polished Golden	CODE: 26358
----------	-----------------	-------------

FA286-7 – Lorelei

- K9 crystal close to ceiling pendant
- French gold plated base and support
- Clear K9 crystal decorative beads and surround

Suitable for 7 x maximum 240V 42W SES lamps



FA286-7

Gold


CODE: 26355

P

FAC0052M – Angelina

- K9 crystal decorative close to ceiling pendant
- Silver plated base and chains
- K9 crystal hanging decorative beads
- Satin chrome base plate

Suitable for 3 x maximum 240V 42W SES lamps



FAC0052M



Satin Chrome

CODE: 26380

FAI001-IS – Caprica

- Small close to ceiling light
- Frosted glass shade
- Chrome plated metal base and arms

Suitable for 1 x maximum 240V 42W SES lamp



FAI001-IS


Chrome/Frosted

CODE: 26326

FAI001-IL – Caprica

- Large close to ceiling light
- Frosted glass shade
- Chrome plated metal base and arms

Suitable for 1 x maximum 240V 42W ES lamp



FAI001-IL

Chrome/Frosted

CODE: 26327

FAI005 – Denver

- Close to ceiling fitting
- Hardwired clear acrylic circular shade with woven pattern
- Frosted glass diffuser
- Adjustable wires supporting shade on to a brushed chrome base canopy

Suitable for 2 x maximum 240V 42W ES lamps

Dimensions
Canopy: 160mm(W) x 26mm(H)
Body Width: 410mm
Body Height: 130mm



FAI005

Clear

CODE: 26408

FAI006 – Phoenix

- Close to ceiling fitting
- Hardwired clear acrylic bowl shaped shade with woven pattern
- Adjustable wires supporting shade on to a brushed chrome base canopy

Suitable for 2 x maximum 240V 42W ES lamps

Dimensions
Canopy: 160mm(W) x 25mm(H)
Total Height: 430mm
Body Width: 350mm
Body Height: 250mm



FAI006


Clear

CODE: 26409

FAI068-1

- Single light GU10 close to ceiling fitting
- Satin chrome base and pillars
- Open frosted glass diffuser
- Ceramic lampholder

Suitable for 1 x maximum 11W GU10 compact fluorescent lamp



ENERGY
SAVING

FAI068/1


Satin Chrome

CODE: 25862

FAI068-3

- Three light GU10 close to ceiling fitting
- Satin chrome base and pillars
- Open frosted glass diffuser
- Ceramic lampholders

Suitable for 3 x maximum 11W GU10 compact fluorescent lamps



ENERGY
SAVING

FAI068/3


Satin Chrome

CODE: 25863

FAI068-4

- Four light GU10 close to ceiling fitting
- Satin chrome base and pillars
- Open frosted glass diffuser
- Ceramic lampholders

Suitable for 4 x maximum 11W GU10 compact fluorescent lamps



ENERGY
SAVING

FAI068/4


Satin Chrome

CODE: 25864



FA749-5A – Angela

- Decorative 5 light halogen pendant
- Chrome plated base and rod with decorative arms and body
- Combination of frosted and clear cone shaped decorative glass shades
- Includes 5 x maximum 240V 40W G9 halogen lamps
- Matching wall light available (code 26367)




FA749-5A

Chrome

CODE: 26366

FA775-5 – Felicity

- Halogen G9 flower-like style 5 light pendant
- Chrome plated canopy and support
- Clear cut glass flower shaped decorative shades
- Ceramic lampholders
- Includes 5 x maximum 240V 40W G9 halogen lamps
- Matching wall lights available (EX775 series)



FA775-5


Chrome

CODE: 26348

FAC I 97-3 – Apollo

- G9 halogen 3 light close to ceiling pendant
- Brushed chrome base and articulated arms
- Opal matt glass shades
- Matching wall light available (code 26424)

Suitable for 3 x maximum 240V 40W
G9 halogen lamps




FAC I 97-3 Brushed Chrome/Opal CODE: 26425

FAC I 97-5 – Apollo

- G9 halogen 5 light close to ceiling pendant
- Brushed chrome base and articulated arms
- Opal matt glass shades
- Matching wall light available (code 26424)

Suitable for 5 x maximum 240V 40W
G9 halogen lamps




FAC I 97-5 Brushed Chrome/Opal CODE: 26426

FAP I 97-5 – Apollo

- G9 halogen 5 light pendant
- Brushed chrome base
- Brushed chrome linked chain drop and articulated arms
- Opal matt glass shades
- Matching wall light available (code 26424)

Suitable for 5 x maximum 240V 40W
G9 halogen lamps



FAP I 97-5 Brushed Chrome/Opal CODE: 26417

FA2615/3

- Three light G9 halogen pendant
- Hand blown matt opal glass shades
- Satin chrome canopy
- Ceramic lampholders
- Matching wall light available (code 24889)

Suitable for 3 x maximum 240V 40W G9 halogen lamps

Dimensions
Height: 535mm
Width: 600mm
Body Height: 230mm



FA2615/3	Satin Chrome/Matt Opal	CODE: 24882
----------	------------------------	-------------

FA430

- G9 halogen pendant
- Metal canopy and frame with satin chrome finish
- Opal glass diffuser
- Clear cord
- Ceramic lampholder
- Includes 1 x maximum 240V 40W G9 halogen lamp

Dimensions
Height: 2300mm
Width: 90mm
Body height: 260mm
Canopy: 40mm



FA430	Satin Chrome/Opal	CODE: 24857
-------	-------------------	-------------

FA1663

- Halogen pendant
- Bullet shaped metal shade with satin chrome finish
- Satin chrome canopy
- Ceramic lampholder

Suitable for 1 x maximum 240V 35W GU10 halogen lamp

Dimensions
Total Height: 2280mm
Shade Width: 53mm
Shade Height: 240mm
Canopy: 40mm



FA1663	Satin Chrome	CODE: 21368
--------	--------------	-------------

FA310/10

- Ten light halogen pendant
- Angled frosted glass shades
- Metal arms and base with chrome finish
- Teroidal low voltage transformer (not dimmable)
- Ceramic lampholders
- Includes 10 x maximum 12V 20W G4 halogen bi-pin lamps

Dimensions
Height: 440mm
Width: 700mm



FA310/10	Chrome/FrostedGlass	CODE: 21580
----------	---------------------	-------------

FA3506/10

- Ten light halogen pendant
- Frosted tulip shaped glass shades
- Metal arms and base with chrome finish
- Teroidal low voltage transformer (not dimmable)
- Includes 10 x maximum 12V 20W G4 halogen bi-pin lamps

Dimensions
Height: 340mm
Width: 800mm
Base Width: 150mm
Shade Size: 100mm x 40mm



FA3506/10	Chrome/Matt Opal Glass	CODE: 21608
-----------	------------------------	-------------

P

Interior Wall Lights

W

Wall Lights216

Halogen Wall Lights228


Wall lights can be used in many domestic and commercial applications and may serve as either a primary source of ambient light or as a supplementary accent light. Crompton Lighting's range of wall lights comprises a wide variety of styles, shapes and sizes to co-ordinate with most fixture designs. Wall lights should not be overlooked when creating a lighting plan as they can be used to provide a variety of effects from the subtle to the dramatic. Wall lights are usually mounted at about head height, a little higher for those that are open from the top and a little lower for those that are open from the bottom.



EXID

- Classic alabaster glass wall bracket
- Die-cast aluminium clips
- Ceramic lampholder
- Glass slides out for lamp replacement
- Matching oysters available (EX3D and EX4D series)

Suitable for 1 x maximum 240V 42W ES lamp




EXID	White	CODE: 19379
EXID	Satin chrome	CODE: 19382
EXID	Brass	CODE: 19380
EXID	Chrome	CODE: 19381

EX252/WB

- Wall sconce
- Satin chrome surround and clips
- Sand blasted glass diffuser
- Double twist clips
- Matching oysters available (EX252 series)

Suitable for 1 x maximum 240V 42W fancy round ES lamp




EX252/WB/FR	Satin Chrome	CODE: 22889
-------------	--------------	-------------

FA1702/WB

- Full glass wall sconce
- Chrome knobs
- Ceramic lampholder
- Matching oysters available (FA1702 and FA1703series)

Suitable for 1 x maximum 240V 42W SES candle lamp




FA1702/WB	Frosted Chrome	CODE: 21379
-----------	----------------	-------------



FAI 490 – Julius

- Wall sconce
- Decorative metal base in chrome or brass
- White alabaster glass diffuser

Suitable for 1 x maximum 240V 42W BC fancy round lamp




FAI 490C	Alabaster/Chrome	CODE: 21232
FAI 490BR	Alabaster/Brass	CODE: 21231

FAI 600/WB

- Wall sconce
- Chrome spike clips
- Frosted glass diffuser
- Matching oysters available (FAI 600 and FAI 601 series)

Suitable for 1 x maximum 240V 42W BC fancy round lamp




FAI 600/WB/C	Frosted/Chrome	CODE: 21328
--------------	----------------	-------------

FAI 760/WB

- Wall sconce
- Satin chrome surround and clips
- Frosted glass diffuser
- Metal base with satin chrome finish
- Ceramic lampholder
- Matching oysters available (FAI 760 and FAI 761 series)

Suitable for 1 x maximum 240V 42W ES lamp




FAI 760/WB/SC	Frosted/Satin Chrome	CODE: 21423
---------------	----------------------	-------------

FAI705

- Wall light
- Chrome knobs
- Curved matt opal glass diffuser
- Ceramic lampholder

Suitable for 1 x maximum 240V 42W SES candle lamp




FAI705FR	Frosted/Chrome	CODE: 21415
----------	----------------	-------------

FAI480

- Oval wall bracket
- Metal bracket and surround
- Matt opal glass diffuser
- Glass twists off for lamp replacement

Suitable for 1 x maximum 240V 42W BC candle lamp




FAI480W	Matt Opal/White	CODE: 21218
FAI480BR	Matt Opal/Brass	CODE: 21216
FAI480C	Matt Opal/Chrome	CODE: 21217

FAI234

- Wall bracket
- Metal base and frame with satin nickel finish
- Frosted glass diffuser
- Shade clips off for lamp replacement

Suitable for 1 x maximum 240V 42W BC fancy round lamp




FAI234	Satin Nickel	CODE: 25310
--------	--------------	-------------

FAI248

- Wall light
- Metal construction with satin nickel finish
- Matt opal glass diffuser

Suitable for 1 x maximum 240V 42W SBC fancy round lamp




FAI248	Satin Nickel	CODE: 25309
--------	--------------	-------------

FA1545

- Rounded glass wall bracket
- Chrome knobs
- Matt opal glass diffuser

Suitable for 1 x maximum 240V 42W BC candle lamp



FA1545


Matt Opal/Chrome

CODE: 21318

FA1551

- Curved square wall light
- Satin chrome frame
- Frosted glass diffuser
- Product must be installed with the lampholder in a vertical position at the lower base

Suitable for 1 x maximum 240V 42W SBC candle lamp



FA1551


Frosted/Satin Chrome

CODE: 18864

FA1570

- Glass wall light
- Satin chrome knobs
- Clear glass diffuser
- Mesh metal feature bracket
- Ceramic lampholder

Suitable for 1 x maximum 240V 42W SBC fancy round lamp



FA1570


Satin Chrome

CODE: 24160

FA2642

- Rectangular wall light
- Frosted glass rim with clear edge
- Double frosted glass diffuser
- Satin chrome knobs
- Compact slimline design

Suitable for 1 x maximum 240V 42W BC fancy round lamp



FA2642SC


Satin Chrome

CODE: 24878

FA1534

- Uplighter
- Chrome metal bracket and frame
- Matt opal glass diffuser
- Glass slides out for lamp replacement

Suitable for 1 x maximum 240V 42W BC candle lamp




FA1534C Matt Opal/Chrome CODE: 21300

FA1536

- Tubular wall light
- Chrome metal bracket
- Gloss glass diffuser
- Remove top screw to lift off glass for lamp replacement

Suitable for 1 x maximum 240V 42W BC fancy round lamp




FA1536C Glass/Chrome CODE: 18863

FA1537

- Two light tubular wall bracket
- Chrome metal bracket and frame
- Gloss glass diffuser
- Spring clips retain glass

Suitable for 2 x maximum 240V 42W BC fancy round lamps




FA1537C Suede Opal/Chrome CODE: 21305

FA779

- Uplighter
- Aluminium construction
- Satin chrome finish
- Frosted opal glass diffuser with clear top
- Glass slides out for lamp replacement

Suitable for 1 x maximum 240V 28W SBC candle lamp



Projection: 100mm




FA779SC Satin Chrome CODE: 24845

FA1181

- 240V interior wall bracket
- Half cone shaped opal glass diffuser
- Polished chrome base

Suitable for 1 x maximum 240V 42W SBC fancy round lamp




FA1181	Chrome/Opal	CODE: 25792
--------	-------------	-------------

FA900/WB

- Classic style wall bracket
- White alabaster glass shade
- Wrought iron look finish
- Matching pendants available (FA900 series)

Suitable for 1 x maximum 240V 42W fancy round BC lamp




FA900/WB	Black/Alabaster	CODE: 21768
----------	-----------------	-------------

FA1901

- Interior wall light
- Satin chrome circular base
- Opal glass shade
- Conical satin chrome canopy

Suitable for 1 x maximum 240V 42W SES fancy round lamp




FA1901	Opal/Satin Chrome	CODE: 26113
--------	-------------------	-------------

FA1902

- Interior wall light
- Brushed chrome circular base
- Ovoid shaped matt opal glass shade

Suitable for 1 x maximum 240V 42W ES lamp




FA1902	Opal/Brushed Chrome	CODE: 26114
--------	---------------------	-------------

FA2643

- Rectangular wall light
- Metal base and clips with satin chrome finish
- Matt opal glass diffuser
- Ceramic lampholder

Suitable for 1 x maximum 240V 42W BC
fancy round lamp



Depth: 58mm
Top Glass: 250mm x 60mm
Base at Wall: 230mm x 80mm




FA2643SC Satin Chrome CODE: 24879

FA2644

- Wall light
- Metal base with satin chrome finish and chrome clips
- Frosted glass diffuser
- Ceramic lampholder
- Glass slides out for lamp replacement
- Matching oyster available (code 24887)

Suitable for 1 x maximum 240V 70W ES lamp




FA2644 Satin Chrome CODE: 24880

FA5522

- Tubular wall light
- Curved matt opal glass diffuser
- Satin chrome finish diffuser clips
- Painted metal base

Suitable for 2 x maximum 42W SBC
fancy round lamps




FA5522 Matt Opal/Satin Chrome CODE: 24924

FA5563

- Tubular wall light
- Curved frosted glass diffuser
- Satin chrome finish base and frame

Suitable for 3 x maximum 42W SBC
fancy round lamps




FA5563 Frosted/Satin Chrome CODE: 24923

EX1218-1 – Oliver

- Opal glass wall light
- Chrome plated base and body
- Curved opal glass shade

Suitable for 1 x maximum 240V 42W SES lamp




EX1218-1	Chrome	CODE: 26344
----------	--------	-------------

EX1218-2 – Oliver

- Up/down opal glass wall light
- Chrome plated base and body
- Curved opal glass shades

Suitable for 2 x maximum 240V 42W SES lamps




EX1218-2	Chrome	CODE: 26345
----------	--------	-------------

EX1217-1 – Jude

- Opal glass wall light
- Chrome plated base and body
- Curved opal glass shade

Suitable for 1 x maximum 240V 42W SES lamp




EX1217-1	Chrome	CODE: 26346
----------	--------	-------------

EXW0024-1 – Ernest

- Matt opal glass wall light
- Metal mounting base
- Satin chrome screws

Suitable for 1 x maximum 240V 42W ES lamp




EXW0024-1	Opal	CODE: 26381
-----------	------	-------------

EX292-1 – Calista

- Decorative wall light
- Chrome curved support arm
- Chrome plated base
- Clear crystal style decorative hanging glass bead
- Black fabric and acrylic shade with glass base
- Matching pendants available (FA292 series)

Suitable for 1 x maximum 240V 42W SES lamp




EX292-1	Black/Chrome	CODE: 26352
---------	--------------	-------------

EX292-2 – Calista

- W
- Decorative twin wall light
 - Chrome curved support arms
 - Chrome plated base
 - Clear crystal style decorative hanging glass beads
 - Black fabric and acrylic shades with glass bases
 - Matching pendants available (FA292 series)

Suitable for 2 x maximum 240V 42W SES lamps




EX292-2	Black/Chrome	CODE: 26353
---------	--------------	-------------



EX222-1 – Elizabeth

- K9 crystal wall light
- French gold plated base
- French gold plated decorative arm with hanging K9 crystal beads
- Fine cut glass lamp shroud base
- Matching pendants, table lamp and floor lamp available (FA222 series)

Suitable for 1 x maximum 240V 42W SES lamp



EX222-1


Gold

CODE: 26360

EX222-2 – Elizabeth

- K9 crystal twin wall light
- French gold plated base
- French gold plated decorative arms with hanging K9 crystal beads
- Fine cut glass lamp shroud base
- Matching pendants, table lamp and floor lamp available (FA222 series)

Suitable for 2 x maximum 240V 42W SES lamps



EX222-2

Gold


CODE: 26361



FAW0054 – Concord

- Opal glass wall light
- Brushed chrome arm and base
- Cylindrical opal matt glass shade
- Matching pendants (FAP0054 series), table lamp and floor lamp (FA0054 series) available

Suitable for 1 x maximum 240V 42W ES lamp




FAW0054	Brushed Chrome/Opal	CODE: 26387
---------	---------------------	-------------

W

EX1848A

- Rectangular wall light
- Grey die cast aluminium alloy base
- Polycarbonate opal diffuser
- Ceramic lampholder

Suitable for 1 x 20W ES compact fluorescent energy saving lamp




EX1848A	Grey/Opal	CODE: 26100
---------	-----------	-------------

EX1847B

- Rectangular wall light
- Grey die cast aluminium alloy base
- Polycarbonate opal diffuser
- Ceramic lampholder

Suitable for 1 x 20W ES compact fluorescent energy saving lamp




EX1847B	Grey/Opal	CODE: 26099
---------	-----------	-------------

FAI530

- Curved energy saving wall light
- Chrome finish metal bracket and knobs
- Matt opal glass diffuser
- Integral ballast
- Knurled nut to remove glass when replacing lamp

Suitable for 1 x 13W G24d-1 PLC fluorescent lamp




FAI530C	Matt Opal/Chrome	CODE: 18862
---------	------------------	-------------

FAI13

- Picture light
- Adjustable head
- Metal construction

Suitable for 2 x maximum 240V 25W T29 tubular lamps




FAI13BR	Brass	CODE: 20991
FAI13CH	Chrome	CODE: 20992

FLW0103L

- Fluorescent linear wall light
- Slide in acrylic white diffuser
- Chrome plated metal end caps and painted metal base
- Electronic ballast

Suitable for 1 x 21W T5 fluorescent tube




FLW0103L	White	CODE: 26369
----------	-------	-------------

FA2615/WB

- Halogen wall light
- Metal construction with satin chrome finish
- Matt opal glass diffuser
- Ceramic lampholder
- Matching pendant available (code 24882)

Suitable for 1 x maximum 240V 60W G9 halogen lamp




FA2615/WB Matt Opal/Satin Chrome CODE: 24889

EXW197-I – Apollo

- G9 halogen wall light
- Brushed chrome base and arm
- Opal matt glass shade
- Ceramic lampholder
- Matching pendants available (FAC197 series and FAP197-5)

Suitable for 1 x maximum 240V 40W G9 halogen lamp




EXW197-I Brushed Chrome/Opal CODE: 26424

FA338/WB

- Halogen wall light
- Metal construction with satin chrome finish
- Matt opal glass diffuser
- Head adjustable both vertically and horizontally
- Ceramic lampholder

Suitable for 1 x maximum 240V 40W G9 halogen lamp




FA338/WB Satin Chrome CODE: 24847



FA463

- Halogen wall light with wedge shaped diffuser
- Metal construction with satin chrome finish
- Double frosted glass diffuser
- Glass slides out for lamp replacement
- Ceramic lampholder

Suitable for 1 x maximum 240V 40W G9 halogen lamp



FA463SC


Satin Chrome

CODE: 24850

FA418/I

- Halogen up or down wall light
- Satin chrome finish
- Ceramic lampholder

Suitable for 1 x maximum 240V 40W G9 halogen lamp



FA418/ISC


Satin Chrome

CODE: 24848

FA1133/IC

- G9 halogen wall light
- Chrome plated metallic front cover
- Painted metal mounting base

Suitable for 1 x maximum 240V 40W G9 halogen lamp



FA1133/IC



Chrome

CODE: 25945

FA304I

- Wedge shaped wall light
- Metal construction with satin chrome finish
- Frosted glass diffuser
- Ceramic lampholder
- Unscrew back plate to replace lamp

Suitable for 1 x maximum 240V 40W G9 halogen lamp




FA304ISC

Satin Chrome

CODE: 25047

EX775-1 – Felicity

- Halogen G9 flower-like style wall light
- Chrome plated base and support
- Clear cut glass flower shaped decorative shade
- Ceramic lampholder
- Includes 1 x maximum 240V 40W G9 halogen lamp
- Matching pendant available (code 26348)




EX775-1

Chrome

CODE: 26350

EX775-2 – Felicity

- Halogen G9 flower-like style twin wall light
- Chrome plated base and support
- Clear cut glass flower shaped decorative shades
- Ceramic lampholders
- Includes 2 x maximum 240V 40W G9 halogen lamps
- Matching pendant available (code 26348)




EX775-2

Chrome

CODE: 26349

EX749-2 – Angela


- Halogen G9 twin wall light
- Chrome plated base with decorative arms and body
- Combination of clear and frosted glass cone shaped decorative shades
- Ceramic lampholders
- Includes 2 x maximum 240V 40W G9 halogen lamps
- Matching pendant available (code 26366)



EX749-2

Chrome


CODE: 26367



EX6062A – Trent

- Modern halogen G9 wall light
- Chrome plated metal base
- White striped glass diffuser
- Smooth black glass decorative plate
- Ceramic lampholder

Suitable for 2 x maximum 240V 40W G9 halogen lamps



EX6062A


Chrome/Black

CODE: 26324

FA11091

- 240V halogen interior wall bracket
- Matt silver metal finish
- Clear and frosted glass diffusers

Suitable for 1 x maximum 240V 40W G9 halogen lamp



FA11091


Matt Silver

CODE: 25793

FA4811

- 240V halogen interior wall bracket
- Matt silver metal finish
- Frosted glass back plate
- Opal glass diffuser

Suitable for 1 x maximum 240V 40W G9 halogen lamp



FA4811


Matt Silver/Frosted Glass

CODE: 25796

CWB49S

- Vertical rectangular recessed 12V halogen wall light
- Powder coated metal construction
- Matt silver finish
- Ribbed matt silver reflector
- Internal frosted glass diffuser cover
- Push in lamp replacement
- Spring metal clips
- Ceramic lampholder

Suitable for 1 x maximum 12V 100W GY6.35 halogen bi-pin lamp



CWB49S

Matt Silver

CODE: 22801



240V Linear Halogen Lamps

Crompton Lighting's mains voltage double ended halogen lamps are designed to provide an efficient and powerful source of crisp white light for general, task and security lighting applications. Crompton Lighting's mains voltage linear halogen range includes lamps with lengths of 78mm, 118mm, 189mm and 254mm, with wattages from 60W to 1500W.

Crompton Linear Halogen Lamp Features:

- Immediate start
- Dimmable (when dimming halogen lamps, it is recommended that the lamps are run at full operating temperature at the end of each switching cycle (i.e return dimming to normal operation)
- Constant light output during lamp life
- Long lamp life of 2000 hours
- Excellent colour rendering with a colour temperature of 3000K
- Reinforced filament designed to withstand vibrations and movement
- Ceramic ends

Linear halogen lamps are ideal for use in track lights for providing high light output for feature lighting and task lighting in domestic and commercial interiors.


(See page 374)

SAFETY NOTE: The glass protective shields supplied with these wall light are essential to their operation and must not be removed. The standard covering this, AS/NZS60598.1:2003 makes it mandatory to have glass shields fitted on all luminaires designed to take lamps that do not feature an integral glass envelope, such as linear halogen lamps in order to prevent potential hazards that may occur in the unlikely event that the lamp explodes.


W

FAI139I

- Circular frosted glass diffuser
- Curved brushed chrome front cover
- Rectangular brushed chrome base
- Ceramic lampholder
- Includes 1 x maximum 240V 100W R7s linear halogen lamp



Dimensions
Width: 320mm Height: 230mm
Depth: 85mm




FAI139I Brushed Chrome CODE: 26096

CWB50

- Vertical rectangular recessed aluminium 240V halogen wall light
- Powder coated metal construction
- Ribbed matt silver reflector
- Internal frosted glass diffuser cover
- Spring metal clips for ease of installation
- Ceramic lampholder

Suitable for 1 x maximum 240V 100W 78mm linear halogen lamp



CWB50 Matt Silver CODE: 22800

Table & Floor Lamps

T

Desk and Table Lamps235

Floor Lamps246

Desk and Table Lamps


Desk and table lamps create areas of light for general, accent and task lighting with the advantage that they offer the flexibility to move the light whenever and wherever the user wants. In addition to this, these fittings also help to soften shadows and to achieve balance in a room's design. The Crompton desk and table lamp range features styles to compliment both traditional and contemporary homes and utilise a variety of lamp types.



CL8808 – Study

- Student organiser desk lamp
- Base features compartments for memos, pens and paper clips
- Flexible goose neck
- Metal shade
- Inline switch

Suitable for 1 x maximum 240V 28W BC lamp




CL8808W	White	CODE: 24126
CL8808B	Black	CODE: 24127
CL8808SC	Satin Chrome	CODE: 24128

CL703 – Studio

- Student clamp lamp
- Flexible goose neck
- Metal shade
- Sturdy clamp base with switch


Suitable for 1 x maximum 240V 28W BC lamp



CL703W	White	CODE: 24129
CL703B	Black	CODE: 24130
CL703SC	Satin Chrome	CODE: 24131

KL2169 – Flexi


- Compact fluorescent desk lamp
- Flexible goose neck
- Sturdy plastic construction
- Base switch
- Includes 1 x 11W PL G23 compact fluorescent lamp



KL2169W	White	CODE: 18098
KL2169BL	Metallic Blue	CODE: 18097

KL2356 – Rosco


- Halogen desk lamp
- Extendable arms
- Toggle for safe adjustment
- Translucent plastic in green and blue models
- Base switch and integral transformer
- Ceramic lampholder
- Includes 1 x 12V 20W G4 halogen bi-pin lamp



KL2356W	White	CODE: 18167
KL2356BK	Black	CODE: 18163
KL2356BL	Translucent Blue	CODE: 18164
KL2356GR	Translucent Green	CODE: 18165

KL2356PK – Rosa



- Halogen desk lamp
- Extendable arms
- Toggle for safe adjustment
- Translucent pink plastic
- Base switch and integral transformer
- Ceramic lampholder
- Includes 1 x 12V 20W G4 halogen bi-pin lamp



KL2356PK	Translucent Pink	CODE: 26388
----------	------------------	-------------

CL1009B – Deco

- 12V halogen desk lamp
- Flexible arm
- Glass lamp cover
- Toggle for safe head adjustment
- Base switch and integral transformer
- Ceramic lampholder
- Includes 1 x 12V 20W G4 halogen bi-pin lamp




CL1009B	Black	CODE: 18944
---------	-------	-------------



GXH6205

- Halogen GU10 desk lamp
- Matt silver finish
- Flexible goose neck
- Toggle for safe head adjustment
- Base switch
- Includes 1 x 240V 50W GU10 halogen lamp



Head: 80x60mm




GXH6205

Matt Silver

CODE: 24364

GXH6223

- Halogen GU10 desk lamp
- Matt silver finish
- Adjustable head
- Toggle for safe head adjustment
- Base switch
- Ceramic lampholder
- Includes 1 x 240V 50W GU10 halogen lamp



Head: 80x60mm




GXH6223

Matt Silver

CODE: 24363

KL2173 – Twin Flex

- 12V halogen desk lamp
- Two flexible arms
- Glass lamp cover
- Toggle for safe head adjustment
- Base switch and integral transformer
- Ceramic lampholder
- Includes 1 x 12V 50W GY6.35 halogen bi-pin lamp



Head: 110x35mm




KL2173

Black

CODE: 18103

FA134 – Stefi

- 12V halogen desk lamp
- Adjustable arm
- Toggle for safe head adjustment
- Inline dimmer switch with transformer
- Ceramic lampholder
- Includes 1 x 12V 50W GY6.35 halogen bi-pin lamp



Head: 150mm




FA134

Satin Chrome

CODE: 24020

KL2318 – Pro Magnum

- Anglepoise desk lamp
- 3 x magnifier
- Shade switch
- Fully adjustable die-cast aluminium body
- Electronic ballast
- Clamp base
- Includes 1 x 22W circular fluorescent lamp



KL2318


White

CODE: 18148

KL2361 – Magnum

- Anglepoise desk lamp
- Coverable 3 x magnifier
- Fully adjustable plastic head and die-cast aluminium body
- Shade switch
- Clamp base

Suitable for 1 x maximum 240V 42W BC lamp



KL2361W


White

CODE: 18179

KL2360 – Dome

- Swingarm desk lamp
- Inline switch
- Ceramic lampholder
- Clamp base

Suitable for 1 x maximum 240V 42W ES lamp



KL2360B Black CODE: 18174


KL2360W White CODE: 18176

KL2360BE Beige CODE: 18173



FALS701

- GU10 compact fluorescent desk lamp
- Full metal construction with satin chrome finish
- Adjustable head
- Inline switch and flex & plug
- Includes 11W 240V GU10 compact fluorescent lamp



ENERGY
SAVING




FALS701

Satin Chrome

CODE: 25795

FALS702

- GU10 compact fluorescent desk lamp
- Full metal construction with satin chrome finish
- Adjustable head with flexible goose neck
- Inline switch and flex & plug
- Includes 11W 240V GU10 compact fluorescent lamp



ENERGY
SAVING




FALS702

Satin Chrome

CODE: 25794

TLLS531

- 240V GX53 desk lamp
- Round satin chrome head mounted on flexible goose neck steel support
- Satin chrome steel base with on/off switch
- 2m flex & plug
- Includes 1 x 9W GX53 compact fluorescent lamp



ENERGY
SAVING



TLLS531


Satin Chrome

CODE: 25875

FA5040

- Square acrylic shade
- Inline switch

Suitable for 1 x maximum 240V 42W ES
fancy round lamp




Dimensions: 200mm x 200mm x 200mm

FA5040	White	CODE: 25100
--------	-------	-------------

FA5039

- Ball table lamp
- Clear acrylic
- 3 chrome feet
- Inline switch

Suitable for 1 x maximum 240V 28W ES lamp




FA5039	Clear	CODE: 25099
--------	-------	-------------

FA4022

- Table lamp
- Metal chrome base
- PVC metallic shade
- Inline switch
- Matching floor lamp for white (code 25109)

Suitable for 1 x maximum 240V 28W ES lamp




FA4022O	Orange	CODE: 25102
FA4022R	Red	CODE: 25103
FA4022W	White	CODE: 25104



CL1050

- Table lamp
- Satin chrome finish
- Square fabric shade
- Square base
- Inline switch

Suitable for 1 x maximum 240V 28W BC lamp




CL1050T	Taupe	CODE: 24863
CL1050G	Grey Blue	CODE: 24862

CL1051

- Table lamp
- Satin chrome finish
- Round fabric shade
- Round base
- Inline switch

Suitable for 1 x maximum 240V 28W BC lamp




CL1051T	Taupe	CODE: 24867
---------	-------	-------------

FA4112

- Table lamp
- White cloth shade
- Chrome base
- Inline switch

Suitable for 1 x maximum 240V 42W ES lamp




FA4112	White	CODE: 25105
--------	-------	-------------



FA1010 – Brooklyn

- Cylindrical acrylic woven pattern table lamp
- Satin chrome on/off touch base
- 1.5m flex & plug

Suitable for 1 x maximum 240V 42W SES lamp



FA1010


Clear/Satin Chrome

CODE: 26410

FA1011 – Belle

- Opal glass shade
- Satin chrome on/off touch base
- 1.5m flex & plug

Suitable for 1 x maximum 240V 42W SES lamp



FA1011


Opal/Satin Chrome

CODE: 26411

FA1002 – Muris

- Conical white fabric shade
- Ball shaped brushed chrome on/off touch base
- 1.5m flex & plug

Suitable for 1 x maximum 240V 42W SES lamp



FA1002


White/Brushed Chrome

CODE: 26413

FA1001 – Kumi

- Black fabric cylindrical shade
- Ceramic black on/off touch base
- 1.5m flex & plug

Suitable for 1 x maximum 240V 42W SES lamp



FA1001


Black

CODE: 26412

FAT0150-TL – Atlanta

- Brushed chrome cone shaped base and post
- White glass shade
- On/off touch base
- 1.5m flex & plug

Suitable for 1 x maximum 240V 42W SES lamp



Total Height: 370




FAT0150-TL White/Brushed Chrome CODE: 26373

FA0054-TL – Concord

- Opal glass table lamp
- Brushed chrome circular base
- Opal matt glass shade
- Flexible cord with inline switch and 2-pin plug
- Matching pendants (FAP0054 series), wall light (FAW0054) and floor lamp (FA0054-FL) available

Suitable for 1 x maximum 240V 42W ES lamp



Total Height: 395




FA0054-TL Opal/Brushed Chrome CODE: 26418

FAT0218 – Capri

- Cube glass table lamp
- Polished chrome base
- Cube shaped opal glass shade
- Flexible cord with 2-pin insulated plug

Suitable for 1 x maximum 240V 42W ES lamp




FAT0218 Opal/Polished Chrome CODE: 26382



FA1003 – Aurelius

- Conical white fabric shade with golden lining
- Golden polished circular on/off touch base and post
- 1.5m flex & plug

Suitable for 1 x maximum 240V 42W SES lamp



FA1003


Gold

CODE: 26414

FA222-2TL – Elizabeth

- K9 crystal 2 light table lamp
- French gold plated base
- French gold plated decorative arms with hanging K9 crystal beads
- Fine cut glass lamp shroud base
- Flexible cord with inline switch and 3-pin plug
- Matching pendants, floor lamp (FA222 series) and wall lights (EX222 series) available

Suitable for 2 x maximum 240V 42W SES lamps



FA222-2TL


Gold

CODE: 26363

FAT0049-TL – Venus

- Brushed Chrome stepped square base and post
- Fabric white shade with chrome trim lining
- Flex cord with 2-pin plug and inline switch

Suitable for 1 x maximum 240V 42W SES lamp



FAT0049-TL

Brushed Chrome/White


CODE: 26372



FA50748 – Chantelle

- Organza fabric shade with acrylic crystal style beads
- Chrome base
- Matching pendants (FA20271 series) and floor lamps (FA60103 series) available

Suitable for 1 x maximum 240V 42W BC lamp




FA50748W	White	CODE: 25830
FA50748BR	Brown	CODE: 25831
FA50748B	Black	CODE: 25832

FA52613 – Grace

- Fabric shade with glass crystal style decoration on post
- Chrome base and post
- Matching floor lamp available (code 26400)

Suitable for 1 x maximum 240V 42W ES lamp




FA52613	White	CODE: 26401
---------	-------	-------------

FA0037-TL – Jessica

- Decorative table lamp
- Metallic gun metal finish base and stem
- Black fabric pattern shade
- Black flexible cord with inline switch and 2-pin insulated plug

Suitable for 1 x maximum 240V 42W SES lamp



FA0037-TL	Gun Metal	CODE: 26415
-----------	-----------	-------------



Floor Lamps

Floor lamps are the ideal solution for both ambient and task lighting and have the advantage over other fixture types of being portable and easy to install. Floor lamps that project light upwards can help to light up an entire room with glare free, ambient light that reflects off the ceiling or wall.



FA60103 – Chantelle

- Organza fabric shade with acrylic crystal style beads
- Chrome base
- 1.5 metre cord with flex & plug
- Foot switch
- Matching pendants (FA20271 series) and table lamps (FA50748 series) available

Suitable for 1 x maximum 240V 42W BC lamp



FA60103W	White	CODE: 25833
FA60103BR	Brown	CODE: 25834
FA60103B	Black	CODE: 25835

FA23092

- Floor lamp
- Metal base, post and spun metal shade
- Brass like finish
- Foot switch
- 1.5 metre flex and plug

Suitable for 1 x maximum 240V 42W ES lamp




FA23092	Antique Brass	CODE: 25956
---------	---------------	-------------

FA60516 – Grace

- Fabric shade with glass crystal style decoration on post
- Chrome base and post
- Foot switch
- Matching table lamp available (code 26401)

Suitable for 1 x maximum 240V 42W ES lamp



FA60516

White


CODE: 26400



FA222-3FL – Elizabeth

- K9 crystal 3 light floor lamp
- French gold plated base and stem
- French gold plated decorative arms with hanging K9 crystal beads
- Fine cut glass lamp shroud bases
- Flexible cord with inline switch and 3-pin plug
- Matching pendants, table lamp (FA222 series) and wall lights (EX222 series) available

Suitable for 3 x maximum 240V 42W SES lamps



FA222-3FL

Gold

CODE: 26364



KL239 IL – Lucci

- Twin floor lamp
- Metal construction
- Adjustable heads
- Individual inline switches

Suitable for 2 x maximum 240V 42W BC lamps



KL239 ILW	White	CODE: 18246
KL239 ILB	Black	CODE: 18244
KL239 ILSC	Satin Chrome	CODE: 18245

FA2378 – Marlow

- Halogen floor lamp
- Painted metal finish
- Flexible goose neck
- Adjustable head
- Switch
- Integral transformer
- Includes 1 x 50W 12V GY6.35 halogen bi-pin lamp




KL2378W	White	CODE: 18235
KL2378B	Black	CODE: 18234

FA5016

- Floor lamp
- Metal chrome base
- PVC metallic shade
- Inline switch
- Matching table lamps available (FA4022 series)

Suitable for 1 x maximum 240V 28W ES lamp



FA5016


White

CODE: 25109

FA0054-FL – Concord

- Opal glass floor lamp
- Brushed chrome circular base
- Opal matt glass shade
- Flexible cord with foot switch and 2-pin plug
- Matching pendants (FAP0054 series), wall light (FAW0054) and table lamp (FA0054-TL) available

Suitable for 1 x maximum 240V 42W ES lamp




FA0054-FL

Brushed Chrome/Opal

CODE: 26419

FAI 350 – Elsa

- Halogen floor lamp
- Alabaster glass diffuser in head
- Adjustable head and arm
- Toggle on head for safe adjustment
- Dimmer foot switch with transformer
- Includes 1 x 50W 12V halogen bi-pin lamp




FAI 350

Satin Chrome

CODE: 24022

FAI 443 – Granada

- Halogen floor lamp
- Satin chrome finish
- Frosted glass bowl at base of shade
- Dimmer foot switch
- Ceramic lampholder
- Includes 1 x maximum 300W R7s 240V 118mm linear halogen lamp




FAI 443SC

Frosted/Satin Chrome

CODE: 21200

Bathroom

B

The background of the page is a black field filled with a grid of brown, horizontally-oriented ovals. The ovals are arranged in a pattern that recedes into the distance, creating a strong sense of perspective and depth. The ovals are slightly darker in the foreground and become lighter as they move towards the top right corner.

Bathroom Units	254
General Bathroom Lighting	257

CREX Bathroom Master Series

Add heat, ventilation and light to your bathroom or ensuite with the CREX Bathroom Master Series. The CREX Bathroom Master Series offers a range of bathroom heaters that are efficient and economical.




CREX4

- Heat light exhaust ducted bathroom master
- Efficient and instant heat
- No warm up period
- Quiet operating motor
- 40W exhaust fan with ducted exhaust, helps eliminate bathroom odours and steam, generates airflow of 220 cubic metres per hour
- Two year replacement warranty
- Includes 1 x 1.5 metres of 100mm flexible ducting and outlet grill
- Includes 1 x 4 gang switch
- Includes 1 x maximum 240V 60W R64 ES reflector lamp
- Includes 4 x 275W ES infra red heat lamps

Warranty does not include lamps

Usage Guidelines

- ◆ Suitable for all bathrooms with ceiling heights up to 2.7 metres
- ◆ Not to be mounted at any angle off horizontal



CREX4W	White	CODE: 18837
CREX4S	Silver	CODE: 25308


CREX2

- Heat light exhaust bathroom master
- Suitable for small bathrooms and ensuites
- Efficient and instant heat
- No warm up period
- Quiet operating motor
- 17W exhaust fan, helps eliminate bathroom odours and steam, generates airflow of 90 cubic metres per hour
- Two year replacement warranty
- Includes 1 x 3 gang switch
- Includes 1 x maximum 240V 60W R64 ES reflector lamp
- Includes 2 x 275W ES infra red heat lamps

Warranty does not include lamps

Usage Guidelines

- ◆ Not to be mounted at any angle off horizontal
- ◆ Best suited for use in ensuites, small bathrooms and where there is an existing exhaust fan



CREX-2A	White	CODE: 24059
---------	-------	-------------

Reflector Lamps

Mushroom shaped featuring an opaque finish which creates a soft and uniform light. Mushroom lamps are especially suited to use in situations where high, uniform lighting levels are required such as in task lighting. As such these lamps are ideal for use as the centre lamp in bathroom heaters (subject to the maximum rated wattage of the unit and to manufacturer's recommendations)



(See page 350)



(See page 353)

Infra Red Heat Lamps

Crompton Lighting's industrial grade 275W hard glass infra red heat lamps provide the source of instant direct heat that the Bathroom Masters are known for. As this lamp is manufactured to have a high level of resistance to condensation and water splashes, there is a lower risk of lamp breakage associated with its usage. The lamp's hard glass construction also makes it more resistant to thermal and mechanical stresses.

Crompton's heat lamp has a long lamp life of 5000 hours and a wider than average heat distribution to warm areas more quickly and reduce cold spots. Internally fused for safety, the lamp is manufactured to Standard AS2325:1993 and AS60432.1:2007

CREX2-A2

- Heat light exhaust ducted bathroom master
- Suitable for small bathrooms and ensuites
- Efficient and instant heat
- No warm up period
- Quiet operating motor
- 20W exhaust fan with ducted exhaust, helps eliminate bathroom odours and steam, generates airflow of 100 cubic metres per hour
- Centre lamp is covered by frosted glass diffuser
- Two year replacement warranty
- Includes 1 x 1.5 metres of 100mm flexible ducting
- Includes 1 x 3 gang switch
- Includes 1 x maximum 240V 42W ES pearl
- Includes 2 x 275W ES infra red heat lamps


Warranty does not include lamps

Usage Guidelines


- ◆ Not to be mounted at any angle off horizontal
- ◆ Best suited for use in ensuites, small bathrooms that also require an exhaust fan



Dimensions Cutout:
200mm x 382mm
Clearance: 400mm
Into Ceiling: 270mm



CREX2-A2W	White	CODE: 25177
CREX2-A2S	Silver	CODE: 25176



BM Bathroom Master Series

Master light and heat in your bathroom with the BM Bathroom Master Series.
The BM Bathroom Master Series is ideal for use in ensuites and bathrooms with the added benefit of a 100W centre lamp to provide general illumination when the heat lamps are not being utilised.

BM2

- Heat light exhaust ducted bathroom heater
- Efficient and instant heat
- No warm up period
- Quiet operating motor
- Powerful centrifugal fan removes odours and steam
- Includes 25W temperature sensitive exhaust fan with ducted exhaust, generates airflow of 175 cubic metres per hour
- Side duct ventilation allows for more efficient operation
- Two year replacement warranty
- Includes 1 x 1.5 metres of 100mm flexible ducting
- Includes 1 x 3 gang switch
- Includes 1 x maximum 240V 100W R63 ES reflector lamp
- Includes 2 x 275W ES infra red heat lamps


Warranty does not include lamps

Usage Guidelines

- ◆ Best suited for use in ensuites or medium size bathrooms
- ◆ Not to be mounted at any angle off horizontal



Dimensions Cutout:
385mm x 215mm
Clearance: 400mm
Into Ceiling: 180mm



BM2W	White	CODE: 26315
BM2S	Silver	CODE: 26316

BM4

- Heat light exhaust ducted bathroom heater
- Efficient and instant heat
- No warm up period
- Quiet operating motor
- Powerful centrifugal fan removes odours and steam
- Includes 25W temperature sensitive exhaust fan with ducted exhaust, generates airflow of 187 cubic metres per hour
- Side duct ventilation allows for more efficient operation
- Two year replacement warranty
- Includes 1 x 1.5 metres of 100mm flexible ducting
- Includes 1 x 4 gang switch
- Includes 1 x maximum 240V 100W R63 ES reflector lamp
- Includes 4 x 275W ES infra red heat lamps


Warranty does not include lamps

Usage Guidelines

- ◆ Suitable for all bathrooms with ceiling heights up to 2.7 metres
- ◆ Not to be mounted at any angle off horizontal



Dimensions Cutout:
300mm x 300mm
Clearance: 400mm
Into Ceiling: 180mm



BM4W	White	CODE: 26317
BM4S	Silver	CODE: 26318

General Bathroom Lighting


Effective task lighting is extremely important for your bathroom. Rather than light mirrors from above, light both sides of the mirror evenly for a balanced spread of light. If you use Hollywood Bars to light your mirror, make sure you use opal or pearl lamps for a softer light. Crompton Lighting recommends 25W opal fancy round lamps (see *page 349*) to be used in these vanity lights to create a soft and gentle light- higher wattages create too much glare to be used in this application.

WARNING: Ask your electrician to check that the fittings you have selected comply with the wiring rules before making your purchase, as the fittings in this section may not be suitable for some bathroom applications.

EX53-3 – Hollywood

- Classic 'Hollywood' style three light vanity bar
- Full metal construction with white or satin chrome finish
- Rounded ends
- Can be wall or ceiling mounted

Suitable for 3 x maximum 240V 25W SBC fancy round lamps




EX53-3SC	Satin Chrome	CODE: 20110
EX53-3W	White	CODE: 20111

EX55-5 – Hollywood

- Classic 'Hollywood' style five light vanity bar
- Full metal construction with white or satin chrome finish
- Rounded ends
- Can be wall or ceiling mounted

Suitable for 5 x maximum 240V 25W SBC fancy round lamps




EX55-5SC	Satin Chrome	CODE: 20122
EX55-5W	White	CODE: 20123

EX58-8 – Hollywood

- Classic 'Hollywood' style eight light vanity bar
- Full metal construction with white or satin chrome finish
- Rounded ends
- Can be wall or ceiling mounted

Suitable for 8 x maximum 240V 25W SBC fancy round lamps




EX58-8SC	Satin Chrome	CODE: 20131
EX58-8W	White	CODE: 20132

FA5522

- Tubular wall light
- Curved matt opal glass diffuser
- Satin chrome finish diffuser clips
- Painted metal base
- Can be installed horizontally or vertically

Suitable for 2 x maximum 240V 42W SBC
fancy round lamps




FA5522	Satin Chrome	CODE: 24924
--------	--------------	-------------

FA5563

- Tubular wall light
- Curved frosted glass diffuser
- Satin chrome finish base and frame
- Can be installed horizontally or vertically

Suitable for 3 x maximum 240V 42W SBC
fancy round lamps




FA5563	Satin Chrome	CODE: 24923
--------	--------------	-------------

DL1021

- Recessed bathroom downlight
- Die-cast aluminium face and pressed metal frame with spring clips
- Frosted glass lens with silicon seal
- Removable face for lamp replacement
- Floating ceramic lampholder attached to terminal block
- IP54

Suitable for 1 x 50W 12V MR16 open face halogen
dichroic lamp



IP54
INGRESS
PROTECTION



DL1021W	White	CODE: 19408
DL1021C	Chrome	CODE: 19406
DL1021SC	Satin Chrome	CODE: 19407

