


Concord

DIAX RANGE



DIAX

LED Recessed – Trimmed and plaster up

Diax allows an extra level of architectural lighting design freedom by using LED in place of traditional halogen lamps. Not only does Diax provide numerous options in shape and size it gives the designer the freedom to finish plasterwork to the very edge of the luminaire keeping the ceiling clean from projection, or if preferred has a trimmed option too. The deeply rebated aspect of the reflector and standard option

of fully dimmable LED join to additionally enhance the users experience within the space by providing an 'invisible' and mood lighting effect. Fit & forget maintenance free with extremely long life couples with huge energy savings over traditional halogen light sources, whilst providing a real alternative to the much loved halogen accent.



APPLICATIONS:

- .. Hotel & leisure
- .. Pubs
- .. Clubs
- .. Museums & Galleries
- .. Back office
- .. Retail & Display
- .. Changing rooms
- .. Sales areas
- .. Offices
- .. Circulation areas
- .. Lobbies
- .. Healthcare & aged care
- .. Public buildings
- .. Corridors, reception and waiting areas
- .. Back office
- .. Meeting rooms
- .. Residential







Diax

Square Trim


DIAX SQUARE TRIM

Features

- Trimless plaster up for seamless look ceiling
- CRI > 85
- Low glare
- No UV or IR Radiation
- Stoved powder coated Concord white finish
- Non dim & Dimmable (1w options non dimming) – Dimmable DALi 1-10v & push to dim (PTD)
- Fitted with a long tail and quick connect plug
- 13w and 24w plaster up versions suitable for ceiling thickness 1mm up to 30mm. 1w version suitable for ceiling thickness 2mm up to 20mm
- 50,000hr rated life




• APPLICATIONS RETAIL / OFFICES / HOTEL & LEISURE / EDUCATIONAL / PUBLIC BUILDINGS / RESIDENTIAL / HEALTHCARE




Suggested multiple arrangement


1w 3K 38°








13w 3K 38°



24w 3K 22°



24w 4K 26°



CAT. NUMBER	DESCRIPTION	WATTAGE	LUMENS	TEMP
Non dimming				
1819034	SQUARETRIM	1	105	3000
1810034	SQUARETRIM	13	850	3000
1818634	SQUARETRIM	24	1360	3000
1818644	SQUARETRIM	24	1610	4000
Dimming				
1810034D	SQUARETRIM DIM	13	850	3000
1818634D	SQUARETRIM DIM	24	1360	3000
1818644D	SQUARETRIM DIM	24	1610	4000






Diax

Square Trimless


DIAX SQUARE TRIMLESS

Features

- Trimless plaster up for seamless look ceiling
- Concord white stoved powder coated mesh for excellent stain resistant plaster adhesion
- CRI > 85
- Low glare
- No UV or IR Radiation
- Non dim & Dimmable (1w options non dimming) – Dimmable DALi 1-10v & push to dim (PTD)
- Fitted with a long tail and quick connect plug
- 13w and 24w plaster up versions suitable for ceiling thickness 1mm up to 30mm. 1w version suitable for ceiling thickness 2mm up to 20mm
- 50,000hr rated life



• APPLICATIONS RETAIL / OFFICES / HOTEL & LEISURE / EDUCATIONAL / PUBLIC BUILDINGS / RESIDENTIAL / HEALTHCARE



CAT. NUMBER	DESCRIPTION	WATTAGE	LUMENS	TEMP
Non dimming				
1818934	SQUARE TRIMLESS	1	105	3000
1810134	SQUARE TRIMLESS	13	850	3000
1810234	SQUARE TRIMLESS	24	1360	3000
1810334	SQUARE TRIMLESS	24	1610	4000
Dimming				
1810134D	SQUARE TRIMLESS DIM	13	850	3000
1810234D	SQUARE TRIMLESS DIM	24	1360	3000
1810334D	SQUARE TRIMLESS DIM	24	1610	4000



LED






Diax

Round Trim









DIAX ROUND TRIM

Features

- Trimless plaster up for seamless look ceiling
- CRI > 85
- Low glare
- No UV or IR Radiation
- Stoved powder coated Concord white finish
- Non dim & Dimmable (1w options non dimming) – Dimmable DALi 1-10v & push to dim (PTD)
- Fitted with a long tail and quick connect plug
- 13w and 24w plaster up versions suitable for ceiling thickness 1mm up to 30mm. 1w version suitable for ceiling thickness 2mm up to 20mm
- 50,000hr rated life



• APPLICATIONS RETAIL / OFFICES / HOTEL & LEISURE / EDUCATIONAL / PUBLIC BUILDINGS / RESIDENTIAL / HEALTHCARE



CAT. NUMBER	DESCRIPTION	WATTAGE	LUMENS	TEMP
Non dimming				
I818834	ROUND TRIM	1	105	3000
I818534	ROUND TRIM	13	850	3000
I818434	ROUND TRIM	24	1360	3000
I818444	ROUND TRIM	24	1610	4000
Dimming				
I818534D	ROUND TRIM DIM	13	850	3000
I818434D	ROUND TRIM DIM	24	1360	3000
I818444D	ROUND TRIM DIM	24	1610	4000





Diax

Round Trimless


DIAx ROUND TRIMLESS

Features

- Trimless plaster up for seamless look ceiling
- Concord white stoved powder coated mesh for excellent stain resistant plaster adhesion
- CRI > 85
- Various° beam distributions
- Low glare
- No UV or IR Radiation
- Non dim & Dimmable (1w options non dimming) – Dimmable DALi 1-10v & push to dim (PTD)
- Fitted with a long tail and quick connect plug
- 13w and 24w plaster up versions suitable for ceiling thickness 1mm up to 30mm. 1w version suitable for ceiling thickness 2mm up to 20mm
- 50,000hr rated life



• APPLICATIONS RETAIL / OFFICES / HOTEL & LEISURE / EDUCATIONAL / PUBLIC BUILDINGS / RESIDENTIAL / HEALTHCARE





DIALux

Autodesk Revit

SLA Australian Customer Service Centres:

HEADQUARTERS

Sylvania Lighting
Australasia Pty Ltd
ACN: 000 534 243 ABN: 81 000 534 243
Sylvania Way
(Locked Bag 9, Gosford)
Lisarow NSW 2250 Australia
Phone: 02 4328 0600
Fax: 02 4328 2605

Phone: 1300 728 988
Fax: 1300 728 844
Email: sylvania@sla.net.au

CENTRAL REGION

NEW SOUTH WALES
Sylvania Lighting
Australasia Pty Ltd
Suite 1C, 69 Waterloo Road
North Ryde NSW 2113
Phone: 02 8873 0000
Fax: 02 8873 0001

Phone: 1300 728 988
Fax: 1300 728 844
Email: slansw@sla.net.au

NEWCASTLE

Stramac Pty Ltd
10-12 Union Street
Wickham NSW 2293
Phone: 02 4969 6555
Fax: 02 4962 2457
Email: stramac@bigpond.com.au

NORTHERN REGION

QUEENSLAND
Sylvania Lighting
Australasia Pty Ltd
25 Donkin Street
West End QLD 4101
Phone: 07 3034 8600
Fax: 07 3846 3689
Email: slaqlid@sla.net.au

NORTHERN QUEENSLAND
JEM Distributors Pty Ltd
2/37 Mackley Street
Garbutt, Townsville QLD 4814
Phone: 07 4775 6299
Fax: 07 4725 1191
Email: slaqlid@sla.net.au

NORTHERN TERRITORY
Gerard Lighting Group Ltd
20 Bishop Street
Woolner NT 0820
Phone: 08 8941 2225
Fax: 08 8941 2223
Email: slant@sla.net.au

SOUTHERN REGION

VICTORIA
Sylvania Lighting
Australasia Pty Ltd
Riverview Business Park
87 Moreland Street
Footscray VIC 3011
Phone: 03 9689 7833
Fax: 03 9689 5611
Email: slavic@sla.net.au

SOUTH AUSTRALIA

Sylvania Lighting
Australasia Pty Ltd
101 Port Wakefield Road
Cavan SA 5094
Ph: 08 8139 7378
Freecall: 1800 248 241
Freefax: 1800 648 641
Email: slasa@sla.net.au

TASMANIA

Sylvania Lighting
Australasia Pty Ltd
Riverview Business Park
87 Moreland Street
Footscray VIC 3011
Phone: 1300 519 796
Fax: 1300 841 796
Email: slatas@sla.net.au

WESTERN REGION

WESTERN AUSTRALIA

Sylvania Lighting
Australasia Pty Ltd
77 Truganina Road
Malaga WA 6090
Phone: 08 9249 2890
Fax: 08 9249 8160
Email: slawa@sla.net.au

A Division of the Gerard Group:



Where
innovation
comes to
light.

GERARD
LIGHTING