

NEWS link

Showcasing the latest products for electrical installations and information networks

FAST DRYING HYGIENIC & TOUCH FREE

The powerful new HPM Jet Air Hand Dryer provides a touch free hygienic solution to any washroom.

This fast drying hand dryer dries hands in 10-15 seconds, faster than conventional hand dryers that take 30-40 seconds. Sensors within the unit detect when hands enter producing a powerful airflow from front and back to efficiently and quickly dry the water off hands. The unit automatically shuts off when hands are removed.

The Jet Air hand dryer's air filter cleans the air prior to it blowing on hands; this filter combined with its touch free operation reduces the chance of user contamination. The easy clean filter allows regular maintenance and replacement.

A water tank is included to collect excess water removed from hands, rather than water being dropped on the floor creating hazards.

As a plug in unit it is easily installed in any project. The heavy-duty construction of the Jet Air hand dryer makes it suitable for use in public spaces such as hospitals, hotels, offices, shopping malls and other projects.

- Rated: 1400W
- Size: 680 (H) x 300 (W) x 250 (D)mm
- Air Speed: 110m/s



HDAB1WE

Double Powerpoint - Double Pole 10A

legrand®
EXCEL *life*

- Common and Dedicated plates
- Rated 10A
- Double pole for additional safety
- Inline terminals for easier installation
- Internal safety shutters for extra safety
- More fixing options - 4 corners
- Oval 84 mm fixing points - make it easier to straighten-up products at the last minute
- Paint path - lessens potential damage to walls by providing a small channel for paint
- Retained terminal screws
- Colour: White (Common plate), White and Urban Grey (Dedicated plate)



Dedicated plate
ED777DPWE, ED777DPUG



Common plate
EC777DPWE

Double Powerpoint - Autoswitch 10A

legrand®
EXCEL *life*

- Common and Dedicated plates
- Rated 10A
- Internal automatic switching mechanism
- Only turns power on to the socket when pins engage to a safe point
- Internal safety shutters for extra safety
- More fixing options - 4 corners
- Retained terminal screws
- Colour: White (Common plate), White and Urban Grey (Dedicated plate)



Dedicated plate
ED777AWE, ED777AUG



Common plate
EC777AWE

Double Powerpoint - Double Pole 15A

legrand®
EXCEL *life*

- Common plate
- Rated 15A
- Double pole for additional safety
- Inline terminals for easier installation
- Internal safety shutters for extra safety
- More fixing options - 4 corners
- Oval 84 mm fixing points - make it easier to straighten-up products at the last minute
- Paint path - lessens potential damage to walls by providing a small channel for paint
- Retained terminal screws
- Colour: White



EC777/15DPWE

Double Powerpoint - Extra Safe Autoswitch 10A

legrand®
EXCEL *life*

- Dedicated plate
- Rated 10A
- Self closing safety shutters help keep inquisitive young fingers safe
- Internal automatic switching mechanism
- Only turns power on to the socket when pins engage to a safe point
- More fixing options - 4 corners
- Retained terminal screws
- Colour: White and Urban Grey



ED777AESWE, ED777AESUG

Single and Double Panel Mount Adaptors and Insert Modules

legrand®
EXCEL *life*

Panel Mount Adaptors


- Panel Mount Adaptors are designed to mount Excel Life mechanisms and sockets on thin panels e.g. distribution board
- Suitable for panels from 0.7mm to 3.0 mm in thickness
- Front mountable
- Suitable for single module or double module inserts
- Single adaptor accepts one 25 mm x 57 mm insert
- Double adaptor accepts two 25 mm x 57 mm inserts or one 50 mm x 57 mm device (ie EM787WE)
- Colour: White

Insert Modules

- Suitable for Panel Mount Adaptors
- Can be used with common frame (ie ECFRAME), common cover and powerpoint mechanisms (ie EM787AWE)
- Available as blank (0 gang), 1 gang and 2 gang options
- Colour: White and Urban Grey



Panel Mount Adaptors: EA910PMAWE, EA920PMAWE



Insert Modules: EA910/0, EA910/1, EA910/2

Fan Controller 100VA Rotary 3 Speed

legrand®
EXCEL *life*

- 100VA maximum load
- 3 speed fan controller
- Single mechanism size, suitable for multi-gang plates
- Easy to install
- Colour: White



ED3FCWE

Insulating and Protective Shroud

legrand®
EXCEL *life*

- Standard size shroud to fit opening 78 mm x 55 mm
- Suits Excel Life, Linea and Arteor switches, single and double power points
- Front mounting
- Colour: Black



EA751

Circular LED Oyster Light 17W Cree

legrand®

- General purpose high quality domestic oyster
- Long life Cree LEDs for maximum energy savings and excellent colour
- Light output approximately equal to 100W GLS lamp
- Suitable for kitchen, laundry, bedroom and living areas
- White die-cast base with choice of PC or glass visor
- Wall or ceiling mountable
- 280 mm diameter
- Non-dimmable



684424 (PC) and 684426 (Glass)



Enclosure for National Broadband Network (NBN)



- Surface metal enclosure dedicated to fiber-to-home installations
- Fully compliant with NBN Co specifications
- Provided with door, double GPO and mounting tray for NBN Co devices
- Available with an 8 port Cat 6 patch panel (NBNPPBOX)
- Spare space for additional end-user equipment
- Can be flush-mounted using optional brackets



NBNBOX, NBNPPBOX, NBNBOXBRACKET & NBNPPBOXBRACKET

Classe 100 Video Internal Unit



- Comfort and security - 3.5" colour display
- Ease of use - ergonomic pushbuttons
- Slimline, 27mm only
- Easy to understand icons
- 2-wire technology
- Wall mountable or table top installation



344552
Accessory for table top
installation



344502



Single Adaptor with USB charger



- Maximum charging capacity 4.2A
- 2 x 2.1A USB ports: Charge up to two tablets or two smart phones simultaneously at maximum speed
- Compact design: fit two in one double powerpoint
- Ideal for people on-the-go for charging multiple electronic devices



A Group brand | **legrand**

D2USB

Twin USB charging station with lead



- Maximum charging capacity 4.2A
- 2 x 2.1A USB ports: Charge up to two tablets or two smart phones simultaneously at maximum speed
- 1.5m lead
- Perfect for desk or bedside table
- Ideal for people on-the-go for charging multiple electronic devices



A Group brand | **legrand**

PS2USB

10A Power Centre with RCBO Protection and 4.2A USB charging capacity



- 2 x 2.1A charging USB ports: Maximum charging capacity 4.2A
- Charge up to two tablets or two smart phones simultaneously at maximum speed
- Ideal for construction sites and workshops. Site suitable AS/NZS3012
- Built-in RCBO protection, combines the features of a RCD and MCB. RCD (Residual Current Device) provides a fast power cut off to reduce the risk of electrocution. MCB (Miniature Circuit Breaker) protects the power centre from damage under overload conditions
- Double pole shuttered outlets for extra safety
- Parking clip for convenience
- Orange heavy-duty high visibility lead for extra safety
- 1.8m lead
- IP33 rating
- Compatible with portable appliance testers
- 2-year warranty



A Group brand | **legrand**

REPC410USB

Select **10** worth of products to earn **100** points

Emergency Lighting

Cat No.	Description
225258	Techno-LED Floodlights 1200 x 1000mm Non-Maintained
450452	Sensibler LED 2W 1200mm Surface Mount
450455	Sensibler LED 2W 1200mm Glass and Plug
450457	Exit Sign-ER 1 x 100W Maintained/Non-Maintained Single Side Diffuser with 3 Running Man
450459	Exit Sign-ER 1 x 100W Maintained/Non-Maintained Double Side Diffuser with 3 Running Man
450459	TS Mount Battery 2x 2000mAh Maintained Emergency - Lamp Not Included

Lighting

Cat No.	Description
MT0275-1028	T8 to T5 Adapter
MSF0208-12	T5 Troffer 2 x 200W Acrylic Diffuser with Tube
MSF0208	T5 Surface Mounted Fixture 1 x 200W Slimline with 4200K Tube
450426	LED Qyeer 150W Cree-LEDs PC Vase Cast Base
MPR536	Automatic Security Sensor Indoor/Outdoor IP44 180°
T080607100W	White 100W Fixed LED Dimmable Downlight 700ims Warm White 1500ms
T080607100W	White 100W Fixed LED Dimmable Downlight 700ims Warm White 1500ms
TW0607100W	White 100W Gimble LED Dimmable Downlight 750ims Cool White 1500ms
TW0607100W	White 100W Gimble LED Dimmable Downlight 750ims Cool White 1500ms
LED0607100W	White 100W Fixed LED Dimmable Downlight 850ims Warm White 1500ms
LED0607100W	Brushed Chrome 120W Gimble LED Dimmable Downlight 850ims Warm White 1500ms
LED0607100W	Brushed Chrome 120W Fixed LED Dimmable Downlight 850ims Warm White 1500ms
LED0607100W	White 100W Fixed LED Dimmable Downlight 850ims Warm White 1500ms

Door Entry Systems

Cat No.	Description
250522	Biometric Door Entry Kit 7" Colour Video Monitor + LED IP54 Panel

Instant bonus!
When you buy your electrical essentials

BUY YOUR ELECTRICAL ESSENTIALS

GET A GIFT CARD INSTANTLY!

more points you have the more \$5 cards you get!*

30 = **POINTS**

Switching Devices

Cat No.	Description	Points Earned
100406	Excel 6 Gang Powerpoint 10A White	2
100406	Excel 6 Gang Powerpoint 10A White Glass	2
100406	Excel Double Powerpoint Extra Safety 10A White Glass	1
100406	Standard Range Double Pole Double Powerpoint 10A White	1
100406	Excel Lixi-Dedicated Pole Double Powerpoint Extra Safety 10A White	1

Switching Accessories

Cat No.	Description	Points Earned
100406	40A Heavy Duty Insulated Connector 1 Screw 6mm Hole Box of 100	2
100406	Junction Box 60 x 60 x 30mm with 6 x 40A Connectors, 3 x 1 x 1 x 2 Screws Box of 100	1
100406	Junction Box 60 x 60 x 30mm with 6 x 40A Connectors, 3 x 1 x 1 x 2 Screws Box of 100	2
100406	Enclosed Terminal Box for Telecom Products 27 x 60 x 20mm 3 Term	1
100406	Surface Mounting Block 20mm Deep for GPOs & Switch White Box of 100	1
100406	Plug Base 10A 3 Pin Flat with Snap-On Base Plate Box of 100	1
100406	Stud Mounting Bracket Horizontal with Nuts Box of 200	1
100406	Stud Mounting Bracket Vertical with Nuts Box of 200	1
100406	Mounting C-Clip for 10mm Plastic Board Box of 100	2
100406	Wall Box Recessed with Sliding Nuts and Plastic Cover Box of 100	1

Exhaust / Ventilation

Cat No.	Description	Points Earned
100406	250mm Ceiling Exhaust Fan - White Round Grille	1
100406	250mm Ceiling Exhaust Fan - White Round Grille	1
100406	100mm Slimline Wall Exhaust Fan Time Delay Brushed Chrome	5
100406	100mm Slimline Wall Exhaust Fan Brushed Chrome	5
100406	150mm In-Line Exhaust Fan Kit White	10
100406	150mm Heavy Duty Wall Exhaust Fan White	10

*Limited offer while Gift Cards last.

Each promotional product is allocated a points value. Purchase any of these listed products to the value of 10 points to get a \$5 Gift Card.

Receive a \$5 Coles Group & Myer Gift Card for every 10 points in one transaction. That means the more points you have (in increments of 10), the more cards you get!

For more information on the products included visit www.legrand.com.au
Call 1300 369 777 to find your closest participating wholesaler.

Did you know?

Top Ryde “City Living” project showcases HPM Legrand products and systems

Top Ryde City Living is Sydney-based property developer Crown Group’s latest development and winner of the Urban Development Institute of Australia’s (UDIA) coveted NSW President’s Award.

Located in Sydney’s Northwest, the \$500 million, seven-tower, five-stage development includes 653 apartments and 550 square metres of shared facilities, including a gym, music room, library and function rooms. Crown Group particularly wanted reputable manufacturers involved in the construction and appointed HPM Legrand as the key electrical systems and accessories provider. As a result, the project included HPM Linea low profile powerpoints and switches, the Bticino 2-wire colour door entry system and HPM smoke detectors.

The Legrand Lighting Management System (LMS) was also selected for effective lighting control throughout the complex. The Legrand LMS system includes capabilities such as motion sensing and daylight harnessing levels, the system was installed in most common facilities areas where lighting needs to be managed efficiently, such as foyers, meeting, conference rooms, corridors and landscaped areas.



Along with delivering energy savings, the Legrand LMS allows facility managers to control lighting and effortlessly make changes to lighting requirements through infra red communication via remote control.

“I chose HPM Legrand because we wanted well recognised credible companies involved,” said Gary Cory, General Manager - Construction at Crown Group, who is responsible for creating greater value for owners. “The HPM Legrand products and systems are of the highest quality

and I can be confident our buyers and residents are getting the best in electrical fittings.”

Bticino door entry units, including Axolute entry panels and Polyx colour video displays, were a standout product. “The intricate nature of this project called for reliable door entry units that are easy to service and maintain. The Bticino units accurately trace the source of a breakdown, making repair quick and easy,” said Cory. “Prompt service and repair is critical to maintain optimum access and safety. The Legrand after sales service team doesn’t need to be asked twice and can usually turnaround a repair in less than 24 hours.”



The HPM Linea range also added a stylish, contemporary touch. Combining functionality with design aesthetic, the switches and powerpoints were recess mounted to integrate seamlessly with the development’s design scheme. “The HPM Linea range added a top quality finish to the apartment’s interiors and complemented the architects’ vision,” said Cory.

Project Electrical Contractor:
G & S Maroun Electrical Contractors (NSW) Pty Ltd
Door Entry System Contractor:
Expert Security and Communications Pty Ltd

For more information please contact HPM Legrand on 1300 369 777 or visit www.legrand.com.au