



LEDVANCE

LEDVANCE.COM.AU

*Light
management
made easy*



Light is reliable

LED Lamps and Luminaires 2017-2018

LEDVANCE
OSRAM



OSRAM





OSRAM LED Lamps and LEDVANCE LED Luminaires

OSRAM LED LAMPS	04	LED STAR® Special T26 Pilot 240V	13
LED SUPERSTAR® PAR16 50 and 135 240V	06	LED STAR® Special PIN G9 240V	13
PARATHOM® PRO 135 240V	06	LED STAR® LINE R7S 240V	13
LED STAR® PAR16 80 240V	06	LEDinestra® Advanced 240V	13
LED STAR® R50 R63 R80 240V	06		
LED SUPERSTAR® PAR20 50 240V	06	LED SubstiTUBE®	14
LED STAR® PAR16 80 240V	06	LED STAR+ Motion Sensor Tube	14
PARATHOM® PAR30/38 - Dim	06	LED Strip Kit 12V	14
LED STAR® PAR30 / PARATHOM® PAR38	06	DULUX® D LED Retrofit	15
PARATHOM® PRO PAR30 High Brightness	06	LED HQL®	15
PARATHOM® PRO PAR30 High Brightness	07	LED VALUE Hi-Watt	15
LED STAR® MR11 20 12V	07		
LED SUPERSTAR® MR16 35 12V - Dim	07	LEDVANCE® LED LUMINAIRES	16
LED SUPERSTAR® MR16 50 12V - Dim	07	LEDVANCE® LED Superstar Downlight	18
LED STAR® MR16 50 12V	07	LEDVANCE® Downlight LED PRO	18
		LEDVANCE® Spot LED Pro	19
PARATHOM® PRO AR111 50 and 75 12V - Dim	08	LEDVANCE® LEDVALUE Ceiling Light	19
LED STAR® Special PIN G4 12V	08	LEDVANCE® Panel LED	20
LED VALUE Transformer 12V	08	LEDVANCE® LED Value Batten	20
LED VALUE Stick 240V	08	LEDVANCE® Damp Proof LED	21
		LEDVANCE® Highbay LED	21
LED SUPERSTAR® Classic A60 - Dim	09	LEDVANCE® Floodlight LED	22
LED VALUE Classic A	09	LEDVANCE® Floodlight PRO LED	22
LED STAR® Classic Globe G110	10		
LED STAR® Classic B25/40	10		
LED STAR® Classic P25/40	10		
LED STAR® - Filament Lamps A	11		
LED STAR® - Filament Lamps B	11		
LED STAR® - Filament Lamps P	11		
LED STAR® + Glow Dim Filament Lamps	12		
Vintage Edition 1906 LED	12		



The latest generation of OSRAM LED lamps from LEDVANCE are compatible in terms of base types and replacement wattages with conventional lamps, thus enabling simple replacement for high-quality LED lamps owing to the same dimensions and virtually the same design. In terms of efficiency, price/performance ratio and quality, our LED lamps are sure to impress your customers.

OUR LED LAMP HIGHLIGHTS

Efficiency, design, technology, finish and light quality – OSRAM LED lamps from LEDVANCE set standards in many respects. That's good news for you, because it gives you excellent selling points when advising customers and presents you in an excellent professional light. Find out for yourself which products offer you which advantages.

LED REFLECTOR LAMPS

- Simple replacement of conventional halogen lamps for LED lamps thanks to the same bases and shapes
- Many different full-glass types for design-inspired applications
- All types come with innovative single optic for homogeneous light distribution

LED LAMPS WITH CLASSIC BULB SHAPES

- Excellent variety in terms of bases and shapes
- Dimmable options are also available
- Extensive full-glass portfolio: LED lamps with the refined look and feel of traditional incandescent lamps
- **Vintage Edition 1906**: the attractive design classic for premium lighting applications

LED LAMPS WITH SPECIAL FUNCTIONS

- **GLOWdim**: stimulate the lighting mood by simply dimming to a warmer light color

LED LAMPS FOR SPECIAL APPLICATIONS

- **NEW HQL LED**: can be fitted instead of conventional HQL mercury vapour lamp with low operating and maintenance costs
- **NEW DULUX® D LED**: can be fitted instead of conventional compact fluorescent lamps with excellent potential for energy savings
- **NEW LED STAR® LINE R7s**: new brighter variants, now also in a length of 78 mm
- **PIN G9/G4**: with new design and greater variety, G9 now also dimmable
- **LEDinestra®**: can be fitted instead of conventional incandescent tubes with S14s and S14d base

SubstiTUBE® LED TUBES

- Advanced performance range with an efficiency up to 137.5 lm/W
- Value range offer excellent price to performance ratio
- Suitable for mains operation
- High power factor > 0.9

Product name

EAN

W

lm

K

t[h]

**LED SUPERSTAR® PAR16 50 and Parathom® PRO 135 240V - Dimmable**

SS PAR16 50 36° 5W/830 GU10	4058075055513	5	400	3000	25,000	10
SS PAR16 50 36° 5W/865 GU10	4058075055551	5	400	6500	25,000	10
PP PAR16 135 36° 10.9W/830 GU10	4058075806641	10.9	950	3000	25,000	10
PP PAR16 135 36° 10.9W/840 GU10	4058075806658	10.9	1000	4000	25,000	10

**LED STAR® PAR16 80 240V - Non Dimmable**

LS PAR16 80 36° 7W/830 GU10	4058075055193	7	575	3000	15,000	10
LS PAR16 80 36° 7W/865 GU10	4058075055230	7	575	6500	15,000	10

**LED STAR® R50, R63, R80 240V - Non Dimmable**

LS R50 19 60° 2.8W/827 E14	4058075813557	2.8	180	2700	15,000	6
LS R63 30 60° 4W/827 E27	4058075808621	4	330	2700	15,000	6
LS R80 46 36° 7W/827 E27	4052899972414	7	470	2700	15,000	6

**LED SUPERSTAR® PAR20 50 240V - Dimmable**

LS PAR20 50 36° 5W/827 E27	4058075813212	5	345	2700	25,000	6
----------------------------	----------------------	---	-----	------	--------	---

**PARATHOM® PAR30/38 PAR38 240V - Dimmable**

P PAR30 75 36° 8W/827 E27	4058075813236	8	633	2700	25,000	6
P PAR38 100 30° 12.5W/827 E27	4058075813250	12.5	1035	2700	25,000	6

**LED STAR® PAR30 and Parathom® PAR38 240V - Non Dimmable**

LS PAR30 115 30° 11W/827 E27	4058075050891	11	1000	2700	25,000	10
P PAR38 100 30° 12W/827 E27	4058075813298	12	1035	2700	25,000	6

**PARATHOM® PRO PAR30 High Bright 240V - Non Dimmable**

PP PAR30 15° 20W/830 HB E27	4058075031968	20	2000	3000	25,000	10
PP PAR30 30° 20W/830 HB E27	4058075031944	20	2000	3000	25,000	10
PP PAR30 15° 20W/840 HB E27	4058075031982	20	2000	4000	25,000	10

Product name

EAN

W

lm

K

t[h]

**PARATHOM® PRO PAR30 High Bright 240V - Non Dimmable**

PP PAR30 30° 20W/840 HB E27	4058075032002	20	2000	4000	25,000	10
PP PAR30 15° 20W/865 HB E27	4058075032026	20	2000	6500	25,000	10
PP PAR30 30° 20W/865 HB E27	4058075032040	20	2000	6500	25,000	10
PP PAR30 15° 31W/830 HB E27	4052899404304	31	3150	3000	25,000	10
PP PAR30 30° 31W/830 HB E27	4052899404434	31	3150	3000	25,000	10
PP PAR30 15° 31W/840 HB E27	4052899404472	31	3150	4000	25,000	10
PP PAR30 30° 31W/840 HB E27	4052899404519	31	3150	4000	25,000	10
PP PAR30 15° 31W/865 HB E27	4052899404533	31	3200	6500	25,000	10
PP PAR30 30° 31W/865 HB E27	4052899404557	31	3200	6500	25,000	10
PP PAR30 15° 40W/830 HB E27	4058075032064	40	4000	3000	25,000	10
PP PAR30 30° 40W/830 HB E27	4058075032088	40	4000	3000	25,000	10
PP PAR30 15° 40W/840 HB E27	4058075032101	40	4000	4000	25,000	10
PP PAR30 30° 40W/840 HB E27	4058075032194	40	4000	4000	25,000	10
PP PAR30 15° 40W/865 HB E27	4058075032217	40	4000	6500	25,000	10
PP PAR30 30° 40W/865 HB E27	4058075032231	40	4000	6500	25,000	10

**LED STAR® MR11 20 12V - Non Dimmable**

LS MR11 20 36° 2.9W/827 GU4	4058075813410	2.9	184	2700	15,000	6
-----------------------------	----------------------	-----	-----	------	--------	---

Compatible with LEDVALUE Transformer - see page 8

**LED SUPERSTAR® MR16 35 12V - Dimmable**

SS MR16 35 36° 5W/830 GU5.3	4058075054479	5	350	3000	25,000	10
SS MR16 35 36° 5W/865 GU5.3	4058075054493	5	350	6500	25,000	10

Compatible with LEDVALUE Transformer - see page 8

**LED SUPERSTAR® MR16 50 12V - Dimmable**

SS MR16 50 36° 6W/830 GU5.3	4058075054608	6	470	3000	25,000	10
SS MR16 50 36° 6W/865 GU5.3	4058075054622	6	470	6500	25,000	10
SS MR16 50 60° 6W/830 GU5.3	4058075054820	6	470	3000	25,000	10
SS MR16 50 60° 6W/865 GU5.3	4058075054844	6	470	6500	25,000	10

Compatible with LEDVALUE Transformer - see page 8

**LED STAR® MR16 50 12V - Non Dimmable**

LS MR16 50 60° 6.5W/830 GU5.3	4058075085855	6.5	500	3000	15,000	10
LS MR16 50 60° 6.5W/865 GU5.3	4058075085886	6.5	540	6500	15,000	10

Compatible with LEDVALUE Transformer - see page 8

Product name

EAN

**Parathom® PRO AR111 50 and 75 12V - Dimmable**

PP AR111 50 24° 9.5W/927 G53	4058075017825	9.5	650	2700	40,000	6
PP AR111 50 40° 9.5W/927 G53	4058075017863	9.5	650	2700	40,000	6
PP AR111 75 24° 11.5W/927 G53	4058075017948	11.5	800	2700	40,000	6
PP AR111 75 40° 11.5W/927 G53	4058075017962	11.5	800	2700	40,000	6

Compatible with LEDVALUE Transformer.

LED STAR Special PIN G4 12V - Non Dimmable

LS PIN30 CL 2.4W/827 G4	4058075812031	2.4	300	2700	15,000	9
-------------------------	----------------------	-----	-----	------	--------	---

Compatible with LEDVALUE Transformer.

LED VALUE Transformer 12V - Hard wired and Pre wired

LVED VAL 40W/240V - hard-wired	4058075021860	40	-	-	30,000	20
LVED VAL 40W/240V - pre-wired	4058075030107	40	-	-	30,000	20

LED VALUE Stick 240V - Non Dimmable

LV STICK 7W/827 FR E27	4058075020153	7	700	2700	10,000	10
LV STICK 7W/840 FR E27	4058075020177	7	750	4000	10,000	10
LV STICK 7W/865 FR E27	4058075020191	7	750	6500	10,000	10
LV STICK 7W/827 FR B22D	4058075020337	7	700	2700	10,000	10
LV STICK 7W/840 FR B22D	4058075020351	7	750	4000	10,000	10
LV STICK 7W/865 FR B22D	4058075020375	7	750	6500	10,000	10
LV STICK 9W/827 FR E27	4058075020214	9	900	2700	10,000	10
LV STICK 9W/840 FR E27	4058075020238	9	950	4000	10,000	10
LV STICK 9W/865 FR E27	4058075020252	9	950	6500	10,000	10
LV STICK 9W/827 FR B22D	4058075020399	9	900	2700	10,000	10
LV STICK 9W/840 FR B22D	4058075020412	9	950	4000	10,000	10
LV STICK 9W/865 FR B22D	4058075020436	9	950	6500	10,000	10
LV STICK 10W/827 FR E27	4058075020276	10	1050	2700	10,000	10
LV STICK 10W/840 FR E27	4058075020290	10	1100	4000	10,000	10
LV STICK 10W/865 FR E27	4058075020313	10	1100	6500	10,000	10
LV STICK 10W/827 FR B22D	4058075020450	10	1050	2700	10,000	10
LV STICK 10W/840 FR B22D	4058075020474	10	1100	4000	10,000	10
LV STICK 10W/865 FR B22D	4058075020498	10	1100	6500	10,000	10

Product name

EAN

**LED SUPERSTAR® Classic A60 240V - Dimmable**

SS CLA60 9W/827 FR B22D	4052899278219	9	806	2700	25,000	4
SS CLA60 9W/827 FR E27	4052899416949	9	806	2700	25,000	4
SS CLA60 9W/865 FR E27	4052899417021	9	890	6500	25,000	4

LED VALUE Classic A 240V - Non Dimmable

LV CLA40 5.5W/830 FR E27	4058075807402	5.5	370	3000	10,000	100
LV CLA40 5.5W/865 FR E27	4058075807426	5.5	400	6500	10,000	100
LV CLA40 5.5W/830 FR B22D	4058075013919	5.5	370	3000	10,000	100
LV CLA40 5.5W/865 FR B22D	4058075807440	5.5	400	6500	10,000	100
LV CLA60 9.5W/830 FR E27	4058075807464	9.5	750	3000	10,000	100
LV CLA60 9.5W/840 FR E27	4058075013933	9.5	760	4000	10,000	100
LV CLA60 9.5W/865 FR E27	4058075807488	9.5	800	6500	10,000	100
LV CLA60 9.5W/830 FR B22D	4058075807501	9.5	750	3000	10,000	100
LV CLA60 9.5W/840 FR B22D	4058075013957	9.5	760	4000	10,000	100
LV CLA60 9.5W/865 FR B22D	4058075807525	9.5	800	6500	10,000	100
LV CLA75 11.5W/830 FR E27	4058075807549	11.5	940	3000	10,000	100
LV CLA75 11.5W/840 FR E27	4058075013971	11.5	950	4000	10,000	100
LV CLA75 11.5W/865 FR E27	4058075807563	11.5	1000	6500	10,000	100
LV CLA75 11.5W/830 FR B22D	4058075013995	11.5	940	3000	10,000	100
LV CLA75 11.5W/840 FR B22D	4058075014015	11.5	950	4000	10,000	100
LV CLA75 11.5W/865 FR B22D	4058075014039	11.5	1000	6500	10,000	100
LV CLA100 13.5W/830 FR E27	4058075807587	13.5	1130	3000	10,000	100
LV CLA100 13.5W/865 FR E27	4058075807600	13.5	1200	6500	10,000	100
LV CLA100 13.5W/830 FR B22D	4058075014053	13.5	1130	3000	10,000	100
LV CLA100 13.5W/865 FR B22D	4058075014077	13.5	1200	6500	10,000	100

Great for places that have voltage fluctuations, protecting the life of the lamp.

Product name

EAN

**LED STAR® Classic Globe G110 240V - Non Dimmable**

LS G110 11.5W/827 220V FR E27	4058075023130	11.5	1100	2700	15,000	6
LS G110 11.5W/865 220V FR E27	4058075023161	11.5	1150	6500	15,000	6
LS G110 11.5W/827 220V FR B22D	4058075023192	11.5	1100	2700	15,000	6
LS G110 11.5W/865 220V FR B22D	4058075023222	11.5	1150	6500	15,000	6

**LED STAR® Classic B25/40 240V - Non Dimmable**

LS CLB25 3.3W/827 FR B15D Frost	4058075038622	3.3	250	2700	15,000	10
LS CLB25 3.3W/827 CS E14 Clear	4058075038660	3.3	250	2700	15,000	10
LS CLB25 3.3W/827 FR E14 Frost	4058075038806	3.3	250	2700	15,000	10
LS CLB40 5.5W/827 CS E14 Clear	4058075038868	5.5	470	2700	15,000	10
LS CLB40 5.5W/827 FR E14 Frost	4058075038905	5.5	470	2700	15,000	10
LS CLB40 5.5W/827 FR B22D Frost	4058075039025	5.5	470	2700	15,000	10

**LED STAR® Classic P25/40 240V - Non Dimmable**

LS CLP25 3.3W/827 FR B15D Frost	4058075039087	3.3	250	2700	15,000	10
LS CLP25 3.3W/827 CL E27 Clear	4058075039148	3.3	250	2700	15,000	10
LS CLP25 3.3W/827 FR B22D Frost	4058075039186	3.3	250	2700	15,000	10
LS CLP25 3.3W/827 FR E14 Frost	4058075039223	3.3	250	2700	15,000	10
LS CLP25 3.3W/827 FR E27 Frost	4058075039247	3.3	250	2700	15,000	10
LS CLP25 3.3W/865 FR E27 Frost	4058075039360	3.3	250	6500	15,000	10
LS CLP40 5.5W/827 CL E14 Clear	4058075039421	5.5	470	2700	15,000	10
LS CLP40 5.5W/865 FR E14 Frost	4058075039520	5.5	500	6500	15,000	10
LS CLP40 5.5W/827 CL E27 Clear	4058075039568	5.5	470	2700	15,000	10
LS CLP40 5.5W/827 CL B22D Clear	4058075039605	5.5	470	2700	15,000	10
LS CLP40 5.5W/865 FR B22D Frost	4058075039704	5.5	500	6500	15,000	10
LS CLP40 5.5W/865 FR E27 Frost	4058075039728	5.5	500	6500	15,000	10
LS CLP40 5.5W/827 FR B22D Frost	4058075041394	5.5	470	2700	15,000	10



Product name

EAN

**LED STAR® Filament A 240V - Non Dimmable**

LS CLA40 4W/827 FIL E27 CLEAR	4052899936393	4	470	2700	10,000	6
LS CLA40 4W/840 FIL E27 CLEAR	4058075817494	4	470	4000	10,000	6
LS CLA40 4W/827 FIL B22D CLEAR	4052899961715	4	470	2700	15,000	6
LS CLA60 7W/827 FIL E27 CLEAR	4052899951433	7	806	2700	15,000	6
LS CLA60 7W/827 FIL B22D CLEAR	4058075808430	7	806	2700	15,000	6
LS CLA60 6.5W/840 FIL E27 CLEAR	4058075808683	6.5	806	4000	15,000	6
LS CLA60 7W/827 FIL E27 FROST	4052899941496	7	806	2700	15,000	6
LS CLA60 7W/840 FIL E27 FROST	4058075808393	7	806	4000	15,000	6
LS CLA60 7W/827 FIL B22D FROST	4058075808454	7	806	2700	15,000	6
LS CLA75 8W/827 FIL E27 CLEAR	4052899961692	8	1055	2700	15,000	6
LS CLA75 8W/840 FIL E27 CLEAR	4058075817432	8	1055	4000	15,000	6

**LED STAR® Filament B 240V - Non Dimmable**

LS CLB25 2.8W/827 FIL E14 CLEAR	4052899936416	2.8	250	2700	15,000	6
LS CLB25 2.8W/827 FIL B22D CLEAR	4052899961739	2.8	250	2700	15,000	6
LS CLB40 4W/827 FIL E14 CLEAR	4052899941557	4	470	2700	15,000	6
LS CLB40 4W/827 FIL B22D CLEAR	4058075808928	4	470	2700	15,000	6

**LED STAR® Filament P 240V - Non Dimmable**

LS CLP25 2.8W/827 FIL E14 CLEAR	4052899936447	2.8	250	2700	15,000	6
LS CLP25 2.8W/827 FIL E27 CLEAR	4052899941618	2.8	250	2700	15,000	6
LS CLP25 2.8W/827 FIL B22D CLEAR	4052899961944	2.8	250	2700	15,000	6
LS CLP40 4W/827 FIL E14 CLEAR	4052899941670	4	470	2700	15,000	6
LS CLP40 4W/827 FIL E27 CLEAR	4052899961807	4	470	2700	15,000	6

Product name

EAN

W

lm

K

t[h]



NEW OSRAM Glow DIM Lamps

From warm white to extra warm light with a dimmer

Warm white light is already very cozy and pleasant. But the OSRAM Glow DIM is really relaxed. You only need a dimmer and you can dim from 2,700 to 2,000 Kelvin.

LED STAR+ Glow Dim Filament 240V - Dimmable

GLOW-DIM FIL A40 4.5W/827 E27	4058075808522	4.5	470	2700*	15,000	10
GLOW-DIM FIL A60 7W/827 E27	4058075037526	7	806	2700*	15,000	10
GLOW-DIM FIL B40 4.5W/827 E14	4058075808140	4.5	470	2700*	15,000	10
GLOW-DIM FIL P40 5W/827 E27	4058075815070	5	470	2700*	15,000	10
GLOW-DIM FIL P40 4.5W/827 E14	4058075809055	4.5	470	2700*	15,000	10

LED STAR+ Glow Dim PAR16 50 240V - Dimmable

GLOW-DIM PAR16 50 36° 5W/827 GU10	4058075037533	5.5	380	2700*	15,000	10
-----------------------------------	----------------------	-----	-----	-------	--------	----

LED STAR+ Glow Dim MR16 35 12V - Dimmable

GLOW-DIM MR16 35 36° 5W/827 GU5.3	4058075037540	5	345	2700*	15,000	10
-----------------------------------	----------------------	---	-----	-------	--------	----

Vintage Edition 1906 LED 240V - Non Dimmable

1906 LED EDISON (ST64) 4W/824 E27	4052899962095	4	380	2400	15,000	4
1906 LED GLOBE (G125) 4W/824 E27	4052899962071	4	380	2400	15,000	4

Vintage Edition 1906 LED 240V - Dimmable

1906 LED EDISON (ST64) 6.5W/824 E27	4052899972360	6.5	650	2400	15,000	4
1906 LED GLOBE (G125) 6.5W/824 E27	4058075808997	6.5	650	2400	15,000	4

Product name

EAN

W

lm

K

t[h]



LED STAR® Special T26 Pilot 240V - Non Dimmable

LS LSPECIAL T26 FR 20 2.3W/827 E14	4052899961272	2.3	200	2700	15,000	9
LS LSPECIAL T26 FR 20 2.3W/865 E14	4052899961296	2.3	200	6500	15,000	9

LED STAR® Special PIN G9 240V - Non-Dimmable and Dimmable

LS PIN30 CL 2.6W/827 G9 NON-DIM	4058075812055	2.6	320	2700	15,000	9
LS PIN32 CL 3.5W/827 G9 DIM	4058075811935	3.5	350	2700	25,000	9

LED STAR® LINE R7S 240V - Non Dimmable

LS LINE 78mm 60 7W/827 R7S	4058075811690	13	806	2700	15,000	9
LS LINE 78mm 75 8W/827 R7S	4058075811676	15	1055	2700	15,000	9
LS LINE 118mm 100 12.5W/827 R7S	4058075811591	7	1521	2700	15,000	9
LS LINE 118mm 125 15W/827 R7S	4058075811614	8	2000	2700	15,000	9

Replacement for double ended halogen lamps

LEDinestra® Advanced 240V - Dimmable

LEDinestra Adv 25 6W/827 S14s 300mm	4052899110311	6	250	2700	20,000	5
LEDinestra Adv 25 6W/827 S14d 300mm	4052899110335	6	250	2700	20,000	5
LEDinestra Adv 38 9W/827 S14s 500mm	4008321979193	9	450	2700	20,000	5
LEDinestra Adv 38 9W/827 S14d 500mm	4008321979216	9	450	2700	20,000	5
LEDinestra Adv 120 16.5W S14s 1000mm	4052899961319	16.5	1055	2700	20,000	5

Replacement for incandescent architectural lamps

LEDinestra® 240V - Non Dimmable

LEDinestra 25 3.5W S14s 300mm	4058075817739	3.5	260	2700	15,000	10
LEDinestra 25 3.5W S14d 300mm	4058075817753	3.5	260	2700	15,000	10
LEDinestra 40 6W S14s 500mm	4058075817777	6.0	470	2700	15,000	10
LEDinestra 40 6W S14d 500mm	4058075817791	6.0	470	2700	15,000	10

Replacement for incandescent architectural lamps

Product name	EAN	W	lm	K	t[h]	
--------------	-----	---	----	---	------	--




LED T8 SubstiTUBE® Advanced 240V - Non Dimmable

ST8A-0.6M 9W/840 EM	4058075049222	9	1000	4000	50,000	25
ST8A-0.6M 9W/865 EM	4058075049208	9	1000	6500	50,000	25
ST8A-1.2M 16W/840 HE	4058075049307	16	2200	4000	50,000	25
ST8A-1.2M 16W/865 HE	4058075049284	16	2200	6500	50,000	25
ST8A-1.5M 21W/840 EM	4058075049260	21	2400	4000	50,000	25
ST8A-1.5M 21W/865 EM	4058075049246	21	2400	6500	50,000	25



LED T8 SubstiTUBE® Value 240V - Non Dimmable

ST8V-0.6M 8W/830 EM	4058075052048	8	900	3000	30,000	25
ST8V-0.6M 8W/840 EM	4058075052062	8	900	4000	30,000	25
ST8V-0.6M 8W/865 EM	4058075052086	8	900	6500	30,000	25
ST8V-1.2M 16W/830 EM	4058075052109	16	1800	3000	30,000	25
ST8V-1.2M 16W/840 EM	4058075052123	16	1800	4000	30,000	25
ST8V-1.2M 16W/865 EM	4058075052147	16	1800	6500	30,000	25
ST8V-1.5M 20W/830 EM	4058075052161	20	2400	3000	30,000	25
ST8V-1.5M 20W/840 EM	4058075052185	20	2400	4000	30,000	25
ST8V-1.5M 20W/865 EM	4058075052208	20	2400	6500	30,000	25



LED STAR+ Motion Sensor Tube 240V - Step Dimming

ST8S-0.6M 8W/840 230V EM	4058075067011	8.0	800	4000	30,000	25
ST8S-0.6M 8W/865 230V EM	4058075055599	8.0	800	6500	30,000	25
ST8S-1.2M 16W/840 230V EM	4058075067035	16.0	1600	4000	30,000	25
ST8S-1.2M 16W/865 230V EM	4058075055612	16.0	1600	6500	30,000	25

Integrated microwave sensor dims light to 30% when no movement is detected after 30 sec.



LED Strip Kit 12V - Non Dimmable

LED Strip Kit 5m 20W/830	4058075033436	4W/m	280lm/m	3000	20,000	10
LED Strip Kit 5m 20W/840	4058075033450	4W/m	330lm/m	4000	20,000	10
LED Strip Kit 5m 20W/865	4058075033559	4W/m	330lm/m	6500	20,000	10



Product name	EAN	W	lm	K	t[h]	
--------------	-----	---	----	---	------	--

DULUX® D LED Retrofit 2 Pin 240V CCG - Non Dimmable

DULUX D LED 7W/830 G24D-2	4058075024915	7	640	3000	30,000	10
DULUX D LED 7W/840 G24D-2	4058075024939	7	700	4000	30,000	10
DULUX D LED 7W/865 G24D-2	4058075024953	7	700	6500	30,000	10
DULUX D LED 10W/830 G24D-3	4058075024977	10	920	3000	30,000	10
DULUX D LED 10W/840 G24D-3	4058075024991	10	1000	4000	30,000	10
DULUX D LED 10W/865 G24D-3	4058075025011	10	1000	6500	30,000	10



LED HQL® 240V - Non Dimmable

LED HQL 18W/840 E27	4052899961555	18	2000	4000	32,000	6
LED HQL 23W/840 E27	4058075037045	23	3000	4000	50,000	6
LED HQL 30W/840 E27	4058075037342	30	4000	4000	50,000	6
LED HQL 46W/840 E27	4058075037366	46	6000	4000	50,000	6
LED HQL 46W/830 E27	4058075037380	46	6000	3000	50,000	6

Replaces 50-125W mercury vapour lamps using existing wiring and control gear



LED VALUE Hi-Watt 240V - Non Dimmable

LV T 18W/827 E27	4058075093119	18	1620	2700	20,000	20
LV T 18W/865 E27	4058075080652	18	1800	6500	20,000	20
LV T 18W/827 B22D	4058075093195	18	1620	2700	20,000	20
LV T 18W/865 B22D	4058075093034	18	1800	6500	20,000	20
LV T 27W/827 E27	4058075093133	27	2430	2700	20,000	20
LV T 27W/865 E27	4058075080690	27	2700	6500	20,000	20
LV T 27W/827 B22D	4058075093218	27	2430	2700	20,000	20
LV T 27W/865 B22D	4058075093058	27	2700	6500	20,000	20
LV T 36W/827 E27	4058075093157	36	3240	2700	20,000	12
LV T 36W/865 E27	4058075080737	36	3600	6500	20,000	12
LV T 36W/827 B22D	4058075093232	36	3240	2700	20,000	12
LV T 36W/865 B22D	4058075093072	36	3600	6500	20,000	12
LV T 45W/827 E27	4058075093171	45	4050	2700	20,000	8
LV T 45W/865 E27	4058075080775	45	4500	6500	20,000	8
LV T 45W/865 B22D	4058075093096	45	4050	2700	20,000	8
LV T 45W/827 B22D	4058075093256	45	4500	6500	20,000	8
LV T 18W COVER	4058075080812	-	-	-	-	20
LV T 27W COVER	4058075080836	-	-	-	-	20
LV T 36W COVER	4058075080850	-	-	-	-	20
LV T 45W COVER	4058075080874	-	-	-	-	20





QUALITY ASSURANCE LED LUMINAIRES FROM LEDVANCE

LEDVANCE® LED Luminaires are easy to install and have an excellent price/performance ratio. In terms of efficiency and quality, you can be assured of customer satisfaction. All products come with a quality guarantee backed by more than a century of experience and expertise.

OUR LED LUMINAIRE RANGE

LEDVANCE® LED luminaires are the perfect choice for when you simply need the right light for common applications. Our luminaires have all the necessary features and functions and offer precisely what they have been developed for – no more and no less.

LED DOWNLIGHTS

- The LED SUPERSTAR® Downlight is a dimmable 8W downlight with high output and efficiency, boasting up to 900 lumen output
- The LEDVANCE® Downlight family comprises five wattages and three colour temperatures, achieving a luminous flux of up to 2,440 lumen and a luminous efficacy of up to 100 lumen per watt
- These LED Downlights uses high quality chips with an SDCM <5 (Standard Deviation Colour Matching)

LED SPOT

- The recessed LEDVANCE® SPOT LED Pro is a direct replacement for halogen spots, comprising of six luminaires in five wattages

LED BATTEN

- Providing a seamless length of consistent light the LEDVANCE® LEDVALUE Batten is an effective indoor luminaire suitable for cove lighting, under cabinet lighting and corridors

LED PANEL

- With an elegant, modern, slim design and flicker free light the LEDVANCE® Panel comes in four wattages and two colour temperatures, achieving a luminous flux of up to 5000 lumens and a luminous efficacy of up to 94 lumens per watt

LED CEILING LIGHT

- In the classic oyster shape The LEDVANCE® LEDVALUE Ceiling Light comprises nine luminaires in three wattages and three colour temperatures. Giving uniform illumination and great colour consistency, the LEDVALUE Ceiling Light is a Class 1 luminaire for indoor use

LED DAMPROOF

- LEDVANCE® Damp Proof has an operating temperature from -20 °C to +40 °C. With a high quality aluminium heat sink for better thermal management and long life along with IP65 and IK08 ratings, these LED damp-proof luminaires have a housing and diffuser made from robust plastic (PC) and stainless-steel clamps for true weatherproof design

LED HIGHBAY

- With an operating temperature of up to 60°C and an IP65 and IK08 rating, the LEDVANCE® HighBay LED is a very reliable luminaire suitable for medium to high ceiling installation in industrial facilities

LED FLOODLIGHT

- With highly efficient LEDs and a long lifetime, the LEDVANCE® Floodlight and Floodlight Pro maximise energy savings and reduce maintenance costs. Ideal for replacing traditional high pressure sodium and metal halide floodlights. The robust IP65 and IK07/8 design enables it to be used for various commercial and domestic outdoor applications

**LEDVANCE® LED Superstar Downlight 8W - Dimmable**

Product name	EAN	W	lm	K	t[h]	
LED SS D/L 8W/830 KIT	4058075014909	8	800	3000	40,000	12
LED SS D/L 8W/840 KIT	4058075014923	8	850	4000	40,000	12
LED SS D/L 8W/850 KIT	4058075014947	8	900	5000	40,000	12
LED SS D/L Satin Chrome Trim	4058075015043	-	-	-	-	24

Cut-out: 92 mm

**LEDVANCE® Downlight LED PRO 105 - Non Dimmable**

DOWNLIGHT PRO 105 9W/4000K 75°	4058075075313	9	900	4000	50,000	30
--------------------------------	---------------	---	-----	------	--------	----

Cut-out: 105-118mm. 3000K and 6500K versions available for special order.

**LEDVANCE® Downlight LED PRO 150 - Non Dimmable**

DOWNLIGHT PRO 150 13W/4000K 75°	4058075075375	13	1300	4000	50,000	24
DOWNLIGHT PRO 150 16W/4000K 75°	4058075075436	16	1600	4000	50,000	24

Cut-out: 150-165mm. 3000K and 6500K versions available for special order.

**LEDVANCE® Downlight LED PRO 190 - Non Dimmable**

DOWNLIGHT PRO 190 20W/4000K 75°	4058075075498	20	2000	4000	50,000	18
DOWNLIGHT PRO 190 25W/4000K 75°	4058075075559	25	2500	4000	50,000	18

Cut-out: 190-205mm. 3000K and 6500K versions available for special order.

Product name

EAN

**LEDVANCE® Spot LED Pro 2W - Non Dimmable**

Spot LED PRO 2W/3000K 10°	4058075800687	2	95	3000	30,000	36
---------------------------	---------------	---	----	------	--------	----

Cut-out: 44-46mm

LEDVANCE® Spot LED Pro 3W - Non Dimmable

Spot LED PRO 3W/3000K 24°	4058075800700	3	215	3000	30,000	36
---------------------------	---------------	---	-----	------	--------	----

Cut-out: 55-60mm

**LEDVANCE® Spot LED Pro 5W - Non Dimmable**

Spot LED PRO 5W/3000K 14°	4058075800724	5	350	3000	30,000	36
Spot LED PRO 5W/3000K 24°	4058075800748	5	350	3000	30,000	36

Cut-out: 55-60mm

LEDVANCE® Spot LED Pro 8W - Non Dimmable

Spot LED PRO 8W/3000K 14°	4058075800762	8	550	3000	30,000	36
Spot LED PRO 8W/3000K 24°	4058075800786	8	550	3000	30,000	36

Cut-out: 70-75mm





LEDVANCE® Spot LED Pro 10W - Non Dimmable

Spot LED PRO 10W/3000K 14°	4058075800809	10	600	3000	30,000	36
Spot LED PRO 10W/3000K 24°	4058075800823	10	600	3000	30,000	36
Spot LED PRO 10W/3000K 36°	4058075800847	10	600	3000	30,000	36

Cut-out: 70-75mm

**LEDVANCE® LEDVALUE Ceiling Light**

LED Ceiling 10W/830 (250mm)	4058075802421	10	700	3000	15,000	5
LED Ceiling 10W/840 (250mm)	4058075802445	10	800	4000	15,000	5
LED Ceiling 10W/865 (250mm)	4058075802469	10	800	6500	15,000	5
LED Ceiling 20W/830 (350mm)	4058075802360	20	1500	3000	15,000	5
LED Ceiling 20W/840 (350mm)	4058075802384	20	1600	4000	15,000	5
LED Ceiling 20W/865 (350mm)	4058075802407	20	1600	6500	15,000	5
LED Ceiling 23W/830 (350mm)	4058075802308	23	1750	3000	15,000	5
LED Ceiling 23W/840 (350mm)	4058075802322	23	1850	4000	15,000	5
LED Ceiling 23W/865 (350mm)	4058075802346	23	1850	6500	15,000	5

VEET
IPART &
REES
APPROVED

Product name	EAN	W	lm	K	t[h]	
--------------	-----	---	----	---	------	--

LEDVANCE® Panel LED

Panel LED 600x300 17W/4000K	4058075003354	17	1600	4000	30,000	5
Panel LED 600x300 17W/6500K	4058075003378	17	1600	6500	30,000	5
Panel LED 600x600 32W/4000K F&P	4058075014091	32	3000	4000	30,000	4
Panel LED 600x600 32W/6500K F&P	4058075014114	32	3000	6500	30,000	4
Panel LED 1200x300 32W/4000K F&P	4058075014138	32	3000	4000	30,000	3
Panel LED 1200x300 32W/6500K F&P	4058075014152	32	3000	6500	30,000	3
Panel LED 1200x600 53W/4000K	4058075003316	53	5000	4000	30,000	2
Panel LED 1200x600 53W/6500K	4058075003330	53	5000	6500	30,000	2
Panel LED 600x600 33W/4000K UGR<19	4058075000629	33	3600	4000	50,000	4
Panel LED 1200x300 33W/4000K UGR<19	4058075807280	33	3300	4000	50,000	4

LEDVANCE® Panel Supsension Kit and Surface Mount Kit

Panel LED Suspension Kit	4058075003392	-	-	-	-	12
Panel LED 600x300 Surface Mount Kit	4058075012424	-	-	-	-	5
Panel LED 600x600 Surface Mount Kit	4058075012448	-	-	-	-	4
Panel LED 1200x300 Surface Mount Kit	4058075012462	-	-	-	-	3

LEDVANCE® LEDVALUE Batten - Linkable

LEDVALUE BAT VK2 7W/840 600mm	4058075802926	7	800	4000	20,000	25
LEDVALUE BAT VK2 7W/865 600mm	4058075802940	7	800	6500	20,000	25
LEDVALUE BAT VK4 12W/840 1200mm	4058075802964	12	1350	4000	20,000	25
LEDVALUE BAT VK4 12W/865 1200mm	4058075802988	12	1350	6500	20,000	25

For Indoor use

VEET
IPART &
REES
APPROVED

Product name	EAN	W	lm	K	t[h]	
--------------	-----	---	----	---	------	--

LEDVANCE® Damp Proof LED

Damp Proof LED 1.2m 20W/4000K	4058075806221	20	2000	4000	30,000	8
Damp Proof LED 1.2m 20W/6500K	4058075003422	20	2000	6500	30,000	8
Damp Proof LED 1.2m 40W/4000K	4058075806245	40	4000	4000	30,000	6
Damp Proof LED 1.2m 40W/6500K	4058075003446	40	4000	6500	30,000	6
Damp Proof LED 1.2m 20W/6500K TW*	4058075003460	20	2000	6500	30,000	8
Damp Proof LED 1.2m 40W/6500K TW*	4058075003484	40	4000	6500	30,000	8
Damp Proof LED 1.5m 30W/4000K	4058075000940	30	3500	4000	50,000	6
Damp Proof LED 1.5m 55W/4000K	4058075000964	55	6400	4000	50,000	6
Damp Proof LED 1.5m 55W/6500K	4058075000889	55	6400	6500	50,000	6

Through wiring version with 2 terminal blocks

LEDVANCE® Highbay LED

Highbay LED PRO 120W/4000K 90°	4058075024793	120	12000	4000	50,000	1
Highbay LED PRO 120W/6500K 90°	4058075003910	120	12000	6500	50,000	1
Highbay LED PRO 150W/4000K 90°	4058075024809	150	15,000	4000	50,000	1
Highbay LED PRO 150W/6500K 90°	4058075003934	150	15,000	6500	50,000	1
Highbay LED PRO 200W/4000K 70°	4058075024816	200	20,000	4000	50,000	1
Highbay LED PRO 200W/6500K 90°	4058075003958	200	20,000	6500	50,000	1

LEDVANCE® Highbay LED Bracket

Highbay LED PRO Bracket Kit 120/150W	4058075012486	-	-	-	-	5
Highbay LED PRO Bracket Kit 200W	4058075012509	-	-	-	-	5

Product name

EAN

W

lm

K

t[h]

**LEDVANCE® Floodlight LED - Black**

Floodlight LED 10W/3000K	4058075037724	10	800	3000	30,000	10
Floodlight LED 10W/6500K	4058075003507	10	800	6500	30,000	10
Floodlight LED 20W/3000K	4058075037748	20	1800	3000	30,000	10
Floodlight LED 20W/6500K	4058075003521	20	1800	6500	30,000	10
Floodlight LED 30W/3000K	4058075037762	30	2700	3000	30,000	10
Floodlight LED 30W/6500K	4058075003545	30	2700	6500	30,000	10
Floodlight LED 50W/3000K	4058075003583	50	4500	3000	30,000	10
Floodlight LED 50W/4000K	4058075024823	50	4500	4000	30,000	10
Floodlight LED 50W/6500K	4058075003569	50	4500	6500	30,000	10
Floodlight LED 30W/6500K with sensor	4058075003842	30	2700	6500	30,000	10
Floodlight LED 50W/3000K with sensor	4058075003880	50	4500	3000	30,000	10
Floodlight LED 50W/6500K with sensor	4058075003866	50	4500	6500	30,000	10

LEDVANCE® Floodlight LED - White

Floodlight LED 20W/3000K	4058075803008	20	1800	3000	30,000	10
Floodlight LED 30W/3000K	4058075803022	30	2700	3000	30,000	10
Floodlight LED 30W/6500K	4058075803039	30	2700	6500	30,000	10
Floodlight LED 50W/3000K	4058075803046	50	4500	3000	30,000	10
Floodlight LED 50W/6500K	4058075803053	50	4500	6500	30,000	10

LEDVANCE® Floodlight LED PRO

Floodlight LED PRO 70W/3000K	4058075003637	70	6300	3000	30,000	1
Floodlight LED PRO 70W/4000K	4058075024847	70	6300	4000	30,000	1
Floodlight LED PRO 70W/6500K	4058075004825	70	6300	6500	30,000	1
Floodlight LED PRO 100W/3000K	4058075003675	100	9000	3000	30,000	1
Floodlight LED PRO 100W/4000K	4058075024854	100	9000	4000	30,000	1
Floodlight LED PRO 100W/6500K	4058075003651	100	9000	6500	30,000	1
Floodlight LED PRO 150W/3000K	4058075003712	150	13500	3000	30,000	1
Floodlight LED PRO 150W/4000K	4058075024861	150	13500	4000	30,000	1
Floodlight LED PRO 150W/6500K	4058075003699	150	13500	6500	30,000	1
Floodlight LED PRO 200W/4000K	4058075001190	200	20,000	4000	50,000	1
Floodlight LED PRO 200W/6500K	4058075811034	200	20,000	6500	50,000	1





LEDVANCE

ledvance.com.au

Subject to change without notice. Errors and omission excepted.

LEDVANCE PTY LTD

Head Office

Suite 2.1A 394 Lane Cove Road
Macquarie Park NSW 2113

Phone 1300 467 726

www.ledvance.com.au

LEDVANCE
OSRAM



OSRAM

