

NELSON T2 TWISTER

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MELST209BC	3000K	BC	9	228KG	40	46mm	96mm	8,000HRS	\$6.50	\$0.65
MELST209BCN	5000K	BC	9	228KG	40	46mm	96mm	8,000HRS	\$6.50	\$0.65
MELST209ES	3000K	ES	9	228KG	40	46mm	96mm	8,000HRS	\$6.50	\$0.65
MELST209ESN	5000K	ES	9	228KG	40	46mm	96mm	8,000HRS	\$6.50	\$0.65
MELST211BC	3000K	BC	11	361KG	60	47mm	102mm	8,000HRS	\$6.50	\$0.65
MELST211BCN	5000K	BC	11	361KG	60	47mm	102mm	8,000HRS	\$6.50	\$0.65
MELST211ES	3000K	ES	11	361KG	60	47mm	102mm	8,000HRS	\$6.50	\$0.65
MELST211ESN	5000K	ES	11	361KG	60	47mm	102mm	8,000HRS	\$6.50	\$0.65
MELST215BC	3000K	BC	15	442KG	75	47mm	105mm	8,000HRS	\$7.90	\$0.79
MELST215BCN	5000K	BC	15	442KG	75	47mm	105mm	8,000HRS	\$7.90	\$0.79
MELST215ES	3000K	ES	15	442KG	75	47mm	105mm	8,000HRS	\$7.90	\$0.79
MELST215ESN	5000K	ES	15	442KG	75	47mm	105mm	8,000HRS	\$7.90	\$0.79
MELST220BC	3000K	BC	20	589KG	100	59mm	107mm	8,000HRS	\$10.40	\$1.04
MELST220BCN	5000K	BC	20	589KG	100	59mm	107mm	8,000HRS	\$10.40	\$1.04
MELST220ES	3000K	ES	20	589KG	100	59mm	107mm	8,000HRS	\$10.40	\$1.04
MELST220ESN	5000K	ES	20	589KG	100	59mm	107mm	8,000HRS	\$10.40	\$1.04
MELST225BC	3000K	BC	25	699KG	120	59mm	112mm	8,000HRS	\$11.50	\$1.15
MELST225BCN	5000K	BC	25	699KG	120	59mm	112mm	8,000HRS	\$11.50	\$1.15
MELST225ES	3000K	ES	25	699KG	120	59mm	112mm	8,000HRS	\$11.50	\$1.15
MELST225ESN	5000K	ES	25	699KG	120	59mm	112mm	8,000HRS	\$11.50	\$1.15



MELST209ES



MELST215BC



MELST211ES



MELST220ES



MELST225BC

NELSON HIGH POWER FACTOR CFL

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MELSHPF15BCCW	4000K	BC	15	442KG	75	52mm	123mm	8,000HRS	\$18.10	\$1.81
MELSHPF15ESCW	4000K	ES	15	442KG	75	52mm	123mm	8,000HRS	\$18.10	\$1.81
MELSHPF20BCCW	4000K	BC	20	589KG	100	59mm	124mm	8,000HRS	\$18.10	\$1.81
MELSHPF20ESCW	4000K	ES	20	589KG	100	59mm	124mm	8,000HRS	\$18.10	\$1.81



MELSHPF15ESCW

▲ # Disclaimers - please refer to page 26



• Fits in most fixtures easily



NELSON ALADDIN "MINI QUAD TUBE"

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELQAL09BC	3000K	BC	9	171KG	40	46MM	90MM	6,000HRS	\$8.24
MELQAL09ES	3000K	ES	9	171KG	40	46mm	90mm	6,000HRS	\$8.24
MELQAL09BCN	5000K	BC	9	171KG	40	46mm	90mm	6,000HRS	\$8.24
MELQAL09ESN	5000K	ES	9	171KG	40	46mm	90mm	6,000HRS	\$8.24
MELQAL11BC	3000K	BC	11	270KG	60	48mm	97.7mm	6,000HRS	\$9.06
MELQAL11ES	3000K	ES	11	270KG	60	48mm	97.7mm	6,000HRS	\$9.06
MELQAL11BCCW	4000K	BC	11	270KG	60	48mm	97.7mm	6,000HRS	\$9.06
MELQAL11ESCW	4000K	ES	11	270KG	60	48mm	97.7mm	6,000HRS	\$9.06
MELQAL11BCN	5000K	BC	11	270KG	60	48mm	97.7mm	6,000HRS	\$9.06
MELQAL11ESN	5000K	ES	11	270KG	60	48mm	97.7mm	6,000HRS	\$9.06
MELQAL15BC	3000K	BC	15	331KG	75	48mm	108.5mm	6,000HRS	\$9.52
MELQAL15ES	3000K	ES	15	331KG	75	48mm	108.5mm	6,000HRS	\$9.52
MELQAL15BCCW	4000K	BC	15	331KG	75	48mm	108.5mm	6,000HRS	\$9.52
MELQAL15ESCW	4000K	ES	15	331KG	75	48mm	108.5mm	6,000HRS	\$9.52
MELQAL15BCN	5000K	BC	15	331KG	75	48mm	108.5mm	6,000HRS	\$9.52
MELQAL15ESN	5000K	ES	15	331KG	75	48mm	108.5mm	6,000HRS	\$9.52
MELQAL20BC	3000K	BC	20	442KG	100	48mm	133.5mm	6,000HRS	\$9.83
MELQAL20ES	3000K	ES	20	442KG	100	48mm	133.5mm	6,000HRS	\$9.83
MELQAL20BCCW	4000K	BC	20	442KG	100	48mm	133.5mm	6,000HRS	\$9.83
MELQAL20ESCW	4000K	ES	20	442KG	100	48mm	133.5mm	6,000HRS	\$9.83
MELQAL20BCN	5000K	BC	20	442KG	100	48mm	133.5mm	6,000HRS	\$9.83
MELQAL20ESN	5000K	ES	20	442KG	100	48mm	133.5mm	6,000HRS	\$9.83

ENVIRONMENT



SAVINGS



LESS HEAT



COLOUR RANGE



COMPACT FLUORESCENT LAMP (CFL) 6000 HOURS	=	INCANDESCENT EQUIVALENT*	\$ SAVINGS**	CO ₂ EMISSION SAVINGS#
5w	=	20w	\$13.00	83Kg
7w	=	25w	\$15.00	99Kg
9w	=	40w	\$26.00	171Kg
10w	=	50w	\$25.00	276Kg
11w	=	60w	\$41.00	270Kg
15w	=	75w	\$51.00	331Kg
20w	=	100w	\$67.00	442Kg
24w	=	130w	\$81.00	530Kg
28w	=	150w	\$94.00	618Kg
48w	=	240w	\$161.00	1060Kg

* The equivalent incandescent wattage is a guide only.

^ Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

^^ Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh.

Unless specified CFLs are not suitable for dimming.

• Brighter • Energy Saving

Aladdin
15,000
HOURS!

NELSON ALADDIN "MINI QUAD TUBE" - 15,000HRS

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE ^{^^}	PRICE PER UNIT
MELQAL11BC15	3000K	BC	11	676KG	60	48mm	104mm	15,000HRS	\$11.33
MELQAL11ES15	3000K	ES	11	676KG	60	48mm	104mm	15,000HRS	\$11.33
MELQAL11BCN15	5000K	BC	11	676KG	60	48mm	104mm	15,000HRS	\$11.33
MELQAL11ESN15	5000K	ES	11	676KG	60	48mm	104mm	15,000HRS	\$11.33
MELQAL15BC15	3000K	BC	15	828KG	75	48mm	120mm	15,000HRS	\$12.15
MELQAL15ES15	3000K	ES	15	828KG	75	48mm	120mm	15,000HRS	\$12.15
MELQAL15BCN15	5000K	BC	15	828KG	75	48mm	120mm	15,000HRS	\$12.15
MELQAL15ESN15	5000K	ES	15	828KG	75	48mm	120mm	15,000HRS	\$12.15
MELQAL20BC15	3000K	BC	20	1104KG	100	58mm	127mm	15,000HRS	\$13.60
MELQAL20ES15	3000K	ES	20	1104KG	100	58mm	127mm	15,000HRS	\$13.60
MELQAL20BCN15	5000K	BC	20	1104KG	100	58mm	127mm	15,000HRS	\$13.60
MELQAL20ESN15	5000K	ES	20	1104KG	100	58mm	127mm	15,000HRS	\$13.60

The Aladdin series has been designed for maximum light in a compact sized lamp. The quad tubes short profile makes this an ideal replacement for standard GLS light bulb.

A little larger than the standard Aladdin Mini lamp, the 15,000 hours Aladdin lamp takes advantage of premium technology to produce a longer Rated Average Life of 15,000 hours, which is equal to 15 standard light bulbs[^]. This lamp is also available as multi packs.



NELSON 6 PACK ALADDIN

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE	PRICE PER UNIT
MELQ6P11BC15	3000K	BC	11	676KG	60	48mm	104mm	15,000HRS ^{^^}	\$51.50
MELQ6P11ES15	3000K	ES	11	676KG	60	48mm	104mm	15,000HRS ^{^^}	\$51.50
MELQ6P15BC15	3000K	BC	15	828KG	75	48mm	120mm	15,000HRS ^{^^}	\$51.50
MELQ6P15ES15	3000K	ES	15	828KG	75	48mm	120mm	15,000HRS ^{^^}	\$51.50
MELQ6P20BC15	3000K	BC	20	1104KG	100	58mm	127mm	15,000HRS ^{^^}	\$51.50
MELQ6P20ES15	3000K	ES	20	1104KG	100	58mm	127mm	15,000HRS ^{^^}	\$51.50
MELQ6PK15BCN	5000K	BC	15	331KG	75	48mm	108.5mm	6,000HRS [^]	\$51.50
MELQ6PK15ESN	5000K	ES	15	331KG	75	48mm	108.5mm	6,000HRS [^]	\$51.50

MELQMULTI6 - INCLUDES 2 X 11W ALADDIN "MINI QUAD TUBE", 2 X 15W ALADDIN "MINI QUAD TUBE" AND 2 X 20W ALADDIN "MINI QUAD TUBE"

\$51.50



* The equivalent incandescent wattage is a guide only.

[^] Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances. Frequent switching ON & OFF of the lamp will reduce the rated average life.

^{^^} Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances. Frequent switching ON & OFF of the lamp will reduce the rated average life.

[#] Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh. Unless specified CFLs are not suitable for dimming.



NELSON LITTLE GREENIE

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELTG9BC	3000K	BC	9	171KG	40	40mm	113mm	6,000HRS	\$6.90
MELTG9ES	3000K	ES	9	171KG	40	40mm	113mm	6,000HRS	\$6.90
MELTG9BCN	5000K	BC	9	171KG	40	40mm	113mm	6,000HRS	\$6.90
MELTG9ESN	5000K	ES	9	171KG	40	40mm	113mm	6,000HRS	\$6.90
MELTG9SBC	3000K	SBC	9	171KG	40	40mm	113mm	6,000HRS	\$6.90
MELTG9SES	3000K	SES	9	171KG	40	40mm	113mm	6,000HRS	\$6.90
MELTG9SBCN	5000K	SBC	9	171KG	40	40mm	113mm	6,000HRS	\$6.90
MELTG9SESN	5000K	SES	9	171KG	40	40mm	113mm	6,000HRS	\$6.90
MELTG11BC	3000K	BC	11	270KG	60	40mm	116mm	6,000HRS	\$6.90
MELTG11ES	3000K	ES	11	270KG	60	40mm	116mm	6,000HRS	\$6.90
MELTG11BCN	5000K	BC	11	270KG	60	40mm	116mm	6,000HRS	\$6.90
MELTG11ESN	5000K	ES	11	270KG	60	40mm	116mm	6,000HRS	\$6.90
MELTG11SBC	3000K	SBC	11	270KG	60	40mm	116mm	6,000HRS	\$6.90
MELTG11SES	3000K	SES	11	270KG	60	40mm	116mm	6,000HRS	\$6.90
MELTG11SBCN	5000K	SBC	11	270KG	60	40mm	116mm	6,000HRS	\$6.90
MELTG11SESN	5000K	SES	11	270KG	60	40mm	116mm	6,000HRS	\$6.90
MELTG15BC	3000K	BC	15	331KG	75	40mm	133.5mm	6,000HRS	\$6.90
MELTG15ES	3000K	ES	15	331KG	75	40mm	133.5mm	6,000HRS	\$6.90
MELTG15BCN	5000K	BC	15	331KG	75	40mm	133.5mm	6,000HRS	\$6.90
MELTG15ESN	5000K	ES	15	331KG	75	40mm	133.5mm	6,000HRS	\$6.90
MELTG15SBC	3000K	SBC	15	331KG	75	40mm	133.5mm	6,000HRS	\$6.90
MELTG15SES	3000K	SES	15	331KG	75	40mm	133.5mm	6,000HRS	\$6.90
MELTG15SBCN	5000K	SBC	15	331KG	75	40mm	133.5mm	6,000HRS	\$6.90
MELTG15SESN	5000K	SES	15	331KG	75	40mm	133.5mm	6,000HRS	\$6.90



NELSON ELM- "MINI TWIN TUBE"

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELM09ESS	3000K	ES	9	171KG	40	40mm	138mm	6,000HRS	\$7.93
MELM09BCNS	5000K	BC	9	171KG	40	40mm	138mm	6,000HRS	\$7.93
MELM09ESNS	5000K	ES	9	171KG	40	40mm	138mm	6,000HRS	\$7.93
MELM11BCS	3000K	BC	11	270KG	60	40mm	148mm	6,000HRS	\$8.34
MELM11ESS	3000K	ES	11	270KG	60	40mm	148mm	6,000HRS	\$8.34
MELM11BCNS	5000K	BC	11	270KG	60	40mm	148mm	6,000HRS	\$8.34
MELM11ESNS	5000K	ES	11	270KG	60	40mm	148mm	6,000HRS	\$8.34
MELM15BCS	3000K	BC	15	331KG	75	40mm	173mm	6,000HRS	\$8.84
MELM15ESS	3000K	ES	15	331KG	75	40mm	173mm	6,000HRS	\$8.84
MELM15BCNS	5000K	BC	15	331KG	75	40mm	173mm	6,000HRS	\$8.84
MELM15ESNS	5000K	ES	15	331KG	75	40mm	173mm	6,000HRS	\$8.84

* The equivalent incandescent wattage is a guide only.

^ Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

^ Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

^ Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

^ Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.


Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh.

Unless specified CFLs are not suitable for dimming.

NELSON ELT "FRESH" NEGATIVE ION GENERATOR

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELAIR20BCS	3000K	BC	20	442KG	100	58mm	123mm	6,000HRS	\$30.03
MELAIR20ESS	3000K	ES	20	442KG	100	58mm	123mm	6,000HRS	\$30.03
MELAIR20BCNS	5000K	BC	20	442KG	100	58mm	123mm	6,000HRS	\$30.03
MELAIR20ESNS	5000K	ES	20	442KG	100	58mm	123mm	6,000HRS	\$30.03

**NELSON ELT "TRIPLE TUBE"**

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELT20BCS	3000K	BC	20	442KG	100	52mm	163mm	6,000HRS	\$13.20
MELT20ESS	3000K	ES	20	442KG	100	52mm	163mm	6,000HRS	\$13.20
MELT20BCNS	5000K	BC	20	442KG	100	52mm	163mm	6,000HRS	\$13.20
MELT20ESNS	5000K	ES	20	442KG	100	52mm	163mm	6,000HRS	\$13.20
MELT24BCS	3000K	BC	24	530KG	100	52mm	163mm	6,000HRS	\$14.23
MELT24ESS	3000K	ES	24	530KG	100	52mm	163mm	6,000HRS	\$14.23
MELT24BCNS	5000K	BC	24	530KG	100	52mm	163mm	6,000HRS	\$14.23
MELT24ESNS	5000K	ES	24	530KG	100	52mm	163mm	6,000HRS	\$14.23
MELT28BCS	3000K	BC	28	618KG	100	52mm	163mm	6,000HRS	\$17.63
MELT28ESS	3000K	ES	28	618KG	100	52mm	163mm	6,000HRS	\$17.63
MELT28BCNS	5000K	BC	28	618KG	100	52mm	163mm	6,000HRS	\$17.63
MELT28ESNS	5000K	ES	28	618KG	100	52mm	163mm	6,000HRS	\$17.63

**NELSON ELTMMMD "MINI TRIPLE TUBE"**

All Lamps Carton Quantity is 5

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELMMD13BCS	3000K	BC	13	149KG	70	40mm	150mm	6,000HRS	\$10.32
MELMMD13ESS	3000K	ES	13	149KG	70	40mm	150mm	6,000HRS	\$10.32
MELMMD13BCNS	5000K	BC	13	149KG	70	40mm	150mm	6,000HRS	\$10.32
MELMMD13ESNS	5000K	ES	13	149KG	70	40mm	150mm	6,000HRS	\$10.32

* The equivalent incandescent wattage is a guide only.

[^] Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

^{^^} Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

[#] Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh.

Unless specified CFLs are not suitable for dimming.



NELSON ELL "LOTUS LAMP" QUAD TUBE

All Lamps Carton Quantity is 5

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELL11BC	3000K	BC	11	270KG	60	47mm	101.2mm	6,000HRS	\$11.90
MELL11ES	3000K	ES	11	270KG	60	47mm	101.2mm	6,000HRS	\$11.90
MELL11BCN	5000K	BC	11	270KG	60	47mm	101.2mm	6,000HRS	\$11.90
MELL11ESN	5000K	ES	11	270KG	60	47mm	101.2mm	6,000HRS	\$11.90
MELL15BC	3000K	BC	15	331KG	75	47mm	104.8mm	6,000HRS	\$12.70
MELL15ES	3000K	ES	15	331KG	75	47mm	104.8mm	6,000HRS	\$12.70
MELL15ESN	5000K	BC	15	331KG	75	47mm	104.8mm	6,000HRS	\$12.70
MELL15BCN	5000K	ES	15	331KG	75	47mm	104.8mm	6,000HRS	\$12.70
MELL20BC	3000K	BC	20	442KG	100	58mm	123mm	6,000HRS	\$13.91
MELL20ES	3000K	ES	20	442KG	100	58mm	123mm	6,000HRS	\$13.91
MELL20BCN	5000K	BC	20	442KG	100	58mm	123mm	6,000HRS	\$15.31
MELL20ESN	5000K	ES	20	442KG	100	58mm	123mm	6,000HRS	\$15.31

NELSON MELQ "QUAD TUBE" - 48W

All Lamps carton Quantity is 20

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELQ48BCS	3000K	BC	48	1060KG	240	73mm	215mm	6,000HRS	\$34.28
MELQ48ESS	3000K	ES	48	1060KG	240	73mm	215mm	6,000HRS	\$34.28
MELQ48BCNS	5000K	BC	48	1060KG	240	73mm	215mm	6,000HRS	\$34.28
MELQ48ESNS	5000K	ES	48	1060KG	240	73mm	215mm	6,000HRS	\$34.28

NELSON INSECT ATTRACTING

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELT28ESBS	UV-A	ES	23	535KG	140	125mm	160mm	6,000HRS	\$18.03

NELSON ELT-S "SPHERICAL"

All Lamps carton Quantity is 20

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELTS20BCS	3000K	BC	20	442KG	100	110MM	167MM	6,000HRS	\$18.58
MELTS20ESS	3000K	ES	20	442KG	100	110MM	167MM	6,000HRS	\$18.58
MELTS20BCNS	5000K	BC	20	442KG	100	110MM	167MM	6,000HRS	\$18.58
MELTS20ESNS	5000K	ES	20	442KG	100	110MM	167MM	6,000HRS	\$18.58

*The equivalent incandescent wattage is a guide only.

[^] Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

^{^^} Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

[#] Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh.

Unless specified CFLs are not suitable for dimming.

NELSON ELC "MINI CANDLE"-INCANDESCENT (WARM WHITE)*All Lamps carton Quantity is 10*

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELCA07BCS	3000K	BC	7	99KG	25	42MM	117MM	6,000HRS	\$13.20
MELCA07ESS	3000K	ES	7	99KG	25	42MM	117MM	6,000HRS	\$13.20
MELCA07SBCS	3000K	SBC	7	99KG	25	42MM	117MM	6,000HRS	\$13.20
MELCA07SESS	3000K	SES	7	99KG	25	42MM	117MM	6,000HRS	\$13.20
MELCA10BCS	3000K	BC	10	276KG	60	42MM	137MM	6,000HRS	\$13.20
MELCA10ESS	3000K	ES	10	276KG	60	42MM	137MM	6,000HRS	\$13.20
MELCA10SBCS	3000K	SBC	10	276KG	60	42MM	137MM	6,000HRS	\$13.20
MELCA10SESS	3000K	SES	10	276KG	60	42MM	137MM	6,000HRS	\$13.20

NELSON ELF "FANCY ROUND"- INCANDESCENT (WARM WHITE)*All Lamps carton Quantity is 10*

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELMFR09BC	3000K	BC	9	171KG	40	50mm	89.5mm	6,000HRS	\$13.20
MELMFR09ES	3000K	ES	9	171KG	40	50mm	89.5mm	6,000HRS	\$13.20
MELMFR09SBC	3000K	SBC	9	171KG	40	50mm	89.5mm	6,000HRS	\$13.20
MELMFR09SES	3000K	SES	9	171KG	40	50mm	89.5mm	6,000HRS	\$13.20

NELSON ELF "MINI GLOBE"- INCANDESCENT (WARM WHITE)*All Lamps carton Quantity is 10*

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELMFR10BCS	3000K	BC	10	276KG	60	78mm	153mm	6,000HRS	\$13.20
MELMFR10ESS	3000K	ES	10	276KG	60	78mm	153mm	6,000HRS	\$13.20
MELMFR10SBCS	3000K	SBC	10	276KG	60	78mm	153mm	6,000HRS	\$13.20
MELMFR10SESS	3000K	SES	10	276KG	60	78mm	153mm	6,000HRS	\$13.20

NELSON GLS BULB CFL*All Lamps carton Quantity is 10*

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELTGLS11BC	3000K	BC	11	270KG	60	55.4mm	111mm	6,000HRS	\$11.00
MELTGLS11ES	3000K	ES	11	270KG	60	55.4mm	111mm	6,000HRS	\$11.00
MELTGLS11BCCW	4000K	BC	11	270KG	60	55.4mm	111mm	6,000HRS	\$11.00
MELTGLS11ESCW	4000K	ES	11	270KG	60	55.4mm	111mm	6,000HRS	\$11.00
MELTGLS11BCN	5000K	BC	11	270KG	60	55.4mm	111mm	6,000HRS	\$11.00
MELTGLS11ESN	5000K	ES	11	270KG	60	55.4mm	111mm	6,000HRS	\$11.00

NELSON TURBO MINI CYLINDRICAL*All Lamps carton Quantity is 10*

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELTMC11BC	3000K	BC	11	270KG	60	32mm	111mm	6,000HRS	\$13.50
MELTMC11ES	3000K	ES	11	270KG	60	32mm	111mm	6,000HRS	\$13.50
MELTMC11SES	3000K	SES	11	270KG	60	32mm	111mm	6,000HRS	\$13.50
MELTMC11SBC	3000K	SBC	11	270KG	60	32mm	111mm	6,000HRS	\$13.50

* The equivalent incandescent wattage is a guide only.

[^] Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

^{^^} Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

[#] Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh.

Unless specified CFLs are not suitable for dimming.





NELSON ELMS "MINI SPIRAL"

All Lamps carton Quantity is 20

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELMS11BCS	3000K	BC	11	270KG	60	45mm	120mm	6,000HRS	\$12.24
MELMS11ESS	3000K	ES	11	270KG	60	45mm	120mm	6,000HRS	\$12.24
MELMS11BCNS	5000K	BC	11	270KG	60	45mm	120mm	6,000HRS	\$12.24
MELMS11ESNS	5000K	ES	11	270KG	60	45mm	120mm	6,000HRS	\$12.24



NELSON ELS "SPIRAL"

All Lamps carton Quantity is 5

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELS20BCS	3000K	BC	20	442KG	100	60mm	126mm	6,000HRS	\$15.70
MELS20ESS	3000K	ES	20	442KG	100	60mm	126mm	6,000HRS	\$15.70
MELS20BCNS	5000K	BC	20	442KG	100	60mm	126mm	6,000HRS	\$15.70
MELS20ESNS	5000K	ES	20	442KG	100	60mm	126mm	6,000HRS	\$15.70



NELSON MICRO "SPIRAL"

All Lamps carton Quantity is 5

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELMIC09BC	3000K	BC	9	171KG	40	37.3mm	103mm	6,000HRS	\$12.15
MELMIC09BCN	5000K	BC	9	171KG	40	37.3mm	103mm	6,000HRS	\$12.15
MELMIC09ES	3000K	ES	9	171KG	40	37.3mm	103mm	6,000HRS	\$12.15
MELMIC09ESN	5000K	ES	9	171KG	40	37.3mm	103mm	6,000HRS	\$12.15
MELMIC11BC	3000K	BC	11	270KG	60	37.3mm	115.7mm	6,000HRS	\$12.15
MELMIC11BCN	5000K	BC	11	270KG	60	37.3mm	115.7mm	6,000HRS	\$12.15
MELMIC11ES	3000K	ES	11	270KG	60	37.3mm	115.7mm	6,000HRS	\$12.15
MELMIC11ESN	5000K	ES	11	270KG	60	37.3mm	115.7mm	6,000HRS	\$12.15



NELSON ELS "SPIRAL" ANTI INSECT

All Lamps carton Quantity is 5

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELBUG20BC	N/A	BC	20	442KG	100	60mm	126mm	6,000HRS	\$18.03
MELBUG20ES	N/A	ES	20	442KG	100	60mm	126mm	6,000HRS	\$18.03

* The equivalent incandescent wattage is a guide only.

[^] Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

^{^^} Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

[#] Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh.

Unless specified CFLs are not suitable for dimming.

NELSON ELS "SPIRAL"-PARTY (BLACK LIGHT BLUE)*All Lamps carton Quantity is 5*


CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELS20BLKBC	N/A	BC	20	773KG	100	60mm	126mm	6,000HRS	\$18.03
MELS20BLKES	N/A	ES	20	773KG	100	60mm	126mm	6,000HRS	\$18.03

**NELSON MELP38-PAR38 CFL** *All Lamps carton Quantity is 10*

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELP38120ESS	3000K	ES	23	662KG	120	125mm	140mm	6,000HRS	\$30.80
MELP38120ESNS	5000K	ES	23	662KG	120	125mm	140mm	6,000HRS	\$30.80
MELP38120ESBS	BLUE	ES	23	662KG	120	125mm	140mm	6,000HRS	\$33.00
MELP38120ESGS	GREEN	ES	23	662KG	120	125mm	140mm	6,000HRS	\$33.00
MELP38120ESRS	RED	ES	23	662KG	120	125mm	140mm	6,000HRS	\$33.00
MELP38120ESYS	YELLOW	ES	23	662KG	120	125mm	140mm	6,000HRS	\$33.00



MELP38120ESS



MELP38120ESBU

NELSON MELP38 "ANTI INSECT" *All Lamps Carton Quantity is 10*

CODE	COLOUR TEMP.	BASE	RATED WATTS	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELP38120ESBU	YELLOW	ES	23	120	125mm	140mm	6,000HRS	\$38.50

* The equivalent incandescent wattage is a guide only.

[^] Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances. Frequent switching ON & OFF of the lamp will reduce the rated average life.^{^^} Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances. Frequent switching ON & OFF of the lamp will reduce the rated average life.[#] Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh.

Unless specified CFLs are not suitable for dimming.



NELSON GU10 CFL -9W

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELGU10R09	3000K	GU10	9	171KG	40	49.1mm	76mm	6,000HRS	\$17.30
MELGU10R9N	5000K	GU10	9	171KG	40	49.1mm	76mm	6,000HRS	\$17.30



NELSON GU10 CFL -10W

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELGU10R10	3000K	GU10	10	276KG	50	49.9mm	82.5mm	6,000HRS	\$17.82
MELGU10R10N	5000K	GU10	10	276KG	50	49.9mm	82.5mm	6,000HRS	\$17.82



NELSON GU10 CFL -11W

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELGU10R11	3000K	GU10	11	290KG	60	49.9mm	82.5mm	6,000HRS	\$17.82
MELGU10R11CW	4000K	GU10	11	290KG	60	49.9mm	82.5mm	6,000HRS	\$17.82
MELGU10R11N	5000K	GU10	11	290KG	60	49.9mm	82.5mm	6,000HRS	\$17.82



NELSON GU10 CFL -12W

All Lamps Carton Quantity is 10

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELGU10R12	3000K	GU10	12	315KG	65	49.7mm	75mm	6,000HRS	\$19.30
MELGU10R12CW	4000K	GU10	12	315KG	65	49.7mm	75mm	6,000HRS	\$19.30
MELGU10R12N	5000K	GU10	12	315KG	65	49.7mm	75mm	6,000HRS	\$19.30

* The equivalent incandescent wattage is a guide only.

[^] Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

^{^^} Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

[#] Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh.

Unless specified CFLs are not suitable for dimming.

GU10 CFL LAMPS MAY BE A SMALL LAMP... BUT CAN HELP THE PLANET BY REDUCING OUR CARBON FOOT PRINT.

NELSON R63 REFLECTOR - 11W*All Lamps Carton Quantity is 10*

CODE	DESCRIPTION	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELMR63ES	CLEAR	3000K	ES	11	270KG	60	64MM	104MM	6,000HRS	\$18.54
MELMR63ESN	CLEAR	5000K	ES	11	270KG	60	64MM	104MM	6,000HRS	\$18.54

**NELSON R80 REFLECTOR 11W***All Lamps Carton Quantity is 10*

CODE	DESCRIPTION	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELTR8011ES	CLEAR	3000K	ES	11	270KG	60	80.5MM	117MM	6,000HRS	\$13.00
MELTR8011ESF	FROSTED	3000K	ES	11	270KG	60	80.5MM	117MM	6,000HRS	\$13.00
MELTR8011ESN	CLEAR	5000K	ES	11	270KG	60	80.5MM	117MM	6,000HRS	\$13.00
MELTR8011ESNF	FROSTED	5000K	ES	11	270KG	60	80.5MM	117MM	6,000HRS	\$13.00

**NELSON R80 REFLECTOR 15W***All Lamps Carton Quantity is 10*

CODE	DESCRIPTION	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELMR80ES	CLEAR	3000K	ES	15	331KG	75	80MM	113.2MM	6,000HRS	\$19.57
MELMR80ESF	FROSTED	3000K	ES	15	331KG	75	80MM	113.2MM	6,000HRS	\$19.57
MELMR80ESN	CLEAR	5000K	ES	15	331KG	75	80MM	113.2MM	6,000HRS	\$19.57
MELMR80ESNF	FROSTED	5000K	ES	15	331KG	75	80MM	113.2MM	6,000HRS	\$19.57

**NELSON ELM-R "REFLECTOR SHAPE"***All Lamps carton Quantity is 50*

CODE	COLOUR TEMP.	BASE	RATED WATTS	CO ₂ SAVING [#]	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELMR11BCS	3000K	BC	11	270KG	60	78MM	135MM	6,000HRS	\$13.20
MELMR11ESS	3000K	ES	11	270KG	60	78MM	135MM	6,000HRS	\$13.20
MELMR11BCNS	5000K	BC	11	270KG	60	78MM	135MM	6,000HRS	\$13.20
MELMR11ESNS	5000K	ES	11	270KG	60	78MM	135MM	6,000HRS	\$13.20



*The equivalent incandescent wattage is a guide only.

[^] Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

^{^^} Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

[#] Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh.

Unless specified CFLs are not suitable for dimming.



NELSON PL TRI- PHOSPHOR FLUORESCENT LAMP - WARM WHITE

Correlated Colour Temperature: 3000K
Colour Rendering Index: 53
Base: G23 (2 Pin)

CODE	EFFECTIVE WATTS	RATED WATTS	EQUIVALENT INCANDESCENT WATTAGE*	TOTAL LUMEN OUTPUT	LUMEN PER WATT	RATED AVERAGE LIFE^	CARTON QTY	PRICE PER UNIT
MPL05NW	5	5	20	230	46.0	7,000HRS	20	\$7.26
MPL07NW	7	7	25	360	51.4	7,000HRS	20	\$7.26
MPL09NW	9	9	40	450	61.1	7,000HRS	20	\$7.26
MPL11NW	11	11	60	820	74.5	7,000HRS	20	\$7.26

NELSON PL TRI- PHOSPHOR FLUORESCENT LAMP - COOL WHITE

Correlated Colour Temperature: 4200K
Colour Rendering Index: 61
Base: G23 (2 Pin)

CODE	EFFECTIVE WATTS	RATED WATTS	EQUIVALENT INCANDESCENT WATTAGE*	TOTAL LUMEN OUTPUT	LUMEN PER WATT	RATED AVERAGE LIFE^	CARTON QTY	PRICE PER UNIT
MPL05NC	5	5	20	230	46.0	7,000HRS	50	\$7.26
MPL07NC	7	7	25	360	51.4	7,000HRS	10	\$7.26
MPL09NC	9	9	40	450	61.1	7,000HRS	10	\$7.26
MPL11NC	11	11	60	820	74.5	7,000HRS	10	\$7.26

NELSON PLC TRI- PHOSPHOR FLUORESCENT LAMP - WARM WHITE

Correlated Colour Temperature: 3000K
Colour Rendering Index: 61
Base: G24d-1 (2 Pin)

CODE	EFFECTIVE WATTS	RATED WATTS	EQUIVALENT INCANDESCENT WATTAGE*	TOTAL LUMEN OUTPUT	LUMEN PER WATT	RATED AVERAGE LIFE^	CARTON QTY	PRICE PER UNIT
MPLC10NW	10	10	50	550	55.0	10,000HRS	10	\$15.40
MPLC13NW	13	13	70	820	63.0	10,000HRS	10	\$15.40
MPLC18NW	18	18	100	1200	66.7	10,000HRS	10	\$15.40
MPLC26NW	26	26	140	1640	74.5	10,000HRS	10	\$15.40

NELSON PLC TRI- PHOSPHOR FLUORESCENT LAMP - COOL WHITE

Correlated Colour Temperature: 4200K
Colour Rendering Index: 61
Base: G24d-1 (2 Pin)

CODE	EFFECTIVE WATTS	RATED WATTS	EQUIVALENT INCANDESCENT WATTAGE*	TOTAL LUMEN OUTPUT	LUMEN PER WATT	RATED AVERAGE LIFE^	CARTON QTY	PRICE PER UNIT
MPLC10NC	10	10	50	550	55.0	10,000HRS	10	\$15.40
MPLC13NC	13	13	70	820	63.1	10,000HRS	10	\$15.40
MPLC18NC	18	18	100	1200	66.7	10,000HRS	10	\$15.40
MPLC26NC	26	26	140	1640	74.5	10,000HRS	10	\$15.40

* The equivalent incandescent wattage is a guide only.

^ Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

^ Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

^ Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

^ Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Average kg CO2 savings over the rated average life of the (CFL) lamp @ 0.92kgCO2-e/kwh.

Unless specified CFLs are not suitable for dimming.



NELSON CCFL SPIRAL TUBE 12 VOLT - G4 BI-PIN BASE*All Lamps Carton Quantity is 10*

CODE	BASE	CO ² SAVING [#]	RATED WATTS	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELCCFL05G4N	G4 BI-PIN	83KG	5	25	40MM	95MM	15,000HRS	\$17.60
MELCCFL05G4WW	G4 BI-PIN	83KG	5	25	40MM	95MM	15,000HRS	\$17.60
MELCCFL05G4B	G4 BI-PIN	83KG	5	25	40MM	95MM	15,000HRS	\$18.50
MELCCFL05G4G	G4 BI-PIN	83KG	5	25	40MM	95MM	15,000HRS	\$18.50
MELCCFL05G4PI	G4 BI-PIN	83KG	5	25	40MM	95MM	15,000HRS	\$18.50
MELCCFL05G4Y	G4 BI-PIN	83KG	5	25	40MM	95MM	15,000HRS	\$18.50
MELCCFL05G4PU	G4 BI-PIN	83KG	5	25	40MM	95MM	15,000HRS	\$18.50

**LOW VOLTAGE
ONLY 12 VOLTS**

- CCFL 5W BRINGS COLOUR TO YOUR GARDEN, **BLUE, GREEN, PURPLE, YELLOW AND PINK.**
- RATED AVERAGE LIFE 15,000HRS FOR ONLY 5W OF POWER. ..
THAT IS VALUE FOR MONEY.
- SAVING YOUR ENERGY.

**NELSON ELV (12VOLT) "ELECTRONIC COMPACT FLUORESCENT" - WARM WHITE "3000K"***All Lamps Carton Quantity is 10*

CODE	BASE	CO ² SAVING [#]	RATED WATTS	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELV12BC	BC	265KG	12	60	51MM	122MM	8,000HRS	\$29.25
MELV12ES	ES	265KG	12	60	51MM	122MM	8,000HRS	\$29.25

NELSON ELV (12VOLT) "ELECTRONIC COMPACT FLUORESCENT" - NATURAL "5000K"*All Lamps Carton Quantity is 10*

CODE	BASE	CO ² SAVING [#]	RATED WATTS	EQUIVALENT INCANDESCENT WATTAGE*	DIAMETER	LENGTH	RATED AVERAGE LIFE [^]	PRICE PER UNIT
MELV12BCN	BC	265KG	12	60	51MM	122MM	8,000HRS	\$29.25
MELV12ESN	ES	265KG	12	60	51MM	122MM	8,000HRS	\$29.25



*The equivalent incandescent wattage is a guide only.

[^] Throughout this catalogue the rated average life is 6,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

^{^^} Throughout this catalogue the rated average life is 15,000 hours unless otherwise indicated. Actual life will vary in individual circumstances.

Frequent switching ON & OFF of the lamp will reduce the rated average life.

[#] Average kg CO₂ savings over the rated average life of the (CFL) lamp @ 0.92kgCO₂-e/kwh.

Unless specified CFLs are not suitable for dimming.

NELSON DIMMABLE CFL

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MELSD11BC	3000K	BC	11	451KG	60	45.5mm	122mm		\$12.90	\$1.29
MELSD11BCCW	4000K	BC	11	451KG	60	45.5mm	122mm		\$12.90	\$1.29
MELSD11BCN	5000K	BC	11	451KG	60	45.5mm	122mm		\$12.90	\$1.29
MELSD11ES	3000K	ES	11	451KG	60	45.5mm	122mm		\$12.90	\$1.29
MELSD11ESCW	4000K	ES	11	451KG	60	45.5mm	122mm		\$12.90	\$1.29
MELSD11ESN	5000K	ES	11	451KG	60	45.5mm	122mm		\$12.90	\$1.29
MELSD15BC	3000K	BC	15	550KG	75	52mm	123mm		\$14.30	\$1.43
MELSD15BCCW	4000K	BC	15	550KG	75	52mm	123mm		\$14.30	\$1.43
MELSD15BCN	5000K	BC	15	550KG	75	52mm	123mm		\$14.30	\$1.43
MELSD15ES	3000K	ES	15	550KG	75	52mm	123mm		\$14.30	\$1.43
MELSD15ESCW	4000K	ES	15	550KG	75	52mm	123mm		\$14.30	\$1.43
MELSD15ESN	5000K	ES	15	550KG	75	52mm	123mm		\$14.30	\$1.43
MELSD20BC	3000K	BC	20	736KG	100	60mm	123mm		\$15.90	\$1.59
MELSD20BCCW	4000K	BC	20	736KG	100	60mm	123mm		\$15.90	\$1.59
MELSD20BCN	5000K	BC	20	736KG	100	60mm	123mm		\$15.90	\$1.59
MELSD20ES	3000K	ES	20	736KG	100	60mm	123mm		\$15.90	\$1.59
MELSD20ESCW	4000K	ES	20	736KG	100	60mm	123mm		\$15.90	\$1.59
MELSD20ESN	5000K	ES	20	736KG	100	60mm	123mm		\$15.90	\$1.59



MELSD11BC

NELSON MAXI GLO

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MELS65BC	4000K	BC	65	1914KG	325	98mm	260mm	8,000HRS	\$55.70	\$5.57
MELS65ES	4000K	E27	65	1914KG	325	98mm	260mm	8,000HRS	\$55.70	\$5.57
MELS65GES	4000K	E40	65	1914KG	325	98mm	260mm	8,000HRS	\$55.70	\$5.57
MELS105BC	4000K	BC	105	3091KG	525	98mm	300mm	8,000HRS	\$64.20	\$6.42
MELS105ES	4000K	E27	105	3091KG	525	98mm	300mm	8,000HRS	\$64.20	\$6.42
MELS105GES	4000K	E40	105	3091KG	525	98mm	300mm	8,000HRS	\$64.20	\$6.42



MELS65BC

NELSON MICRO CANDLE

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MELCM07BC	3000K	BC	7	99KG	25	38mm	103mm	6,000HRS	\$17.50	\$1.75
MELCM07ES	3000K	ES	7	99KG	25	38mm	103mm	6,000HRS	\$17.50	\$1.75
MELCM07SBC	3000K	SBC	7	99KG	25	38mm	103mm	6,000HRS	\$17.50	\$1.75
MELCM07SES	3000K	SES	7	99KG	25	38mm	103mm	6,000HRS	\$17.50	\$1.75
MELCM09BC	3000K	BC	9	171KG	40	38mm	103mm	6,000HRS	\$17.50	\$1.75
MELCM09ES	3000K	ES	9	171KG	40	38mm	103mm	6,000HRS	\$17.50	\$1.75
MELCM09SBC	3000K	SBC	9	171KG	40	38mm	103mm	6,000HRS	\$17.50	\$1.75
MELCM09SES	3000K	SES	9	171KG	40	38mm	103mm	6,000HRS	\$17.50	\$1.75



MELCM07BC

▲ # Disclaimers - please refer to page 26



MELIP6509

NELSON CARNIVALE - IP65 (OUTDOOR)

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MELIP6509BC	3000K	BC	9	171KG	40	50mm		6,000HRS	\$16.30	\$1.63
MELIP6509BCN	5000K	BC	9	171KG	40	50mm		6,000HRS	\$16.30	\$1.63
MELIP6509BCB	BLUE	BC	9	171KG	40	50mm		6,000HRS	\$16.93	\$1.69
MELIP6509BCG	GREEN	BC	9	171KG	40	50mm		6,000HRS	\$16.93	\$1.69
MELIP6509BCR	RED	BC	9	171KG	40	50mm		6,000HRS	\$16.93	\$1.69
MELIP6509BCY	YELLOW	BC	9	171KG	40	50mm		6,000HRS	\$16.93	\$1.69
MELIP6509ES	3000K	ES	9	171KG	40	50mm		6,000HRS	\$16.30	\$1.63
MELIP6509ESN	5000K	ES	9	171KG	40	50mm		6,000HRS	\$16.30	\$1.63



MELG7011BC

NELSON DECOR

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MELG7011BC	3000K	BC	11	270KG	60	70mm	111mm	6,000HRS	\$19.30	\$1.93
MELG7011ES	3000K	ES	11	270KG	60	70mm	111mm	6,000HRS	\$19.30	\$1.93
MELG9520BC	3000K	BC	20	442KG	100	95mm	128mm	6,000HRS	\$21.40	\$2.14
MELG9520ES	3000K	ES	20	442KG	100	95mm	128mm	6,000HRS	\$21.40	\$2.14



MELTM11BC

NELSON TURBO MINI CYLINDRICAL

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MELTM11BC	3000K	BC	11	270KG	60	38mm	107mm	6,000HRS	\$15.50	\$1.55
MELTM11ES	3000K	ES	11	270KG	60	38mm	112mm	6,000HRS	\$15.50	\$1.55
MELTM11SES	3000K	SES	11	270KG	60	38mm	112mm	6,000HRS	\$15.50	\$1.55
MELTM11SBC	3000K	SBC	11	270KG	60	38mm	112mm	6,000HRS	\$15.50	\$1.55



MELO20ES

NELSON ORIENT

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MELO20BC	3000K	BC	20	442KG	100	64mm	134mm	6,000HRS	\$21.40	\$2.14
MELO20BCN	5000K	BC	20	442KG	100	64mm	134mm	6,000HRS	\$21.40	\$2.14
MELO20ES	3000K	ES	20	442KG	100	64mm	134mm	6,000HRS	\$21.40	\$2.14
MELO20ESN	5000K	ES	20	442KG	100	64mm	134mm	6,000HRS	\$21.40	\$2.14

NELSON GU24 ENERGY SAVING LAMPS

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MGU2415	3000K	GU24	15	258KG	50	49.6mm	85mm	8,000HRS	\$14.80	\$1.48
MGU2415CW	4000K	GU24	15	258KG	50	49.6mm	85mm	8,000HRS	\$14.80	\$1.48
MGU2415N	5000K	GU24	15	258KG	50	49.6mm	85mm	8,000HRS	\$14.80	\$1.48
MGU2420	3000K	GU24	20	294KG	60	49.6mm	94mm	8,000HRS	\$15.80	\$1.58
MGU2420CW	4000K	GU24	20	294KG	60	49.6mm	94mm	8,000HRS	\$15.80	\$1.58
MGU2420N	5000K	GU24	20	294KG	60	49.6mm	94mm	8,000HRS	\$15.80	\$1.58



MGU2415CW

NELSON PAR38

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
	4000K	ES	20	589KG	100	120mm	155mm	8,000HRS	\$20.00	\$2.00
MELPAR38100ES	3000K	ES	20	589KG	100	120mm	155mm	8,000HRS	\$20.00	\$2.00
MELPAR38100ESN	5000K	ES	20	589KG	100	120mm	155mm	8,000HRS	\$20.00	\$2.00
MELPAR38G9	3000K	ES	100	92KG	100	121mm	132mm	2,000HRS	\$19.80	\$1.98



MELPAR38100ES

NELSON ENERGY SAVER HALOGEN LINEAR 118MM REPLACEMENT LAMP

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	LENGTH	WIDTH	DEPTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MELT24R7CW	4000K	R7	24W	707KG	120W	120mm	70mm	46mm	8,000HRS	\$23.80	\$2.38



MELT24R7CW

NELSON PLC FLUORESCENT 4 PIN

CODE	COLOUR TEMP	BASE	RATED WATTS	CO ₂ SAVING [▲]	RECOMMENDED REPLACING WATTAGE [#]	DIAMETER	LENGTH	RATED AVERAGE LIFE	TRADE EX GST	GST
MPLC26NC4P	4000K	G24D-1	26W	900KG	130W	24.5mm	182mm		\$17.70	\$1.77
MPLC26NW4P	3000K	G24D-1	26W	900KG	130W	24.5mm	182mm		\$17.70	\$1.77
MPLC18NC4P	4000K	G24D-1	18W	700KG	100W	24.5mm			\$17.70	\$1.77
MPLC18NW4P	3000K	G24D-1	18W	700KG	100W	24.5mm	167mm	10,000HRS	\$17.70	\$1.77



MPLC26NC4P

▲ # Disclaimers - please refer to page 26