

IP POE CCTV SYSTEMS

For Domestic and Commercial Scale Projects



ESP
..... ScolmoreGROUP

www.espuk.com

IP POE CCTV SYSTEMS

Introducing the new IP POE CCTV range from ESP, which aims to satisfy straight forward installations and the growing demand for reliable domestic and commercial solutions.



The range features POE (Power-Over-Ethernet). POE enables the camera and power feed to be wired in Cat5e cable up to 100 meters, making installations more convenient.

Processing power, features, versatility and high resolution of IP CCTV all combine to make it a superior choice over traditional analog CCTV systems.

The range consist of REKOR IP kits tailored for the domestic market, whilst the 5 Megapixel HDview IP range focuses on larger applications, offering a wide choice of NVR and camera selection.

All NVRs are packed with features such as remote monitoring via the ESP View APP, H265 compression, motion record activation and are supplied with quality surveillance Hard Drives for peace of mind.







WHITE: REKIPC36FBW GREY: REKIPC36FBG

3.6MM LENS 2MP HD IP BULLET CAMERA

- HD 2MP Resolution
- 3.6mm Fixed Lens
- 1/2.7" Image Sensor
- 30m Infrared LED Illumination
- 87° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø71x138mm
- Weight: 250g



WHITE: REKIP4KB2W GREY: REKIP4KB2G

2 MEGAPIXEL IP POE CCTV KIT

- Complete with NVR, IP Cameras, Cable & System Power Supply
- HD 2MP Resolution Viewing and Recording
- 4CH POE NVR- Power Over Ethernet
- 2 x 2MP, Day/Night, Weatherproof, Bullet Style IP Cameras
- H.265 Video Compression for Efficient Storage
- Pre-Installed 1TB Western Digital Hard Drive
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- 50Mbps Recording Bandwidth
- 60W Power Supply



WHITE: REKIP4KB4W GREY: REKIP4KB4G

2 MEGAPIXEL IP POE CCTV KIT

- Complete with NVR, IP Cameras, Cable & System Power Supply
- HD 2MP Resolution Viewing and Recording
- 4CH POE NVR- Power Over Ethernet
- 4 x 2MP, Day/Night, Weatherproof, Bullet Style IP Cameras
- H.265 Video Compression for Efficient Storage
- Pre-Installed 1TB Western Digital Hard Drive
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- 50Mbps Recording Bandwidth
- 60W Power Supply



WHITE: REKIPC36FDW GREY: REKIPC36FDG

3.6MM LENS 2MP HD IP DOME CAMERA

- HD 2MP Resolution
- 3.6mm Fixed Lens
- 1/2.7" Image Sensor
- 30m Infrared LED Illumination
- 87° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø100x82mm
- Weight: 260g

WHITE: REKIP4KD2W GREY: REKIP4KD2G

2 MEGAPIXEL IP POE CCTV KIT

- Complete with NVR, IP Cameras, Cable & System Power Supply
- HD 2MP Resolution Viewing and Recording
- 4CH POE NVR- Power Over Ethernet
- 2 x 2MP, Day/Night, Weatherproof, Dome Style IP Cameras
- H.265 Video Compression for Efficient Storage
- Pre-Installed 1TB Western Digital Hard Drive
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- 50Mbps Recording Bandwidth
- 60W Power Supply



WHITE: REKIP4KD4W GREY: REKIP4KB4G

2 MEGAPIXEL IP POE CCTV KIT

- Complete with NVR, IP Cameras, Cable & System Power Supply
- HD 2MP Resolution Viewing and Recording
- 4CH POE NVR- Power Over Ethernet
- 4 x 2MP, Day/Night, Weatherproof, Dome Style IP Cameras
- H.265 Video Compression for Efficient Storage
- Pre-Installed 1TB Western Digital Hard Drive
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- 50Mbps Recording Bandwidth
- 60W Power Supply





5MP

WHITE: HDVIPC36FBW GREY: HDVIPC36FBG

3.6MM LENS 5MP HD IP BULLET CAMERA

- HD 5MP Resolution
- 3.6mm Fixed Lens
- 1/2.7" Image Sensor
- 30m Infrared LED Illumination
- 87° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø71x138mm
- Weight: 250g



5MP

WHITE: HDVIPC2812VFBW GREY: HDVIPC2812VFBG

2.8-12MM LENS 5MP HD IP BULLET CAMERA

- HD 5MP Resolution
- 2.8-12mm Varifocal Lens (Motorized)
- 1/2.7" Image Sensor
- 40m Infrared LED Illumination
- 103° - 51° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- Additional Features: SD storage / Alarm Trigger Input / Audio I/O
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø88x240mm
- Weight: 805g



5MP

WHITE: HDVIPC36FDW GREY: HDVIPC36FDG

3.6MM LENS 5MP HD IP DOME CAMERA

- HD 5MP Resolution
- 3.6mm Fixed Lens
- 1/2.7" Image Sensor
- 30m Infrared LED Illumination
- 87° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø100x82mm
- Weight: 260g



5MP

WHITE: HDVIPC2812VFDW GREY: HDVIPC2812VFDG

2.8-12MM LENS 5MP HD IP DOME CAMERA

- HD 5MP Resolution
- 2.8-12mm Varifocal Lens (Motorized)
- 1/2.7" Image Sensor
- 45m Infrared LED Illumination
- 103° - 51° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- Additional Features: SD storage / Alarm Trigger Input / Audio I/O
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø126x102mm
- Weight: 720g



5MP

WHITE: HDVIPC550VFBW GREY: HDVIPC550VFBG

2.8MM LENS 5MP HD IP VANDAL RESISTANT DOME CAMERA

- HD 5MP Resolution
- 5-50mm Varifocal Lens (Motorized)
- 1/2.7" Image Sensor
- 60m Infrared LED Illumination
- 45°~7° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- 256kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C



5MP

WHITE: HDVIPC2812VFDWAV GREY: HDVIPC2812VFDGAV

2.8-12MM LENS 5MP HD IP VANDAL RESISTANT DOME CAMERA

- HD 5MP Resolution
- 2.8-12mm Varifocal Lens (Motorized)
- 1/2.7" Image Sensor
- 45m Infrared LED Illumination
- 132°~37° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- Additional Features: SD storage / Alarm Trigger Input & output / Audio I&O/Reset
- IP66 Housing Ingress Protection
- IK10 Impact Protection
- 256kbps ~ 8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø147x117mm
- Weight: 1067g



WHITE: HDVIP28FDWAV2

2.8MM LENS 5MP HD IP VANDAL RESISTANT DOME CAMERA


- HD 5MP Resolution
- 2.8 mm Fixed Lens
- 1/2.7" Image Sensor
- 30m Infrared LED Illumination
- 92° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- IK10 Impact Protection
- 256Kbps~8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø112x95mm
- Weight: 510g



HDVIP28FDW

2.8MM LENS 5MP HD IP INTERNAL DOME CAMERA

- HD 5MP Resolution
- 2.8mm Fixed Lens
- 1/2.7" Image Sensor
- 10m Infrared LED Illumination
- 92° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- Additional Features: SD storage / Microphone
- IP66 Housing Ingress Protection
- 256Kbps ~ 8Mbps bit Rate
- 12vDC/POE
- ≤ 7W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø120X64mm
- Weight: 450g



HDVIP28CPTZ

5MP POE IPC 4.8-86.4MM PTZ

- HD 5MP Resolution
- 4.8-86.4mm Varifocal Lens (18x Zoom)
- Full pan, tilt and zoom operation
- Full 360° rotation pan function
- 1/2.5" Image Sensor
- 60m Infrared LED Illumination
- 61.2~2.32° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- IP66 Housing Ingress Protection
- 8Kbps ~ 8Mbps bit Rate
- 12vDC~2A/POE
- ≤ 30W Power Consumption
- Operating Temperature: -30~+60°C
- Dimensions: 251x 130 x 208mm (bracket inc.)
- Weight: 4KG

HDVIP28CPTZC - IP Pan, Tilt & Zoom Controller

HDVIP11FDW

1.1MM LENS 5MP HD IP FISH EYE CAMERA

- HD 5MP Resolution
- 1.1mm Fixed Lens
- 1/2.9" Image Sensor
- 5m Infrared LED Illumination
- 360° Viewing Angle
- H.265 Compression
- ONVIF Compliant
- Additional Features: SD Storage / Alarm Trigger Input & Output / Audio I/O / Video Output/Reset
- IP64 Housing Ingress Protection
- 256Kbps ~ 8Mbps bit Rate
- 12vDC/POE
- ≤ 5W Power Consumption
- Operating Temperature: -30 ~ +55°C
- Dimensions: Ø120*55mm
- Weight: 400g
- Suitable only for use with PC and NVR models: HDVIP16R, HDVIP32R



IPSW4POE

4CH POE SWITCH

- 60W
- POE: 4x 10/100 Mbps
- Uplink: 1x 10/100 Mbps

IPSW8POE

8CH POE SWITCH

- 120W
- POE: 8x 10/100 Mbps
- Uplink: 1x 10/100 Mbps



WHITE: IPCDBW

GREY: IPCDBG

IPC DEEP BASE WHITE OR GREY

- Camera Base For All Models Except Vandal Model HDVIP2812VFDWAV

WHITE: IPCDBWAV

GREY: IPCDBGAV

IPC VANDAL RESISTANT DEEP BASE WHITE OR GREY

- Camera Base For Vandal Model HDVIP2812VFDWAV





5MP

HDVIP4R

5 MEGAPIXEL IP POE 4CH NVR

- HD 5MP Resolution Viewing and Recording
- 4CH POE NVR- Power Over Ethernet
- H.265 Video Compression for Efficient Storage
- ONVIF Compliant
- Western Digital Hard Drive (1TB, 2TB, 4TB, 8TB Options)
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- HDMI Output (4K)
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- Contents: NVR, Power Supply, Manual, Software CD, HDMI Lead, Mouse Control, Remote Control (Battery Inc.)

50Mbps Recording Bandwidth

60W Power Supply

Dimensions: 300 X 227 X 53mm

Weight: 1.7KG



5MP

HDVIP8R

5 MEGAPIXEL IP POE 8CH NVR

- HD 5MP Resolution Viewing and Recording
- 8CH POE NVR- Power Over Ethernet
- H.265 Video Compression for Efficient Storage
- ONVIF Compliant
- Western Digital Hard Drive (1TB, 2TB, 4TB, 8TB Options)
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- HDMI Output (4K)
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- Contents: NVR, Power Supply, Manual, Software CD, HDMI Lead, Mouse Control, Remote Control (Battery Inc.)

80Mbps Recording Bandwidth

90W Power Supply

Dimensions: 300 X 227 X 53mm

Weight: 1.7KG



5MP

HDVIP16R

5 MEGAPIXEL IP POE 16CH NVR

- HD 5MP Resolution Viewing and Recording
- 16CH POE NVR- Power Over Ethernet
- H.265 Video Compression for Efficient Storage
- ONVIF Compliant
- Western Digital Hard Drive (2TB, 4TB, 8TB, 12TB, 16TB Options)
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- HDMI Output (4K)
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- Contents: NVR, Power Supply, Manual, Software CD, HDMI Lead, Mouse Control, Remote Control (Battery Inc.)

320Mbps Recording Bandwidth

280W Power Supply

Dimensions: 380 X 340 X 50mm

Weight: 3.4KG

HDVIP32R

5 MEGAPIXEL IP POE 32CH NVR

- HD 5MP Resolution Viewing and Recording
- 32CH NVR 16ch POE - Power Over Ethernet
- H.265 Video Compression for Efficient Storage
- ONVIF Compliant
- Western Digital Hard Drive (2TB, 4TB, 8TB, 12TB, 16TB Options)
- Remote Monitoring via APP (Android / IOS) or PC
- Playback / Record / Remote View Simultaneously
- Continuous / Scheduled / Motion Record Modes
- HDMI Output (4K)
- USB Backup for Evidence Transfer
- Mouse Driven User Menu
- Contents: NVR, Power Supply, Manual, Software CD, HDMI Lead, Mouse Control, Remote Control (Battery Inc.)

320Mbps Recording Bandwidth

280W Power Supply



5MP

Dimensions: 380 X 340 X 50mm

Weight: 3.7KG

IPIN1POE

1CH POE INJECTOR

- 30W
- 10/100/1000 Mbps
- Voltage Input: 100-240vAC

IPX100POE

1CH POE INJECTOR

- 30W
- 10/100/1000 Mbps
- Voltage Input: 100-240vAC



HDVIP1632RRMB

RACK MOUNT BRACKET FOR MODELS:
HDVIP16R, HDVIP32R

- Rack Mount Bracket for Models: HDVIP16R, HDVIP32R
- Suitable for Standard 19" Server Rack Mounting



DATA CABLE

PRE-TERMINATED WITH RJ45

- CABIP10 - 10m Data Cable
- CABIP20 - 20m Data Cable
- CABIP40 - 40m Data Cable
- CABIP80 - 80m Data Cable



Get kitted out with the code finder



Code		Description
Rekor IP 2MP Cameras & Kits		
W: REKIPC36FBW	G: REKIPC36FBG	Rekor IP Bullet POE 2MP Camera Fixed 3.6mm
W: REKIPC36FDW	G: REKIPC36FDG	Rekor IP Dome POE 2MP Camera Fixed 3.6mm
W: REKIP4KB2W	G: REKIP4KB2G	Rekor IP 4 Channel POE 2MP 2 Bullet Camera Kit (1TB)
W: REKIP4KB4W	G: REKIP4KB4G	Rekor IP 4 Channel POE 2MP 4 Bullet Camera Kit (1TB)
W: REKIP4KD2W	G: REKIP4KD2G	Rekor IP 4 Channel POE 2MP 2 Dome Camera Kit (1TB)
W: REKIP4KD4W	G: REKIP4KD4G	Rekor IP 4 Channel POE 2MP 4 Dome Camera Kit (1TB)
HDview IP 5MP Cameras		
W: HDVIPC36FBW	G: HDVIPC36FBG	HDview IP Bullet POE 5MP Camera Fixed 3.6mm
W: HDVIPC36FDW	G: HDVIPC36FDG	HDview IP Dome POE 5MP Camera Fixed 3.6mm
W: HDVIPC28FDWAV2		HDview IP Dome POE 5MP Camera Fixed 2.8mm Vandal
W: HDVIPC2812VFBW	G: HDVIPC2812VFBG	HDview IP Bullet POE 5MP Camera Varifocal 2.8-12mm
W: HDVIPC2812VFDW	G: HDVIPC2812VFDG	HDview IP Dome POE 5MP Camera Varifocal 2.8-12mm
W: HDVIPC2812VFDWAV	G: HDVIPC2812VFDGAV	HDview IP Dome POE 5MP Camera Varifocal 2.8-12mm Vandal
W: HDVIPC550VFBW	G: HDVIPC550VFBG	2.8mm Lens 5MP HD IP Vandal Resistant Dome Camera
HDVIPCPTZ		HDview IP PTZ Dome POE 5MP Camera
HDVIPC28FDW		HDview IP Dome POE 5MP Camera Mini 2.8mm Internal
HDVIPC11FDW		HDview IP Fisheye POE 5MP Camera 1.1mm
HDview IP NVR's		
HDVIP4R		HDview IP 4 Channel NVR 5MP (1TB)
HDVIP4R2TB		HDview IP 4 Channel NVR 5MP (2TB)
HDVIP4R4TB		HDview IP 4 Channel NVR 5MP (4TB)
HDVIP4R8TB		HDview IP 4 Channel NVR 5MP (8TB)
HDVIP8R		HDview IP 8 Channel NVR 5MP (1TB)
HDVIP8R2TB		HDview IP 8 Channel NVR 5MP (2TB)
HDVIP8R4TB		HDview IP 8 Channel NVR 5MP (4TB)
HDVIP8R8TB		HDview IP 8 Channel NVR 5MP (8TB)
HDVIP16R		HDview IP 16 Channel NVR 5MP (4TB)
HDVIP16R8TB		HDview IP 16 Channel NVR 5MP (8TB)
HDVIP16R12TB		HDview IP 16 Channel NVR 5MP (12TB)
HDVIP16R16TB		HDview IP 16 Channel NVR 5MP (16TB)
HDVIP32R		HDview IP 32 Channel NVR 5MP (4TB)
HDVIP32R8TB		HDview IP 32 Channel NVR 5MP (8TB)
HDVIP32R12TB		HDview IP 32 Channel NVR 5MP (12TB)
HDVIP32R16TB		HDview IP 32 Channel NVR 5MP (16TB)
Accessories		
IPCDBW	G: IPCDBG	Camera Base For All Models Except Vandal
IPCDBWAV	G: IPCDBGAV	Camera Base For Vandal Model
HDVIP1632RRMB		Rack Mount Bracket For Models: HDVIP16R, HDVIP32R
CABIP10		10 Meter Camera Extension Cable External Grade
CABIP20		20 Meter Camera Extension Cable External Grade
CABIP40		40 Meter Camera Extension Cable External Grade
CABIP80		80 Meter Camera Extension Cable External Grade
CABIPCOUP		Extension Cable Coupler
IPSW8POE		8 Channel POE Switch
IPSW4POE		4 Channel POE Switch
IPIN1POE		1 Channel POE Injector
IPX100POE		1 Channel POE Injector
TMPROSHD		Super HD Test Monitor



Elite Security Products
Unit 7, Target Park,
Shawbank Road, Lakeside,
Redditch B98 8YN
Tel: +44 (0) 1527 51 51 50
Fax: +44 (0) 1527 51 51 43
info@espuk.com
www.espuk.com

Elite Security Products Ireland
18 Corrig Road,
Sandyford Ind. Estate,
Dublin D18 WV79, Ireland
Tel: +353 (1) 5577 290
Fax: +353 (1) 2811 224
info@espi.ie
www.espi.ie

Scolmore Dubai
Lake Central Tower,
Office 1803, Business Bay,
Dubai, UAE
UAE Office: +971 4589 6552
Mob: +971 52 451 1164
sales@scolmoredubai.com
www.scolmoredubai.com

E&OE - Errors and omissions excepted.