



Product overview | November 2015

HyLED escape route lighting

Whatever direction you go

 **EMERGI-LITE®**

Power and productivity
for a better world™



HyLED escape route lighting

Whatever direction you go



HyLED

Escape route lighting

360 degrees turnable
lamp unit




HyLED

Escape route lighting


High ceilings
particularly 5-8 metres



HyLED escape route lighting
Your benefits highlighted




Sealed IP65
cabling system



Mounting flexibility

- cable tray
- pillar
- hanging
- ceilings
- walls



Mounting flexibility
recessed kit



HyLED

Powerful and reliable



Energy efficient, high output LED luminaire

- 360 degrees turnable lamp unit, steady in position
- High ceilings industrial environments
- Sealed IP65 loop in, loop out cabling system
- Mounting and assembly flexibility onto pillars, cable tray, ceilings, etc.



Luminaire

Order code	Input voltage	Description	Lamp type	Power consumption (W)	Lamp output	Operation/ duration (hrs)	Environment temp. (°C)	Weight (kg)
HY3L2	230 - 240v 50Hz	LED M 3 hour duration, surface	LED matrix	<3.5w	1000 lumens	M/NM	0 - 25	7.8
HY1L2HF	230 - 240v 50Hz	LED 230v 50Hz, surface	LED matrix	<3.5w	1000 lumens	M/NM	0 - 30	7.8

60 hrs charge at first commissioning, 24 hrs re-charge thereafter.
Slave versions available with LTC.

Accessories

Order code	Description
HY-MBK	Wall mounting/coupling bracket recessing kit




HyLED mounting flexibility on pillars



HyLED mounting flexibility at cable tray

Dimensions







Contact us

ABB Emergi-Lite

UK Office

Bruntcliffe Lane
Leeds
West Yorkshire
LS27 9LL

Tel: +44 (0) 113 281 0600

Fax: +44 (0) 113 281 0601

ABB UK Sales Tel: +44 (0) 333 999 9900

ABB UK Sales Fax: +44 (0) 333 999 9901

Email: emergi-lite.sales@tnb.com

www.emergi-lite.co.uk

Note: We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB AG does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB AG.

Copyright © 2015 ABB

All rights reserved

© Copyright ABB