

	Description	Colour according to DIN 46228-4: 2020-03	Length (Normal; Long)	Length	Cable mm ²						
Knipex Art.No.		may vary depending on the standard									
xxx		No standard	N	10mm / 6mm	0.14						
xxx			N	10mm / 6mm	0.25						
xxx			N	10mm / 6mm	0.34						
97 99 330			N	14mm / 8mm	0.5						
97 99 331			N	14mm / 8mm	0.75						
97 99 332			N	14mm / 8mm	1					97 52 38	97 52 08
97 99 333			N	14mm / 8mm	1.5						
97 99 334			N	14mm / 8mm	2.5						
97 99 335			N	17mm / 10mm	4						
97 99 336			N	20mm / 12mm	6						
97 99 337			N	22mm / 12mm	10						
97 99 338			N	24mm / 12mm	16						97 52 09
97 99 339			N	30mm / 16mm	25						
xxx			N	30mm / 16mm	35						97 52 19
xxx			N	36mm / 20mm	50						
xxx			N	37mm / 21mm	70						
xxx			N	44mm / 25mm	95						
97 99 350			L	16mm / 10mm	0.5						
97 99 351			L	16mm / 10mm	0.75						
97 99 352			L	16mm / 10mm	1						
97 99 353			L	16mm / 10mm	1.5					97 52 38	97 52 08
97 99 354			L	16mm / 10mm	2.5						
97 99 355			L	20mm / 12mm	4						
97 99 356			L	26mm / 18mm	6						
97 99 357			L	28mm / 18mm	10						
97 99 358			L	28mm / 18mm	16						97 52 09
97 99 359			L	32mm / 18mm	25						
xxx			L	39mm / 25mm	35						97 52 19
97 99 370				15mm / 8mm	2 x 0,5						
97 99 371				16mm / 8mm	2 x 0,75						
97 99 372				15mm / 8mm	2 x 1						
97 99 373				18mm / 10mm	2 x 1,5						
97 99 374				21mm / 10mm	2 x 2,5						
97 99 375				23mm / 12mm	2 x 4						
97 99 376				26mm / 14mm	2 x 6						
97 99 377				24mm / 12mm	2 x 10						
97 99 378				29mm / 16mm	2 x 16						

	Description	Colour according to DIN 46228-4: 2020-03	Length (Normal; Long)	Length	Cable mm²						
						97 53 04	97 53 14	97 53 09	97 53 18	Preci Force	Crimping pliers (two hand)
xxx	 Uninsulated ferrules				0.25						
xxx					0.34						
97 99 390				8mm	0.5						
97 99 391				8mm	0.75						
97 99 392				8mm	1						
97 99 393				8mm	1.5					97 52 38	97 52 08
97 99 394				8mm	2.5						
97 99 395				10mm	4						
97 99 396				12mm	6						
97 99 397				12mm	10						
97 99 398				12mm	16						97 52 09
97 99 399				16mm	25						
xxx					35						97 52 19
xxx					50						
xxx					70						
xxx					95						

				
Multi-Crimp	97 43 200	97 6 145	97 7 180	97 8 180
97 33 01	97 49 08			
97 33 02				
(97 39 08)				
97 33 02	97 49 09			
(97 39 09)				
	97 49 19			