




SMART⁺ RANGE FOR RESIDENTIAL 2022



CONTENTS



OVERVIEW

4



SLR REGULATION

6



SMART⁺ WIFI – GENERAL INFORMATION

10



SMART⁺ BLUETOOTH – GENERAL INFORMATION

14



SMART⁺ ZIGBEE – GENERAL INFORMATION

20



SUN@HOME – PRODUCT PORTFOLIO

26



SMART⁺ WIFI – PRODUCT PORTFOLIO

46



SMART⁺ BLUETOOTH – PRODUCT PORTFOLIO

190



SMART⁺ ZIGBEE – PRODUCT PORTFOLIO


206

TIPS FOR PROS

Our “tips for professionals” on the following pages will again provide you with valuable suggestions on all aspects of selling LEDVANCE SMART⁺ products. Use them to achieve business success!


SMART LIGHT: A SUREFIRE WINNER FOR YOUR LIGHTING BUSINESS

Smart connected light is already an established megatrend. To benefit from this development and to meet the needs of your customers today and tomorrow in virtually every respect, we have massively expanded our SMART⁺ range. Check out our unprecedented selection of digitally connected lamps and luminaires – and set new trends for your lighting business.



SMART LUMINAIRES: A SEGMENT WITH HUGE POTENTIAL

The smart luminaires growth segment is very dynamic so its potential is particularly promising. And this is exactly where we have some exciting products for you. Whether it's indoor or outdoor luminaires, spotlights, downlights, functional luminaires or luminaires with RGB function, there are plenty of smart connected lighting solutions available to be discovered by your customers. Highlights include our brand new bathroom and wall lights.





SMART SOLUTIONS FOR ALL CUSTOMER NEEDS

Whether it's convenience, a sense of security, the ability to take advantage of a range of intelligent functions or the pleasure of configuring lighting indoors and outdoors – customers have widely differing expectations of smart lighting. SMART⁺ fulfills all these expectations in the best way possible.

1. Clever & convenient

Why get up every time you want to switch the lighting on or off? SMART⁺ customers can control their lighting via an app or voice command from the comfort of their sofa.




3. Clever & appealing

Lighting is now much more than simply a matter of "on" or "off". More and more customers are becoming excited by the possibility of creating atmospheric lighting scenarios or automating their lighting sequences (e.g. wake-up light) throughout the course of the day.

2. Clever & mobile

SMART⁺ gives users an enhanced sense of security. They can control their lighting at home from practically any location – to simulate their physical presence, for example.



WHY CUSTOMERS ARE SO EXCITED ABOUT SMART⁺

4. Clever & outdoors

Greater convenience, increased security, heightened atmosphere: Outdoors too, LEDVANCE has a large number of smart lighting products that open up a wide range of fascinating possibilities.

TIPS FOR PROS

CASUALLY MENTION SMART⁺ IN A CONVERSATION!

Whether you hear your customers talking about Amazon Alexa, Google Nest or the Apple HomePod or they tell you about building or remodeling a home: You'll find many opportunities to break the ice and talk with your customers about voice-

controlled lighting. Take advantage of these situations! Even in outdoor areas in gardens or on balconies or terraces, SMART⁺ is a clever alternative. Also important: Avoid targeting only young, tech-savvy customers. After all, easy operation, convenience and safety are arguments older people are especially open to hearing as well.

SLR/ELR: GET READY FOR CLIMATE- FRIENDLY LIGHT

The UK/EU is now gradually implementing the provisions of the new regulations on ecodesign (Single Lighting Regulation, SLR) and energy labeling (Energy Labeling Regulation, ELR).

The focus is on further encouraging the use of climate-friendly lighting products, providing clear consumer information and strengthening the circular economy. One thing that is especially important for your lighting business is the new distinction between “light sources” and “containing products”.

LEDVANCE SMART⁺ LUMINAIRES: NORMALLY “CONTAINING PRODUCTS”

LIGHT SOURCES

are electrically operated products that emit white light*. These include all traditional and LED lamps for general lighting as well as SMART⁺ lamps – but also fully integrated luminaires from which the light sources cannot be removed using commonly available tools without permanent damage. The new SLR/ELR regulations apply only to light sources.*



CONTAINING PRODUCTS

include luminaires and other equipment that allow the light source to be removed using commonly available tools without permanent damage. Most LEDVANCE luminaires and SMART⁺ luminaires have therefore been exempt from the labeling regulations since December 25th, 2019.



NO ENERGY LABEL NEEDED FOR LEDVANCE SMART⁺ LUMINAIRES

Good to know: Almost all LEDVANCE SMART⁺ luminaires are classified as “containing products”. This means that they do not have to be marked with an energy label.

* A large number of signaling and control lamps as well as very powerful lighting products (e.g. for outdoor, sports, theater or industrial lighting) are excluded from the EU regulations.

IMPORTANT FOR YOUR SMART⁺ LAMP BUSINESS: THE NEW ENERGY LABEL

Unlike the “containing products”, the “light sources” within the definition of the new regulations have to be provided with a new energy label. The main updates are as follows:

- The new energy efficiency scale runs from A to G (instead of A++ to E as before) and is now calculated on a new basis.
- A QR code which links to additional product information stored in the EPREL product database

OLD

NEW

Classification from A to G

UNCHANGED: Power consumption in kilowatt hours per 1000 hours of use

QR code for additional product information

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new label indicating the energy efficiency class must be clearly visible on all product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a coloured arrow but by a letter. See below.

Energy efficiency class Product packaging	Information table
A	A
B	B
C	C
D	D
E	E
F	F
G	G

BE ON THE SAFE SIDE WITH LEDVANCE

LEDVANCE ensures that all its products and packaging comply with current regulations at all times. Here's what you can rely on:



- Early energy-efficient LED replacement for all affected light sources



- Reliable fulfillment of all obligations regarding labeling and product information



- Support with clear and comprehensive information – so that you can be compliant, both technically and legally

Further information: www.ledvance.co.uk/professional/services/eu-regulations

SO CLEVER SMART⁺ FROM LEDVANCE

Your customers decide how they want to make their lights smart – LEDVANCE offers the right solution from numerous options. They can pick the smart way and use an app or go for casual and use a voice assistant for controlling their lights. They can choose between different technologies: WiFi, Bluetooth, quick to set up and no additional hardware, or Zigbee with a gateway.

1 CONTROL BY LIGHT SWITCH



— On/off

WORKS WITH:



WIFI



Bluetooth[®]
MESH



zigbee

BENEFITS:

All of our smart products can also be switched on or off in the classic way using a light switch. Automatic pairing time 3 minutes.


2 CONTROL VIA SMARTPHONE



Wifi-App



Bluetooth-App



PARTNER
APP

WORKS WITH:



WIFI



Bluetooth[®]
MESH



zigbee

BENEFITS:

The easiest way: Just use the free LEDVANCE SMART⁺ WiFi app for our WiFi range, the free SMART⁺ app for our Bluetooth range or a partner app for our Zigbee products – and enjoy the numerous possibilities of smart light control.

THREE STANDARDS FOR EVERY TASTE



SMART+ WIFI

Our WiFi products are perfect for anyone who wants to explore the fascinating possibilities of smart lighting very simply and intuitively. Plenty of new indoor wall and ceiling luminaires, spotlights, downlights, functional luminaires and outdoor luminaires are ready to be discovered.



SMART+ BLUETOOTH

Our SMART+ Bluetooth products can be easily operated by voice. This is because these products harmonize perfectly with smart speakers from Google or Amazon. Your customers can control lights, music and much more. The advantage is that your customers don't need any additional hardware and can directly connect their light sources. Setup is a snap.



SMART+ ZIGBEE

The particularly energy-efficient and versatile ZigBee wireless standard is ideal for connecting different Smart Home products. Many different luminaires and other smart products can be combined through the Mesh network. What's different is that your customers need an additional gateway, also called a bridge, to use ZigBee with your LEDVANCE SMART+ ZigBee products.

SMART+ CAN DO ALL OF THIS: PRODUCT FUNCTIONS*



On/Off
function



Dimming
function



From warm
white to cool
white



Light
colour
function

* Depending on product model

3 CONTROL BY VOICE COMMAND




WORKS WITH:



BENEFITS:

For anyone who wants to control their lights by voice, all LEDVANCE SMART+ product lines work with compatible smart speakers such as Google Nest or Amazon Echo. ZigBee compatibility will depend on the partner system.

4 CONTROL BY REMOTE CONTROL



WORKS WITH:



BENEFITS:

For guests or simply because it's convenient: Wireless control of SMART+ WiFi products by remote control.

SMART⁺ WIFI: HUGE RANGE, FREE APP. THAT'S IT!



SMART⁺ WiFi is the simplest route to smart lighting. Your customers only need the following: a **SMART⁺ WiFi** lamp or luminaire, a router (most homes have one already), the free **LEDVANCE SMART⁺ WiFi** app – and they're ready to go!

Lights can also be controlled from a normal light switch (on/off), remote control or by voice command via a smart speaker. The possibilities are practically endless, with the app enabling extremely simple a wide range of functions.

¹ The maximum number will depend on your router

THE KEY BENEFITS AT A GLANCE:

- Flexible control options
- Easy integration of the products in the app or speaker
- Huge range of lamps and luminaires for indoors and outdoors
- Up to 250 products can be connected, and around 50 can be controlled simultaneously¹
- Short response time

QUICK AND EASY INTEGRATION FOR CONTROL VIA SMARTPHONE OR BY VOICE COMMAND

1

Download the LEDVANCE SMART⁺ WiFi app

2

Register and embed the router

3

Switch on the LEDVANCE lamp/ luminaire and integrate it in the LEDVANCE SMART⁺ WiFi app. **Done!**


4

amazon alexa
ENABLED

works with
Hey Google

If your customers want to expand control options: just link the LEDVANCE SMART⁺ WiFi app with the Google Home app, Alexa app or another system and connect Google Nest, Amazon Echo or other compatible smart speaker. **Done!**

SMART+ WIFI CAN DO ALL OF THIS: SYSTEM FUNCTIONS



GROUP LIGHT SOURCES




For example combine indoor and outdoor light sources




LIGHT MANAGEMENT ON THE GO




For example simulate physical presence at home




AUTOMATED LIGHTING SEQUENCES




For example light for waking up and falling asleep



INTERACTING LIGHT SOURCES



For example living room lighting off, bedroom lighting on



CREATE LIGHTING SCENES



All light sources are adjusted to create the desired atmosphere

TIPS FOR PROS

TALK ABOUT THE VERSATILITY OF SMART+!

Light with unlimited possibilities: The SMART+ WiFi product segment has once again been significantly expanded and offers the right lighting solution for every customer: The assortment now ranges from LED lamps, wall and ceiling luminaires, and LED strips to floodlights and outdoor luminaires as well as components. Go ahead and rave to your customers about the product range's versatility and point out how the system can be flexibly expanded in the future: SMART+ in every application.

SMART⁺ WIFI REMOTE CONTROL USEFUL LITTLE HELPER



The remote control is a useful additional help, especially when your smartphone is not available. It is suitable for the whole family, young and old, as well as guests. And it is always ready for instant lighting control because, unlike a smartphone, it does not have to be activated first.

THE KEY BENEFITS AT A GLANCE:

- Wireless control of SMART⁺ Wifi products without using voice control and app
- Controls up to 15 compatible SMART⁺ WiFi products by contactless pairing
- LEDVANCE SMART⁺ WiFi app required (only for configuring of SMART⁺ WiFi products)
- On/off and dimming
- Adjustable light colour via Tunable White: Warm White to Cool White
- RGB colour control
- Adjustable light scenes

QUICK AND EASY INTEGRATION FOR REMOTE CONTROL



SMART⁺ WIFI AND VOICE CONTROL: NO PROBLEM AT ALL




For anyone who wants to conveniently control their lighting at home by voice command using popular smart speakers such as Google Nest or Amazon Echo. No additional gateway is required. SMART⁺ WiFi products can be connected intuitively from cloud to cloud and the connection works perfectly. Lighting routines and scenes can be called up very easily using voice commands.

THE KEY BENEFITS AT A GLANCE:

- Easy integration of SMART⁺ WiFi products in the Google Home app or Alexa app
- Fast installation: less than 5 minutes
- Up to 250 products can be integrated


QUICK AND EASY INTEGRATION FOR CONTROL VIA GOOGLE NEST FOR EXAMPLE

1




An active account is required in the Google Home app for integrating the LEDVANCE SMART⁺ WiFi app.

2




Go to the profile in the lower right corner of the LEDVANCE WiFi app, scroll down and click on the "Google Assistant" icon.

3



Click on "Link with Google Assistant".

4



Google Home app starts; to connect the LEDVANCE WiFi account to the Google Home app, click "Confirm authorization"

5



The devices in the LEDVANCE WiFi app can then be set up in the Google Home app (rooms, routines, etc.).

SMART⁺ BLUETOOTH: EASY, QUICK AND STRESS-FREE

The SMART⁺ Bluetooth range can be linked directly to the Google and Amazon systems. This means the products not only work perfectly with the smart speakers and are therefore ideal for voice control, they can also be integrated more easily and have faster response times. The lights can also be controlled from a normal light switch (on/off) or via the LEDVANCE SMART⁺ app for Bluetooth.

THE KEY BENEFITS AT A GLANCE:

- Direct integration of SMART⁺ Bluetooth products in the Google Home app or Alexa app
- Fast installation: less than 5 minutes
- Extremely fast response time
- Bluetooth Mesh function: each additional SMART⁺ Bluetooth lamp connected in series increases the range of the network
- A practically unlimited number of light sources can be connected up

QUICK AND EASY INSTALLATION FOR CONTROL WITH VOICE COMMANDS



Screw in the LEDVANCE SMART⁺ bluetooth lamp and switch on



Set up the lamp in the Google Home app or Alexa app and link to a Google Nest or Amazon Echo speaker^{1,2}
Done!

¹ Google account and Google speaker required | ² Amazon account and Amazon speaker required

SMART⁺ BLUETOOTH CAN DO ALL THIS: SYSTEM FUNCTIONS

CREATE LIGHTING SCENES



Create lighting scenes using the app and activate via speaker

CHANGE LIGHT COLOURS AND INTENSITY



Control your lights as you wish

MUSIC AND AUDIO CONTROL



Sleep sensing¹, weather information, music and audio²



PROGRAM YOUR DAY



Define gently intensifying lighting levels at waking-up time

PROGRAM TIMES



Take advantage of the various options in addition to light control

¹ Google Nest Hub only | ² Compatible smart home devices are required

TIPS FOR PROS

SELL WITH EMOTIONALITY AND RATIONALITY!


Controlling light using your voice is both fascinating and convenient — and with SMART⁺ Bluetooth, it's also easy. That's why this target group includes both people who are enthusiastic about cutting-edge technology and those who are receptive to hearing about rational reasons like greater comfort and safety.

MUSIC. SHOWS. SIMPLE SMART HOME CONTROL. GOOGLE NEST HUB 2ND GENERATION



THE EASIEST WAY TO BE ENTERTAINED.

Play music and catch up on your favorite Netflix shows and YouTube videos.¹ And view your best shots from Google Photos automatically.




AN EFFORTLESS WAY TO TRACK YOUR SLEEP.

With Nest Hub at your bedside, Sleep Sensing² can track when you go to bed, when you wake up, and how long you've slept. Enjoy a preview of Sleep Sensing. It's free until next year.




KEEP YOUR FAMILY CONNECTED.

See your calendar and create reminders and to-dos. Get answers from Google Assistant. And broadcast messages across the house with your other Nest speakers.



¹Subscription services may be required for certain content. | ²Sleep Sensing is available as a free preview until next year. Learn more at g.co/sleepsensing/preview. After preview ends, paid subscription may be required. Sleep Sensing features are subject to your permissions and settings. They use motion, sound, and other device and sensor data to work and require placing the device close to the bed and




SIMPLE SMART LIGHT CONTROL.

Control your connected lamps or luminaires in one place with a tap – or your voice.³ Just say “Hey Google, dim the lights” or “Hey Google, are the lights on in the living room?”

WIND DOWN EASILY. WAKE UP GENTLY.

The Your Evening page helps you fall asleep with a bedtime countdown and relaxing sounds. And the Sunrise Alarm makes waking up a little easier.





IT'S BEAUTIFULLY DESIGNED.

Nest Hub's simple design and subtle colours fit any room. And it's made with the environment in mind. The enclosure is made from 54 % recycled plastic.⁴



WORKS WITH PRODUCTS AND SERVICES YOU ALREADY LOVE.

Enjoy songs, podcasts, and audiobooks from your favorite streaming services, or ask Google to play news, sports highlights, and more.¹



SMART LIGHT AND MORE: GOOGLE NEST MINI AND GOOGLE ASSISTANT



Conveniently manage your lighting using voice control. But the Google Nest Mini speaker can also do a whole lot more ...



THE GOOGLE ASSISTANT IS ALWAYS READY TO HELP.²
Just ask and get the best of Google – weather, news or almost anything. Set timers and alarms, make calls and more.⁴



TURN IT UP.
Your favourite music sounds bigger and richer on Nest Mini, 40 % stronger bass than the original Mini.⁶



STREAM MUSIC WITH YOUR VOICE.
You can play music from Spotify, YouTube Music and more.¹ Just tell your Google Assistant² the song, radio station, artist, album or genre that you want to hear. Or stream to Nest Mini from your phone.³



HEY GOOGLE, GOOD MORNING.
With Voice Match, your Google Assistant can give you personalised information about your day, such as your schedule, commute time, reminders and more.⁵



CONTROL YOUR HOME WITH YOUR VOICE.²
Just tell your Google Assistant to dim the lights, turn up the heat or pause the TV.^{2,7} Nest Mini works with hundreds of compatible smart devices, such as lights, thermostats or TVs, from the brands you love.



Hey Google, brighten the bedroom lights

Hey Google, change the lights to red

Hey Google, dim the lights 50 %

Hey Google, play some music

Hey Google, what is 25 times 83?

Hey Google, set the timer for 15 minutes

¹ Music subscriptions may be required. Nest Mini is optimized for select music services only.

² Requires an internet connection.

³ Android phone or Chromecast-enabled apps on iOS required.

⁴ The calling feature does not support calls to the emergency services (including 999 and 112) or premium-rate numbers.

⁵ Voice Match requires additional setup and enrollment, and supports up to six users. When using Voice Match, bear in mind that a voice similar to yours, or a recording of your voice, could result in Google incorrectly recognizing someone else as you.

⁶ Measured from 50-100 Hz at max volume.

⁷ Compatible smart devices required.



SMART⁺ ZIGBEE: SYSTEM SOLUTIONS FOR SMART LIGHTING



The SMART⁺ products using Zigbee technology were developed specifically for control via a gateway. This makes them ideal for anyone who wants to fully exploit the possibilities of smart lighting and wishes to integrate smart light into a comprehensive smart home system.

THE KEY BENEFITS AT A GLANCE:

- Recommended control method is a partner system app (alternatively, control via a smart speaker)
- Large range of lamps and luminaires
- Up to 50 products can be

- connected up
- Compatible with the following systems: Bosch, Philips Hue, Deutsche Telekom Qivicon, SAMSUNG SmartThings, Schwaiger HOME4YOU and many more

SMART⁺ ZIGBEE – FOR SOPHISTICATED SMART SYSTEMS WITH A GATEWAY

1




LEDVANCE
lamp/luminaire

2



Compatible partner
gateway of your choice

3




Integration in partner app

SMART⁺ ZIGBEE WITH A PARTNER GATEWAY CAN DO ALL THIS: SYSTEM FUNCTIONS



GROUP LIGHT SOURCES

For example, selected light sources in the living room, all light sources in the outside area, etc.



SIMULATE PHYSICAL PRESENCE

Lighting, blinds, radio, etc. combined with alarm and warning functions to create a comprehensive security concept.




VOICE CONTROL

Convenient voice control via smart speakers is also possible




PROGRAM TIMES

For example, gently intensifying lighting levels at waking-up time and fading lighting levels when going to sleep



LIGHT MANAGEMENT ON THE GO

Controlling the lighting at home from any location – e.g. simulating physical presence while away on a business trip.




CREATE LIGHTING SCENES

All selected light sources are adjusted to create the desired atmosphere – with just a single command



FIRE ALARM DURING ABSENCE:

Smoke alarms can also be integrated into a gateway system.



ENERGY SAVING:

Energy-saving management of the heating system.



TIPS FOR PROS


EMPHASIZE THE EXCELLENT COMPATIBILITY!

LEDVANCE SMART⁺ Zigbee products are certified in accordance with the Zigbee 3.0 transmission standard. This means they're compatible with the smart home systems of numerous leading manufacturers. So on top of exceptional flexibility, they also deliver a great advantage in terms of functionality. That's because the lighting can be connected with other smart home components such as shading, security and heating. Be sure to point out this added value to your customers!

VOICE CONTROL WITH SMART⁺ ZIGBEE

SMART⁺ ZIGBEE AND GOOGLE

Our SMART⁺ Zigbee products can be conveniently controlled via voice as well. SMART⁺ Zigbee is compatible with all speakers from Google. In this case, however, a gateway from one of our partner systems and the related app are required.



SMART⁺ ZIGBEE AND AMAZON

Does your customer already own an Amazon speaker? Perfect! SMART⁺ Zigbee is compatible with all the speaker models. Depending on the particular product generation, voice control is possible with or without a gateway.


VOICE CONTROL **WITHOUT** A SEPARATE GATEWAY

For Amazon speakers with integrated Zigbee gateways, e.g. Amazon Echo (4th generation)



VOICE CONTROL **WITH** A SEPARATE GATEWAY

For Amazon speakers without an integrated Zigbee gateway, e.g. Amazon Echo Dot






EVEN MORE SUPPORT FOR YOUR

Visit www.ledvance.co.uk/professional and discover much more information and many more services regarding SMART⁺ for your lighting projects at home! You can also use the online form to easily get in touch with us. In the product area, you will find detailed technical information, product data sheets, application images and much more about our SMART⁺ products.

<https://www.ledvance.co.uk/smart-plus-for-residential>



SMART LIGHTING PROJECTS



SUN@HOME: LIGHT YOU CAN'T JUST SEE BUT FEEL.

SUN@HOME lamps and luminaires automatically and almost identically simulate sunlight throughout the day, supporting your natural biorhythm. Whenever you switch on your SUN@HOME lights you will feel more alert and active during the day and will be able to concentrate better. And in the evening this natural quality of light allows you to wind down and recover more easily – even during sleep.

SUN@HOME

 **WIFI**



Type of lamp and
description of base

Functions


Type of technology

Plastic-free
packaging

Additional
information on SunLike
full-spectrum LED



**SUN@HOME
LAMPS****30**

**SUN@HOME
OFFICE LIGHTING****32**

**SUN@HOME
PANEL LUMINAIRES****34**

**SUN@HOME
ROUND CEILING LUMINAIRES****38**

**SUN@HOME
DOWNLIGHTS****40**

**SUN@HOME
WALL LUMINAIRES****42**

SUN@HOME: THAT'S HOW GOOD LIGHT FEELS

Light inspired by nature. SUN@HOME is the innovative human centric lighting system for your home – very easy to use and with a quality of light that is very close to that of natural sunlight and which automatically changes in the same way as natural daylight.

The large selection of lamps and luminaires offers impressive colour rendering of CRI > 95, reduced blue light component for a better sleeping pattern at night and a very broad light temperature spectrum from 2200K – 5000K. And with the help of the LEDVANCE SMART⁺ WiFi app, this quality of light can be adapted to individual biological rhythms. The result is a greater sense of well-being, better visual comfort and an improved quality of life.



NATURAL QUALITY OF LIGHT – EASILY CONTROLLED



LEDVANCE SUN@HOME
LAMP/LUMINAIRE



FREE LEDVANCE
SMART⁺ WIFI APP



NATURAL
LIGHT

EXTRA BENEFIT: HYGIENIC AIR

All SUN@HOME luminaires have a special innovative coating that removes germs, bacteria, fungi and unpleasant odors from the air.




SUNRISE INDOORS

Better light – naturally. The outstanding quality of light from SUN@HOME luminaires and lamps makes you feel good – just like the natural light of the sun.

SunLike

BROAD COLOUR SPECTRUM





2200 – 5000K: From a cozy firelight glow to energizing daylight white.

BETTER COLOUR RENDERING



Colours appear radiant and true to nature.

SMALLER BLUE COMPONENT AND MORE EVEN LIGHT DISTRIBUTION




Close to the sunlight spectrum – for greater visual comfort and well-being.

© Toshiba Materials




THIS IS HOW SUN@HOME SUPPORTS BIORHYTHMS



SUN@HOME WIFI LAMPS

SMART CLASSIC LAMPS AND SPOTLIGHTS WITH
FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY





1
SUN@Home CLASSIC A 40



2
SUN@Home CLASSIC B 25



3
SUN@Home SPOT PAR 16



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	lm/W ³	K
SUN@Home CLASSIC A 40	4058075575790	1	White	Plastics	25 000	9.00	750	G	2 200...5 000
SUN@Home CLASSIC B 25	4058075575813	2	White	Plastics	25 000	4.90	425	G	2 200...5 000
SUN@Home SPOT PAR16	4058075575776	3	Transparent	Lead Free Glass	25 000	4.90	268	G	2 200...5 000

Product name	CRI	Beam angle	IP	Beam diameter [mm]	X NCU	Beam diameter [mm]	Beam diameter [mm]
SUN@Home CLASSIC A 40	>95	220	IP20	100 000	1	118.0	60.0
SUN@Home CLASSIC B 25	>95	220	IP20	100 000	1	114.0	39.0
SUN@Home SPOT PAR16	95	38	IP20	100 000	1	54.0	50.0

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a coloured arrow but a letter. See on the right.

Energy efficiency class Product packaging	Information Table
	A
	B
	C
	D
	E
	F
	G

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).

SUN@HOME WIFI OFFICE LIGHTING LUMINAIRES

SMART OFFICE LUMINAIRE FAMILY WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





1
SUN@Home Monitor Clip Lamp
*USB cable




Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SUN@Home Monitor	4058075575912	1	Black	Plastic	30 000	2.50	35	2200 ... 5000	>95	110

Product name								
SUN@Home Monitor	IP20	15 000	1	450.0	44.0	95.5	-	4

¹ The exact terms and conditions can be found at www.ledvance.co.uk/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI PLANON™ FRAMELESS

SMART, FRAMELESS PANEL LUMINAIRES WITH
FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION
AND PERFORMANCE





1
SUN@Home PLANON FRAMELESS
120x30



2
SUN@Home PLANON FRAMELESS
60X60



3
SUN@Home PLANON FRAMELESS
30X30



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _m ²	W	lm	K	CRI	°
SUN@Home PLANON FRAMELESS 120x30	4058075575974	1	White	Aluminium	30 000	35.00	3 250	2 200 ... 5 000	>95	110
SUN@Home PLANON FRAMELESS 60X60	4058075575998	2	White	Aluminium	30 000	35.00	3 250	2 200 ... 5 000	>95	110
SUN@Home PLANON FRAMELESS 30X30	4058075576018	3	White	Aluminium	30 000	20.00	1 800	2 200 ... 5 000	>95	110

Product name							
SUN@Home PLANON FRAMELESS 120x30	IP20	15 000	1	1 200.0	300.0	61.0	3
SUN@Home PLANON FRAMELESS 60X60	IP20	15 000	1	600.0	600.0	61.0	3
SUN@Home PLANON FRAMELESS 30X30	IP20	15 000	1	300.0	300.0	61.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI PLANON™ PLUS

SMART PANEL LUMINAIRES WITH METAL FRAMES,
FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION
AND PERFORMANCE





1
SUN@Home PLANON PLUS
120x30



2
SUN@Home PLANON PLUS
60X60



3
SUN@Home PLANON PLUS
30X30



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SUN@Home PLANON PLUS 120x30	4058075576032	1	White	Aluminium	30 000	35.00	3 250	2 200 ... 5 000	>95	110
SUN@Home PLANON PLUS 60X60	4058075576056	2	White	Aluminium	30 000	35.00	3 250	2 200 ... 5 000	>95	110
SUN@Home PLANON PLUS 30X30	4058075576070	3	White	Aluminium	30 000	20.00	1 800	2 200 ... 5 000	>95	110

Product name	IP	X (mm)	Y (mm)	Z (mm)	b (mm)	h (mm)	°
SUN@Home PLANON PLUS 120x30	IP20	15 000	1	1 200.0	300.0	56.0	3
SUN@Home PLANON PLUS 60X60	IP20	15 000	1	600.0	600.0	56.0	3
SUN@Home PLANON PLUS 30X30	IP20	15 000	1	300.0	300.0	56.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI ORBIS® CEILING PLATE

SMART, AESTHETIC CEILING LUMINAIRE WITH
FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION
AND PERFORMANCE





1
SUN@Home ORBIS Plate



Product name

GTIN (EAN)



COLOUR

MATERIAL



SUN@Home ORBIS Plate

4058075575950

1

White

PMMA

30 000

26.00

2100

2200 ... 5000

>95

IP20

Product name



SUN@Home ORBIS Plate

10 000

1

430.0

430.0


70.0

3

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI DOWNLIGHT SLIM

SMART DOWNLIGHTS FOR DIFFUSED LIGHT WITH
FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION
AND PERFORMANCE





1
SUN@Home Downlight Slim
225mm



2
SUN@Home Downlight Slim
120mm



3
SUN@Home Downlight Slim
85mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SUN@Home Downlight Slim 225mm	4058075575851	1	White	Plastic	25 000	22.00	2 000	2 200 ... 5 000	>95	110
SUN@Home Downlight Slim 120mm	4058075627024	2	White	Plastic	25 000	8.00	700	2 200 ... 5 000	>95	110
SUN@Home Downlight Slim 85mm	4058075627000	3	White	Plastic	25 000	4.50	400	2 200 ... 5 000	>95	110

Product name						
SUN@Home Downlight Slim 225mm	IP20	15 000	1	33.5	225.0	6
SUN@Home Downlight Slim 120mm	IP20	15 000	1	35.0	120.0	6
SUN@Home Downlight Slim 85mm	IP20	15 000	1	37.0	85.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI ORBIS® CROSS

SMART, ADJUSTABLE WALL LUMINAIRES WITH
FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION
AND PERFORMANCE





1
SUN@Home ORBIS Cross






Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	IP
SUN@Home ORBIS Cross	4058075575936	1	White	Steel	30 000	12.00	800	2 200 ... 5 000	>95	IP20


Product name								
SUN@Home ORBIS Cross	10 000	1	309.0	200.0	106.0	8		

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI: SIMPLE INTRODUCTION – COUNTLESS POSSIBILITIES

SMART⁺ WiFi is the simple – and particularly cost-effective – option for getting into smart lighting. Despite its simplicity, it offers a host of clever functions and there is an extensive product portfolio.



	SMART+ WIFI LAMPS AND COMPONENTS	46		SMART+ WIFI INDOOR DAMP PROOF LUMINAIRE	150
	SMART+ WIFI INDOOR PANEL LUMINAIRES	60		SMART+ WIFI OUTDOOR TABLE, WALL AND PATHWAY LUMINAIRES	152
	SMART+ WIFI INDOOR SQUARE LUMINAIRES	72		SMART+ WIFI OUTDOOR CAMERA LUMINAIRES AND FLOODLIGHTS	168
	SMART+ WIFI INDOOR ROUND LUMINAIRES	84			
	SMART+ WIFI INDOOR DOWNLIGHTS	118			
	SMART+ WIFI INDOOR WALL AND FLOOR STANDING LUMINAIRES	124			
	SMART+ WIFI BATHROOM LUMINAIRES	134			
	INDOOR LED STRIPS	148			



SMART+ WIFI CLASSIC LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	W	Im	Energy Efficiency Class	Base	Power	Color Temperature	Dimmable	Lifespan (hrs)	Beam Angle	Base Diameter	Base Length	Base Shape	Base Material
SMART+ WIFI Classic Dimmable															
SMART+ WIFI Classic 100 14W/2700K E27	4058075485471	1	100	14	1521	E27	F	2700	Yes	15000	142	75	1	4	
SMART+ WIFI Classic 75 9.5W/2700K E27	4058075485419	1	75	10	1055	E27	F	2700	Yes	15000	115	60	1	4	
SMART+ WIFI Classic 60 9W/2700K E27	4058075485358	1	60	9	806	E27	F	2700	Yes	15000	112	60	1	4	
SMART+ WIFI Filament Classic Dimmable															
SMART+ WIFI Classic A GLFR 100 11/2700K E27	4058075609730	10	100	11	1521	E27	D	2700	Yes	15000	133	67	1	4	
SMART+ WIFI Classic A GLFR 75 7.5W/2700K E27	4058075609716	11	75	7.5	1055	E27	D	2700	Yes	15000	105	60	1	4	
SMART+ WIFI Classic A CLEAR 60 6W/2700K E27	4058075528239	2	60	6	806	E27	E	2700	Yes	15000	105	60	1	4	
SMART+ WIFI Classic A Smoke 44 6W/2500K E27	4058075609815	7	44	6	540	E27	F	2500	Yes	15000	105	60	1	4	
SMART+ WIFI Classic A GLFR 60 6W/2700K B22d	4058075609891	8	60	6	806	B22d	E	2700	Yes	15000	117	60	1	4	
SMART+ WIFI Classic Tunable White															
SMART+ WIFI Classic 100 14W/2700...6500K E27	4058075485495	3	100	14	1521	E27	F	2700...6500	Yes	15000	142	75	1	4	
SMART+ WIFI Classic 75 9.5W/2700...6500K E27	4058075485433	3	75	10	1055	E27	F	2700...6500	Yes	15000	115	60	1	4	
SMART+ WIFI Classic 60 9W/2700...6500K E27	4058075485372	3	60	9	806	E27	F	2700...6500	Yes	15000	112	60	1	4	
SMART+ WIFI Classic 60 9W/2700...6500K B22d	4058075515642	4	60	9	806	B22d	F	2700...6500	Yes	15000	112	60	1	4	
SMART+ WIFI Classic Multicolour															
SMART+ WIFI Classic 100 14W/2700...6500K E27	4058075485518	5	100	14	1521	E27	F	RGBW 2700...6500	Yes	15000	142	75	1	4	
SMART+ WIFI Classic 75 9.5W/2700...6500K E27	4058075485457	5	75	10	1055	E27	F	RGBW 2700...6500	Yes	15000	115	60	1	4	
SMART+ WIFI Classic 60 9W/2700...6500K E27	4058075485396	5	60	9	806	E27	F	RGBW 2700...6500	Yes	15000	112	60	1	4	
SMART+ WIFI Classic 60 9W/2700...6500K B22d	4058075521414	9	60	9	806	B22d	F	RGBW 2700...6500	Yes	15000	112	60	1	4	
SMART+ WIFI Filament Classic Multicolour															
SMART+ WIFI Classic A RGBW 30 4.5W/2700K E27	4058075619012	6	30	4.5	300	E27	G	RGBW 2700...6500	Yes	15000	105	60	1	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CANDLE LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	W ¹	W	lm				K		t ₉₀ ³	l ₉₀	φ		
SMART+ WIFI Candle Dimmable															
SMART+ WIFI Candle 40 5W/2700K E14	4058075485532	1	40	5	470	E14	F	2700	Yes	20000	107	38	1	4	
SMART+ WIFI Filament Candle Dimmable															
SMART+ WIFI Candle Clear 40 4W/2700K E14	4058075609754	2	40	4	470	E14	E	2700	Yes	15000	115	35	1	4	
SMART+ WIFI Candle Tunable White															
SMART+ WIFI Candle 40 5W/2700...6500K E14	4058075485556	3	40	5	470	E14	F	2700...6500	Yes	20000	107	38	1	4	
SMART+ WIFI Candle Multicolour															
SMART+ WIFI Candle 40 5W/2700...6500K E14	4058075485570	4	40	5	470	E14	F	RGBW 2700...6500	Yes	20000	107	38	1	4	




¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI MINI-GLOBE LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	W ¹	lm	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)
SMART+ WIFI Mini Bulb Dimmable															
SMART+ WIFI Mini bulb 40 5W/2700K E14	4058075485594	1	40	5	470	E14	F	2700	Yes	20 000	90	47	1	4	
SMART+ WIFI Filament Mini Bulb Dimmable															
SMART+ WIFI Mini bulb Clear 40 4W/2700K E14	4058075609778	2	40	4	470	E14	E	2700	Yes	15 000	110	45	1	4	
SMART+ WIFI Mini bulb Clear 40 4W/2700K E27	4058075609792	3	40	4	470	E27	E	2700	Yes	15 000	77	45	1	4	
SMART+ WIFI Mini Bulb Tunable White															
SMART+ WIFI Mini bulb 40 5W/2700...6500K E14	4058075485617	4	40	5	470	E14	F	2700...6500	Yes	20 000	90	47	1	4	
SMART+ WIFI Mini Bulb Multicolour															
SMART+ WIFI Mini bulb 40 5W/2700...6500K E14	4058075485631	5	40	5	470	E14	F	RGBW 2700...6500	Yes	20 000	90	47	1	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs




SMART+ WIFI FILAMENT LAMPS WITH EDISON BULB

Product name	GTIN (EAN)	No.	W ¹	W	lm	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class
SMART+ WIFI Filament Edison Dimmable WIFI W lm Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class															
SMART+ WIFI CL Edison Clear 60 6W/2700K E27	4058075528277	1	60	6	806	E27	E	2700	Yes	15 000	143	64	1	4	
SMART+ WIFI CL Edison Smoke 44 6W/2500K E27	4058075609839	2	44	6	540	E27	F	2500	Yes	15 000	143	64	1	4	
SMART+ WIFI Filament Edison Multicolour WIFI W lm Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class Energy efficiency class															
SMART+ WIFI CL Edison RGBW 30 4.5W/2700K E27	4058075609914	3	30	4.5	300	E27	G	RGBW 2700	Yes	15 000	140	64	1	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI LAMPS WITH GLOBE BULB

Product name

GTIN (EAN)



























SMART+ WiFi Filament Globe Dimmable

SMART+ WiFi Globe125 Clear 60 6W/2700K E27

4058075528291

1

60

6

806

E27

E

2700

Yes

15000

168

125

1

4

SMART+ WiFi Globe125 Gold 53 6W/2400K E27

4058075609693

3

53

6

680

E27

E

2400

Yes

15000

168

125

1

4

SMART+ WiFi Globe125 Smoke 44 6W/2500K E27

4058075609853

4

44

6

540

E27

F

2500

Yes

15000

168

125

1

4

SMART+ WiFi Globe200 Smoke 42 6W/2500K E27

4058075609877

5

42

6

540

E27

G

2500

Yes

15000

283

200

1

4

SMART+ WiFi Globe Tunable White

SMART+ WiFi Globe 95 100 14W/2700...6500K E27

4058075609594

6

100

14

1521

E27

F

2700...6500

Yes

20000

142

95

1

4

SMART+ WiFi Globe Multicolour

SMART+ WiFi Globe125 RGBW 30 4.5W/2700K E27

4058075609938

2

30

4.5

300

E27

G

RGBW 2700

Yes

15000

173

125

1

4

SMART+ WiFi Globe 95 100 14W/2700...6500K E27

4058075609617

7

100

14

1521

E27

F

RGBW 2700...6500

Yes

20000

142

95

1

4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI REFLECTOR LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	W ¹	W	lm	Energy efficiency class	Base	Beam angle	Temp. (K)	Dimmable	Lifespan (hrs)	Beam diameter (mm)	Mounting hole diameter (mm)	Weight (g)	Icons
SMART+ WIFI SPOT GU10 Dimmable															
SMART+ WiFi Spot 50 45° 5W/2700K GU10	4058075485655	1	50	5	350	GU10	G	2700	Yes	20000	52	50	1	4	
SMART+ WIFI SPOT GU10 Tunable White															
SMART+ WiFi Spot 50 45° 5W/2700...6500K GU10	4058075485679	2	50	5	350	GU10	G	2700...6500	Yes	20000	52	50	1	4	
SMART+ WIFI SPOT GU10 Multicolour															
SMART+ WiFi Spot 50 45° 5W/2700...6500K GU10	4058075485693	3	50	5	350	GU10	G	RGBW 2700...6500	Yes	20000	52	50	1	4	
SMART+ WIFI SPOT Concentra Tunable White															
SMART+ WiFi Spot 40 45° 3W/2700...6500K E14	4058075609518	4	40	3	210	E14	G	2700...6500	Yes	20000	85	50	1	4	
SMART+ WiFi Spot 60 45° 5W/2700...6500K E27	4058075609532	5	60	5	345	E27	F	2700...6500	Yes	20000	102	63	1	4	
SMART+ WIFI SPOT Concentra Multicolour															
SMART+ WiFi Spot 40 45° 3W/2700...6500K E14	4058075609556	6	40	3	210	E14	G	RGBW 2700...6500	Yes	20000	85	50	1	4	
SMART+ WiFi Spot 60 45° 5W/2700...6500K E27	4558075609570	7	60	5	345	E27	F	RGBW 2700...6500	Yes	20000	102	63	1	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



1





SMART+ WIFI CLASSIC LAMPS – DOUBLE PACKS

Product name	GTIN (EAN)		 ¹				 ²			 ³				
SMART+ WiFi Classic Multicolour														
SMART+ WiFi Classic 60 9W/2700...6500K E27	4058075521438	1	60	9	806	E27	F	RGBW 2700...6500	Yes	15000	115	60	2	8



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CLASSIC LAMPS – TRIPLE PACKS

Product name	GTIN (EAN)	No.	W ¹	W	lm	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)
--------------	------------	-----	----------------	---	----	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------

SMART+ WIFI Classic Dimmable

SMART+ WIFI Classic 100 14W/2700K E27	4058075485839	1	100	14	1521	E27	F	2700	Yes	15000	142	75	3	12
SMART+ WIFI Classic 75 9.5W/2700K E27	4058075485778	1	75	10	1055	E27	F	2700	Yes	15000	115	60	3	12
SMART+ WIFI Classic 60 9W/2700K E27	4058075485716	1	60	9	806	E27	F	2700	Yes	15000	112	60	3	12

SMART+ WIFI Classic Tunable White

SMART+ WIFI Classic 100 14W/2700...6500K E27	4058075485853	2	100	14	1521	E27	F	2700...6500	Yes	15000	142	75	3	12
SMART+ WIFI Classic 75 9.5W/2700...6500K E27	4058075485792	2	75	10	1055	E27	F	2700...6500	Yes	15000	115	60	3	12
SMART+ WIFI Classic 60 9W/2700...6500K E27	4058075485730	2	60	9	806	E27	F	2700...6500	Yes	15000	112	60	3	12
SMART+ WIFI Classic 60 9W/2700...6500K B22d	4058075515666	3	60	9	806	B22d	F	2700...6500	Yes	15000	112	60	3	12

SMART+ WIFI Classic Multicolour

SMART+ WIFI Classic 100 14W/2700...6500K E27	4058075485877	4	100	14	1521	E27	F	RGBW 2700...6500	Yes	15000	142	75	3	12
SMART+ WIFI Classic 75 9.5W/2700...6500K E27	4058075485815	4	75	10	1055	E27	F	RGBW 2700...6500	Yes	15000	115	60	3	12
SMART+ WIFI Classic 60 9W/2700...6500K E27	4058075485754	4	60	9	806	E27	F	RGBW 2700...6500	Yes	15000	112	60	3	12
SMART+ WIFI Classic 60 9W/2700...6500K B22d	4058075515680	5	60	9	806	B22d	F	RGBW 2700...6500	Yes	15000	112	60	3	12



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs

Product name	GTIN (EAN)	No.	w ₂₅ ¹	W	lm		²	K		t _m ³					
SMART+ WiFi Candle Dimmable															
SMART+ WiFi Candle 40 5W/2700K E14	4058075485891	1	40	5	470	E14	F	2700	Yes	20000	107	38	3	12	
SMART+ WiFi Candle Tunable White															
SMART+ WiFi Candle 40 5W/2700...6500K E14	4058075485914	2	40	5	470	E14	F	2700...6500	Yes	20000	107	38	3	12	
SMART+ WiFi Candle Multicolour															
SMART+ WiFi Candle 40 5W/2700...6500K E14	4058075485938	3	40	5	470	E14	F	RGBW 2700...6500	Yes	20000	107	38	3	12	




54



SMART+ WIFI MINI-GLOBE LAMPS – TRIPLE PACKS

Product name	GTIN (EAN)	No.	W ¹	W	lm	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)
SMART+ WiFi Mini Bulb Dimmable															
SMART+ WiFi Mini bulb 40 5W/2700K E14	4058075485952	1	40	5	470	E14	F	2700	Yes	20 000	90	47	3	12	
SMART+ WiFi Mini Bulb Tunable White															
SMART+ WiFi Mini bulb 40 5W/2700...6500K E14	4058075485976	2	40	5	470	E14	F	2700...6500	Yes	20 000	90	47	3	12	
SMART+ WiFi Mini Bulb Multicolour															
SMART+ WiFi Mini bulb 40 5W/2700...6500K E14	4058075485990	3	40	5	470	E14	F	RGBW 2700...6500	Yes	20 000	90	47	3	12	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI REFLECTOR LAMPS – TRIPLE PACKS

Product name	GTIN (EAN)													
SMART+ WIFI SPOT GU10 Dimmable														
SMART+ WIFI Spot 50 45° 5W/2700K GU10	4058075486010	1	50	5	350	GU10	G	2700	Yes	20 000	52	50	3	12
SMART+ WIFI SPOT GU10 Tunable White														
SMART+ WIFI Spot 50 45° 5W/2700...6500K GU10	4058075486034	2	50	5	350	GU10	G	2700...6500	Yes	20 000	52	50	3	12
SMART+ WIFI SPOT GU10 Multicolour														
SMART+ WIFI Spot 50 45° 5W/2700...6500K GU10	4058075486058	3	50	5	350	GU10	G	RGBW 2700...6500	Yes	20 000	52	50	3	12



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI PLUG INDOOR AND OUTDOOR

Product name		GTIN (EAN)		 No		 PROTECTION CLASS		 A MAX		 COLOUR		 IP					
SMART+ WiFi Plug Indoor																	
SMART+ WIFI PLUG EU		4058075537248		1		I		10		White		IP20		1		4	
SMART+ WIFI PLUG UK		4058075566996		2		I		13		White		IP20		1		4	





SMART+ WIFI REMOTE CONTROL

Product name		GTIN (EAN)		 No.		 COLOUR		 IP					
SMART+ WIFI Remote Control													
SMART+ WIFI Remote Control		4058075570917		1		White		IP20		1		4	





SMART⁺ WIFI PLANON™ FRAMELESS SQUARE

FRAMELESS, SQUARE PANEL LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
600x600



2
SMART+ WIFI PLANON
450x450



3
SMART+ WIFI PLANON
300x300



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
Smart+ WIFI PLANON FRAMELESS TW 600x600	4058075484436	1	White	Aluminium	25 000	40.00	3 400	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600**	4058075484474	1	White	Aluminium	25 000	40.00	3 400	RGB, 3 000...6 000	>80	110
SMART+ WIFI PLANON FRAMELESS TW 450x450	4058075484375	2	White	Aluminium	25 000	28.00	2 300	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 300x300	4058075484313	3	White	Aluminium	25 000	20.00	1 600	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300**	4058075484351	3	White	Aluminium	25 000	20.00	1 500	RGB, 3 000...6 000	>80	110

Product name						
Smart+ WIFI PLANON FRAMELESS TW 600x600	IP20	15 000	596.0	596.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600**	IP20	15 000	596.0	596.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 450x450	IP20	15 000	450.0	450.0	69.0	4
SMART+ WIFI PLANON FRAMELESS TW 300x300	IP20	15 000	300.0	300.0	69.0	5
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300**	IP20	15 000	300.0	300.0	69.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ FRAMELESS RECTANGULAR RECTANGULAR LIGHT PANELS WITHOUT FRAMES – WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
1200x300



2
SMART+ WIFI PLANON
1200x100



3
SMART+ WIFI PLANON
600x300



4
SMART+ WIFI PLANON
600x100



5
SMART+ WIFI PLANON
800x100



6
SMART+ WIFI PLANON
400x100




Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300**	4058075484511	1	White	Aluminium	25 000	40.00	3 300	RGB, 3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 1200x300	4058075484498	1	White	Aluminium	25 000	40.00	3 400	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 1200x100	4058075484535	2	White	Aluminium	25 000	35.00	2 500	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100**	4058075484573	2	White	Aluminium	25 000	35.00	2 500	RGB, 3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 600x300	4058075484412	3	White	Aluminium	25 000	28.00	2 100	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 600x100	4058075484610	4	White	Aluminium	25 000	28.00	1 800	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 800x100	4058075484597	5	White	Aluminium	25 000	27.00	2 000	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 400x100	4058075484634	6	White	Aluminium	25 000	16.00	1 050	3 000...6 500	>80	110

Product name	IP					
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300 **	IP20	15 000	1 200.0	300.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 1200x300	IP20	15 000	1 200.0	300.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 1200x100	IP20	15 000	1 200.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100**	IP20	15 000	1 200.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 600x300	IP20	15 000	600.0	300.0	69.0	4
SMART+ WIFI PLANON FRAMELESS TW 600x100	IP20	15 000	600.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 800x100	IP20	15 000	800.0	100.0	65.0	6
SMART+ WIFI PLANON FRAMELESS TW 400x100	IP20	15 000	400.0	100.0	65.0	9

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ FRAMELESS ROUND

ROUND WALL AND CEILING LUMINAIRES IN FRAMELESS DESIGNS –
WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
450



2
SMART+ WIFI PLANON
300



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI PLANON FRAMELESS TW 450	4058075484719	1	White	Aluminium	25 000	28.00	2700	3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	4058075484696	2	White	Aluminium	25 000	20.00	1 600	RGB, 3 000...6 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 300	4058075484672	2	White	Aluminium	25 000	20.00	1 700	3 000...6 500	>80	110


Product name	IP	h (mm)	d (mm)	°
--------------	----	--------	--------	---

SMART+ WIFI PLANON FRAMELESS TW 450	IP20	15 000	65.0	450.0	5
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	IP20	15 000	69.0	300.0	5
SMART+ WIFI PLANON FRAMELESS TW 300	IP20	15 000	65.0	300.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS BACKLIGHT

PANEL LUMINAIRES WITH SEPARATELY CONTROLLABLE
BACKLIGHTS WITH RGB FUNCTION





1
PLANON PLUS BACKLIGHT
600x600mm Black +RC



2
PLANON PLUS BACKLIGHT
600x600mm White +RC



3
PLANON PLUS BACKLIGHT
100x25mm Black +RC



4
PLANON PLUS BACKLIGHT
100x250mm White +RC



5
PLANON PLUS BACKLIGHT
450x450mm Black +RC



6
PLANON PLUS BACKLIGHT
450x450mm White +RC



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	--

PLANON PLUS BACKLIGHT 600X600mm Black +RC	4058075650275	1	Black	Aluminium	25 000	39.00	2 700	3 000...6 500	≥80	110
PLANON PLUS BACKLIGHT 600X600mm White +RC	4058075650190	2	White	Aluminium	25 000	39.00	2 700	3 000...6 500	≥80	110
PLANON PLUS BACKLIGHT 100X25mm Black +RC	4058075650299	3	Black	Aluminium	25 000	27.00	1 800	3 000...6 500	≥80	110
PLANON PLUS BACKLIGHT 100X250mm White +RC	4058075650213	4	White	Aluminium	25 000	28.00	1 800	3 000...6 500	≥80	110
PLANON PLUS BACKLIGHT 450X450mm Black +RC	4058075650251	5	Black	Aluminium	25 000	27.00	1 800	3 000...6 500	≥80	110
PLANON PLUS BACKLIGHT 450X450mm White +RC	4058075650152	6	White	Aluminium	25 000	27.00	1 800	3 000...6 500	≥80	110

Product name	IP						
--------------	----	--	--	--	--	--	--

PLANON PLUS BACKLIGHT 600X600mm Black +RC	IP20	15 000	2	60.0	60.0	56.0	3
PLANON PLUS BACKLIGHT 600X600mm White +RC	IP20	15 000	2	60.0	60.0	56.0	3
PLANON PLUS BACKLIGHT 100X250mm White +RC	IP20	15 000	2	100.0	25.0	56.0	4
PLANON PLUS BACKLIGHT 100X25mm Black +RC	IP20	15 000	2	100.0	25.0	56.0	4
PLANON PLUS BACKLIGHT 450X450mm Black +RC	IP20	15 000	2	45.0	45.0	56.0	4
PLANON PLUS BACKLIGHT 450X450mm White +RC	IP20	15 000	2	45.0	45.0	56.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS SQUARE

SQUARE PANEL LUMINAIRES FOR CEILING MOUNTING –
WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





1
SMART+ WIFI PLANON PLUS TW
600x600



2
SMART+ WIFI PLANON PLUS TW
450x450



3
SMART+ WIFI PLANON PLUS TW
300x300




Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI PLANON PLUS TW 600x600***	4058075525382	1	White	Aluminium	25 000	36.00	2 800	3 000...6 500	≥80	110
SMART+ WIFI PLANON PLUS TW 450x450***	4058075525337	2	White	Aluminium	25 000	28.00	2 000	3 000...6 500	≥80	110
SMART+ WIFI PLANON PLUS TW 300x300***	4058075525313	3	White	Aluminium	25 000	20.00	1 400	3 000...6 500	≥80	110
SMART+ WIFI PLANON PLUS RGBW 600x600**	4058075525269	-	White	Aluminium	25 000	36.00	3 000	RGB, 3 000	≥80	110
SMART+ WIFI PLANON PLUS RGBW 450x450**	4058075525221	-	White	Aluminium	25 000	28.00	2 000	RGB, 3 000	≥80	110
SMART+ WIFI PLANON PLUS RGBW 300x300**	4058075495708	-	White	Aluminium	25 000	20.00	1 400	RGB, 3 000	≥80	110

Product name	IP	l (mm)	b (mm)	h (mm)	°
SMART+ WIFI PLANON PLUS TW 600x600***	IP20	15 000	595.0	595.0	3
SMART+ WIFI PLANON PLUS TW 450x450***	IP20	15 000	450.0	450.0	4
SMART+ WIFI PLANON PLUS TW 300x300***	IP20	15 000	300.0	300.0	5
SMART+ WIFI PLANON PLUS RGBW 600x600**	IP20	15 000	595.0	595.0	3
SMART+ WIFI PLANON PLUS RGBW 450x450**	IP20	15 000	450.0	450.0	4
SMART+ WIFI PLANON PLUS RGBW 300x300**	IP20	15 000	300.0	300.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS RECTANGULAR

RECTANGULAR PANEL LUMINAIRES FOR CEILING MOUNTING –
WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





1
SMART+ WIFI PLANON PLUS TW
1200x300



2
SMART+ WIFI PLANON PLUS TW
600x300



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI PLANON PLUS TW 1200x300***	4058075525405	1	White	Aluminium	25 000	36	2800	3 000...6 500	≥80	110
SMART+ WIFI PLANON PLUS RGBW 1200x300**	4058075525290	1	White	Aluminium	25 000	36	3 000	RGB, 3 000	≥80	110
SMART+ WIFI PLANON PLUS RGBW 600x300**	4058075525245	2	White	Aluminium	25 000	28	2 000	RGB, 3 000	≥80	110
SMART+ WIFI PLANON PLUS TW 600x300***	4058075525368	2	White	Aluminium	25 000	22	1 600	3 000...6 500	≥80	110

Product name	IP	l [mm]	b [mm]	h [mm]	°
--------------	----	--------	--------	--------	---

SMART+ WIFI PLANON PLUS TW 1200x300**	IP20	15 000	1 200.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 1200x300*	IP20	15 000	1 200.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 600x300*	IP20	15 000	595.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS TW 600x300**	IP20	15 000	595.0	300.0	56.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] MAGNET SQUARE

SQUARE LUMINAIRES WITH VERY SIMPLE MAGNETIC MOUNTING AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS MAGNET
450x450mm White



2
SMART+ WIFI ORBIS MAGNET
450x450mm Black



3
SMART+ WIFI ORBIS MAGNET
450x450mm Grey



4
SMART+ WIFI ORBIS MAGNET
300x300mm White



5
SMART+ WIFI ORBIS MAGNET
300x300mm Black



6
SMART+ WIFI ORBIS MAGNET
300x300mm Grey



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI ORBIS MAGNET 450X450mm White	4058075572690	1	White	Steel	30 000	42.00	4 200	3 000...6 500	≥80	110
SMART+ WIFI ORBIS MAGNET 450X450mm Black	4058075572751	2	Black	Steel	30 000	42.00	4 200	3 000...6 500	≥80	110
SMART+ WIFI ORBIS MAGNET 450X450mm Grey	4058075572812	3	Grey	Steel	30 000	42.00	4 200	3 000...6 500	≥80	110
SMART+ WIFI ORBIS MAGNET 300X300mm White	4058075572652	4	White	Steel	30 000	26.00	2 500	3 000...6 500	≥80	110
SMART+ WIFI ORBIS MAGNET 300X300mm Black	4058075572737	5	Black	Steel	30 000	26.00	2 500	3 000...6 500	≥80	110
SMART+ WIFI ORBIS MAGNET 300X300mm Grey	4058075572799	6	Grey	Steel	30 000	26.00	2 500	3 000...6 500	≥80	110

Product name	IP	°	h _{max}	h _{min}	b _{max}	b _{min}	h _{max}
SMART+ WIFI ORBIS MAGNET 450X450mm White	IP20	15 000	1	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 450X450mm Black	IP20	15 000	1	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 450X450mm Grey	IP20	15 000	1	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm White	IP20	15 000	1	300.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm Black	IP20	15 000	1	300.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm Grey	IP20	15 000	1	300.0	300.0	86.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] MAGNET RECTANGULAR

RECTANGULAR LUMINAIRES WITH VERY SIMPLE MAGNETIC MOUNTING AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS MAGNET
600x300mm White



2
SMART+ WIFI ORBIS MAGNET
600x300mm Black



3
SMART+ WIFI ORBIS MAGNET
600x300mm Grey




Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI ORBIS MAGNET 600X300mm White	4058075572713	1	White	Steel	30 000	42.00	4 200	3 000...6 500	≥80	110
SMART+ WIFI ORBIS MAGNET 600X300mm Black	4058075572775	2	Black	Steel	30 000	42.00	4 200	3 000...6 500	≥80	110
SMART+ WIFI ORBIS MAGNET 600X300mm Grey	4058075572836	3	Grey	Steel	30 000	42.00	4 200	3 000...6 500	≥80	110

Product name	IP	X	h	b	h	h
SMART+ WIFI ORBIS MAGNET 600X300mm White	IP20	15 000	1	600.0	300.0	86.0
SMART+ WIFI ORBIS MAGNET 600X300mm Black	IP20	15 000	1	600.0	300.0	86.0
SMART+ WIFI ORBIS MAGNET 600X300mm Grey	IP20	15 000	1	600.0	300.0	86.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] BACKLIGHT SQUARE

SQUARE CEILING LUMINAIRES WITH EFFECTIVE BACKLIGHTING,
AND TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS BACKLIGHT
350x350mm White



2
SMART+ WIFI ORBIS BACKLIGHT
350x350mm Black



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI ORBIS BACKLIGHT 350X350mm White	4058075572850	1	White	Steel	30 000	28.00	2400	3 000...6 500	≥80	110
SMART+ WIFI ORBIS BACKLIGHT 350X350mm Black	4058075572874	2	Black	Metal	30 000	28.00	2400	3 000...6 500	>80	110

Product name	IP	W	h	b	h	h
--------------	----	---	---	---	---	---

SMART+ WIFI ORBIS BACKLIGHT 350X350mm White	IP20	15 000	2	350.0	350.0	90.0	4
SMART+ WIFI ORBIS BACKLIGHT 350X350mm Black	IP20	15 000	2	350.0	350.0	90.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] STELLA

SQUARE CEILING LUMINAIRE IN A STYLISH DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS STELLA
485x485mm





Product name	GTIN (EAN)									
SMART+ WIFI ORBIS STELLA 485x485mm	4058075573390	1	White	Steel	30 000	32.00	3250	2700...6500	>80	110

Product name							
SMART+ WIFI ORBIS STELLA 485x485mm	IP20	15 000	2	485.0	485.0	80.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] SADDIE

CEILING LUMINAIRE WITH TUNABLE WHITE AND RGB FUNCTION
FOR COLOURED ACCENTS





1
SMART+ WIFI ORBIS SADDIE
500mm



Product name	GTIN (EAN)		COLOUR	MATERIAL		W	lm	K	CRI	
SMART+ WIFI ORBIS SADDIE 500mm	4058075573451	1	White	Steel	30 000	32.00	3 400	2 700...6 500	>80	110

Product name	IP						
SMART+ WIFI ORBIS SADDIE 500mm	IP20	15 000	2	500.0	500.0	55.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] CLEAN

SMART CEILING LUMINAIRE WITH TUNABLE WHITE FUNCTION
IN A MODERN, PURIST LOOK





1
SMART+ WIFI ORBIS CLEAN
530x530mm



Product name

GTIN (EAN)



COLOUR

MATERIAL



SMART+ WIFI ORBIS CLEAN 530X530mm

4058075572614

1

White

Steel

30 000

42.00

4 200

3 000...6 500

≥80

IP20

Product name



SMART+ WIFI ORBIS CLEAN 530X530mm

530.0

530.0

85.0

3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] SPARKLE

ROUND CEILING LUMINAIRE WITH GLITTER EFFECT AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS SPARKLE
560mm



2
SMART+ WIFI ORBIS SPARKLE
460mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°	IP
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---	----

SMART+ WIFI ORBIS SPARKLE 560mm	4058075573499	1	White	Steel	15 000	30.00	3300	2700	>80	120	IP20
SMART+ WIFI ORBIS SPARKLE 460mm	4058075573475	2	White	Steel	15 000	24.00	2500	2700	>80	120	IP20

Product name	h (mm)	d (mm)	Weight
--------------	--------	--------	--------

SMART+ WIFI ORBIS SPARKLE 560mm	15 000	76.0	560.0	5
SMART+ WIFI ORBIS SPARKLE 460mm	15 000	76.0	460.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] GAVIN, LISA AND JADEN

SMART CEILING LUMINAIRES WITH STRIKING EDGES IN BLACK AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS GAVIN
500mm



2
SMART+ WIFI ORBIS LISA
500mm



3
SMART+ WIFI ORBIS JADEN
500mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°	IP
SMART+ WIFI ORBIS GAVIN 500mm	4058075573512	1	Black	Steel	15 000	30.00	3 300	2 700	>80	120	IP20
SMART+ WIFI ORBIS LISA 500mm	4058075573536	2	Black	Steel	15 000	30.00	3 300	2 700	>80	120	IP20
SMART+ WIFI ORBIS JADEN 500mm	4058075573550	3	Black	Steel	15 000	30.00	3 300	2 700	>80	120	IP20

Product name		h (mm)	d (mm)	
SMART+ WIFI ORBIS GAVIN 500mm	15 000	85.0	484.0	5
SMART+ WIFI ORBIS LISA 500mm	15 000	85.0	484.0	5
SMART+ WIFI ORBIS JADEN 500mm	15 000	85.0	488.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] BACKLIGHT ROUND

ROUND CEILING LUMINAIRES WITH EFFECTIVE BACKLIGHTING,
AND TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS BACKLIGHT
350mm White



2
SMART+ WIFI ORBIS BACKLIGHT
350mm Black



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI ORBIS BACKLIGHT 350mm White	4058075574397	1	White	Steel	30 000	28.00	2400	3 000...6 500	≥80	110
SMART+ WIFI ORBIS BACKLIGHT 350mm Black	4058075573574	2	Black	Metal	30 000	28.00	2400	3 000...6 500	>80	110

Product name	IP	h	h	d	h
--------------	----	---	---	---	---

SMART+ WIFI ORBIS BACKLIGHT 350mm White	IP20	15 000	2	90.0	350.0	4
SMART+ WIFI ORBIS BACKLIGHT 350mm Black	IP20	15 000	2	90.0	350.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] CIRCLE

SMART CEILING LUMINAIRES WITH TUNABLE WHITE AND RGB FUNCTION FOR COLOURED ACCENTS IN THE OUTER RING





1
SMART+ WIFI ORBIS CIRCLE
460mm Black



2
SMART+ WIFI ORBIS CIRCLE
460mm White



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI ORBIS CIRCLE 460mm Black	4058075573833	1	Black	ABS	30 000	28.00	2400	3 000...6 500	≥80	110
SMART+ WIFI ORBIS CIRCLE 460mm White	4058075573871	2	White	ABS	30 000	28.00	2400	3 000...6 500	>80	110

Product name	IP	h	h	d	h
--------------	----	---	---	---	---

SMART+ WIFI ORBIS CIRCLE 460mm Black	IP20	15 000	2	95.0	460.0	3
SMART+ WIFI ORBIS CIRCLE 460mm White	IP20	15 000	2	95.0	460.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] STEA

ROUND CEILING LUMINAIRE IN A STYLISH DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS STEA
485mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI ORBIS STEA 485mm	4058075573413	1	White	Steel	30 000	32.00	3350	2700...6500	>80	110

Product name						
SMART+ WIFI ORBIS STEA 485mm	IP20	15 000	2	80.0	485.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] RUMOR

CEILING LUMINAIRE IN A CHARACTERISTIC DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS RUMOR
500mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI ORBIS RUMOR 500mm	4058075573437	1	White	Steel	30 000	32.00	3 300	2 700...6 500	>80	110
-------------------------------	---------------	---	-------	-------	--------	-------	-------	---------------	-----	-----

Product name	IP	h (mm)	d (mm)	h (mm)
--------------	----	--------	--------	--------

SMART+ WIFI ORBIS RUMOR 500mm	IP20	15 000	2	100.0	500.0	3
-------------------------------	------	--------	---	-------	-------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] DONUT

WALL AND CEILING LUMINAIRE IN A STYLISH DONUT DESIGN –
WITH TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Donut
400 WT

Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	²	W	lm	K	CRI
SMART+ WIFI ORBIS Donut 400 WT	4058075486300	1	White	Polymethylmethacrylate (PMMA)	30 000	24.00	2500	3 000...6 500	>80

Product name		IP		h [mm]	d [mm]	
SMART+ WIFI ORBIS Donut 400 WT	110	IP20	15 000	85.0	400.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] KITE

TIMELESSLY MODERN CEILING LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS Kite
510 WT TW



2
SMART+ WIFI ORBIS Kite
410 WT TW



3
SMART+ WIFI ORBIS KITE
340 WT TW



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI ORBIS Kite 510 WT	4058075486348	1	White	Steel	30 000	32.00	3300	3 000...6 500	>80	110
SMART+ WIFI ORBIS Kite 410 WT	4058075486324	2	White	Steel	30 000	24.00	2500	3 000...6 500	>80	110
SMART+ WIFI ORBIS KITE TW RGB 340 WT**	4058075495685	3	White	Steel	25 000	18.00	1400	2 700...6 500	80	120

Product name	IP	h (mm)	d (mm)	h (mm)
SMART+ WIFI ORBIS Kite 510 WT	IP20	15 000	83.0	510.0
SMART+ WIFI ORBIS Kite 410 WT	IP20	15 000	68.0	410.0
SMART+ WIFI ORBIS KITE TW RGB 340 WT	IP20	15 000	80.0	340.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] MOON

CEILING LUMINAIRES IN AN ATTRACTIVE LUNAR LOOK –
WITH TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Moon
480 BK



2
SMART+ WIFI ORBIS Moon
480 GR



3
SMART+ WIFI ORBIS Moon
380 BK



4
SMART+ WIFI ORBIS Moon
380 GR




Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI
SMART+ WIFI ORBIS Moon 480 BK	4058075486386	1	Black	Polymethylmethacrylate (PMMA)	30 000	32.00	3 300	3 000...6 500	>80
SMART+ WIFI ORBIS Moon 480 GR	4058075486423	2	Grey	Polymethylmethacrylate (PMMA)	30 000	32.00	3 300	3 000...6 500	>80
SMART+ WIFI ORBIS Moon 380 BK	4058075486362	3	Black	Polymethylmethacrylate (PMMA)	30 000	24.00	2 500	3 000...6 500	>80
SMART+ WIFI ORBIS Moon 380 GR	4058075486409	4	Grey	Polymethylmethacrylate (PMMA)	30 000	24.00	2 500	3 000...6 500	>80

Product name	°	IP	h [mm]	d [mm]	
SMART+ WIFI ORBIS Moon 480 BK	110	IP20	15 000	86.0	480.0 3
SMART+ WIFI ORBIS Moon 480 GR	110	IP20	15 000	86.0	480.0 3
SMART+ WIFI ORBIS Moon 380 BK	110	IP20	15 000	85.0	380.0 3
SMART+ WIFI ORBIS Moon 380 GR	110	IP20	15 000	85.0	380.0 3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] PLATE

CEILING LUMINAIRES IN MODERN MINIMALIST DESIGNS –
WITH TUNABLE WHITE FUNCTION; FRAMES IN WHITE AND GREY





1
SMART+ WIFI ORBIS Plate
430 WT



2
SMART+ WIFI ORBIS Plate
430 GR



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI
--------------	------------	-----	--------	----------	-------------------	---	----	---	-----

SMART+ WIFI ORBIS Plate 430 WT	4058075486447	1	White	Polymethylmethacrylate (PMMA)	30 000	24.00	2500	3 000...6 500	>80
SMART+ WIFI ORBIS Plate 430 GR	4058075486461	2	Grey	Polymethylmethacrylate (PMMA)	30 000	24.00	2500	3 000...6 500	>80

Product name	h [mm]	IP	h [mm]	d [mm]	h [mm]
--------------	--------	----	--------	--------	--------

SMART+ WIFI ORBIS Plate 430 WT	110	IP20	15 000	70.0	430.0	3
SMART+ WIFI ORBIS Plate 430 GR	110	IP20	15 000	70.0	430.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] CROMO

CEILING LUMINAIRE IN A PLAYFUL IRREGULAR LOOK – WITH TUNABLE WHITE FUNCTION; DESIGNS IN CHROME AND WHITE





1
SMART+ WIFI ORBIS Cromo
500 CR



Product name	GTIN (EAN)	Light bulb icon	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI
SMART+ WIFI ORBIS Cromo 500 CR	4058075486485	1	White	Polymethylmethacrylate (PMMA)	30 000	30.00	3 300	3 000...6 500	>80

Product name	Beam angle icon	IP	Beam spread icon	h [mm]	d [mm]	Weight icon
SMART+ WIFI ORBIS Cromo 500 CR	110	IP20	15 000	89.0	500.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] FRAME

CEILING LUMINAIRE WITH AN ILLUMINATED FRAME AND
TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Frame
500 WT



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI
SMART+ WIFI ORBIS Frame 500 WT	4058075486508	1	White	Polymethylmethacrylate (PMMA)	30 000	32.00	3 300	3 000...6 500	>80

Product name	°	IP	h (mm)	d (mm)	3
SMART+ WIFI ORBIS Frame 500 WT	110	IP20	15 000	83.0	495.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] EYE

PURISTIC CEILING LUMINAIRES WITH TUNABLE WHITE FUNCTION;
DESIGNS IN GREY AND WHITE





1
SMART+ WIFI ORBIS Eye
490 WT



2
SMART+ WIFI ORBIS Eye
490 GR



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI
--------------	------------	-----	--------	----------	-------------------	---	----	---	-----

SMART+ WIFI ORBIS Eye 490 WT	4058075486522	1	White	Polymethylmethacrylate (PMMA)	30 000	32.00	3 300	3 000...6 500	>80
SMART+ WIFI ORBIS Eye 490 GR	4058075486546	2	Grey	Polymethylmethacrylate (PMMA)	30 000	32.00	3 300	3 000...6 500	>80

Product name	°	IP	h [mm]	d [mm]	h [mm]
--------------	---	----	--------	--------	--------

SMART+ WIFI ORBIS Eye 490 WT	110	IP20	15 000	75.5	490.0	3
SMART+ WIFI ORBIS Eye 490 GR	110	IP20	15 000	75.5	490.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] CYLINDER

CEILING LUMINAIRES IN CYLINDRICAL DESIGNS WITH AESTHETIC LIGHTING EFFECT AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Cylinder
450 WT



2
SMART+ WIFI ORBIS Cylinder
450 GR



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI
--------------	------------	-----	--------	----------	-------------------	---	----	---	-----

SMART+ WIFI ORBIS Cylinder 450 WT	4058075486560	1	White	Polymethylmethacrylate (PMMA)	30 000	24.00	3 300	3 000...6 500	>80
SMART+ WIFI ORBIS Cylinder 450 GR	4058075486584	2	Grey	Polymethylmethacrylate (PMMA)	30 000	24.00	2 800	3 000...6 500	>80

Product name	h [mm]	d [mm]	h [mm]	d [mm]	h [mm]
--------------	--------	--------	--------	--------	--------

SMART+ WIFI ORBIS Cylinder 450 WT	110	IP20	15 000	134.0	450.0	3
SMART+ WIFI ORBIS Cylinder 450 GR	110	IP20	15 000	134.0	450.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] SPIRAL

CEILING LUMINAIRE IN A SPIRAL DESIGN WITH EXCEPTIONAL LIGHTING EFFECT AND WHITE LIGHT CONTROL





1
SMART+ WIFI ORBIS Spiral
500 WT



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI
SMART+ WIFI ORBIS Spiral 500 WT	4058075486607	1	White	Polymethylmethacrylate (PMMA)	30 000	40.00	4 300	3 000...6 500	>80

Product name	°	IP	h [mm]	d [mm]	3
SMART+ WIFI ORBIS Spiral 500 WT	110	IP20	15 000	66.0	500.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI CEILING FAN

SMART MOBILE LED CEILING LUMINAIRES WITH INTEGRATED FANS





1
SMART+ WIFI CEILING FAN Cylinder +
Remote control



2
SMART+ WIFI CEILING FAN Round +
Remote control



Product name

GTIN (EAN)



COLOUR

MATERIAL

t_h²

W

lm

K

CRI



SMART+WIFI CEILING FAN Cylinder+ Remote control

4058075572577

1

Grey

ABS

30 000

76.00

2300

3 000...6 500

>80

110

SMART+WIFI CEILING FAN Round + Remote control

4058075572553

2

White

ABS

30 000

74.00

3050

3 000...6 500

>80

110

Product name



SMART+WIFI CEILING FAN Cylinder+ Remote control

IP20

15 000

1

602.0

600.0

216.0

2

SMART+WIFI CEILING FAN Round + Remote control

IP20

15 000

1

602.0

600.0

216.0

2

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI UV-C CEILING FAN

SMART MOBILE LED CEILING LUMINAIRES WITH
INTEGRATED FANS AND UV-C PURIFICATION





1
SMART+ WIFI CEILING FAN Round +
Remote control



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI UV-C CEILING FAN	4058075575349	1	White	ABS	30 000	68.00	3 000	2 700...6 500	>80	120
------------------------------	---------------	---	-------	-----	--------	-------	-------	---------------	-----	-----

Product name	IP	h (mm)	Ø d (mm)	
--------------	----	--------	----------	--

SMART+ WIFI UV-C CEILING FAN	IP20	15 000	181.0	580.0	2
------------------------------	------	--------	-------	-------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] DOWNLIGHT SURFACE

SMART LED SPOTLIGHTS FOR CEILING MOUNTING





1
SMART+ WIFI ORBIS DOWNLIGHT Surface
600mm



2
SMART+ WIFI ORBIS DOWNLIGHT Surface
400x400mm



3
SMART+ WIFI ORBIS DOWNLIGHT Surface
400mm



4
SMART+ WIFI ORBIS DOWNLIGHT Surface
200mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°C
SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm	4058075572959	1	White	Aluminium	25 000	30.00	2500	3 000...6 500	≥80	110
SMART+ WIFI ORBIS DOWNLIGHT Surface 400X400mm	4058075572973	2	White	Aluminium	25 000	22.00	1 800	3 000...6 500	≥80	110
SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm	4058075572935	3	White	Aluminium	25 000	22.00	1 800	3 000...6 500	≥80	110
SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm	4058075572911	4	White	Aluminium	25 000	12.00	900	3 000...6 500	≥80	110

Product name								
SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm	IP20	15 000	1	-	-	40.0	600.0	4
SMART+ WIFI ORBIS DOWNLIGHT Surface 400X400mm	IP20	15 000	1	400.0	400.0	37.0	-	5
SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm	IP20	15 000	1	-	-	40.0	400.0	5
SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm	IP20	15 000	1	-	-	40.0	200.0	10

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI DOWNLIGHT SLIM

SMART, ULTRA-SLIM LED SPOTLIGHTS WITH INTEGRATED DRIVERS





1
SMART+ WIFI DOWNLIGHT Slim
225mm

33.5mm




2
SMART+ WIFI DOWNLIGHT Slim
120mm

35mm



3
SMART+ WIFI DOWNLIGHT Slim
85mm

37mm




Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI DOWNLIGHT Slim 225mm	4058075573277	1	White	Plastic	25 000	22.00	2000	3 000...6 500	≥80	110
SMART+ WIFI DOWNLIGHT Slim 120mm	4058075573253	2	White	Plastic	25 000	8.00	550	3 000...6 500	≥80	110
SMART+ WIFI DOWNLIGHT Slim 85mm	4058075573239	3	White	Plastic	25 000	4.50	240	3 000...6 500	≥80	110

Product name	IP	X	h [mm]	d [mm]	
SMART+ WIFI DOWNLIGHT Slim 225mm	IP20	15 000	1	33.5	225.0
SMART+ WIFI DOWNLIGHT Slim 120mm	IP20	15 000	1	35.0	120.0
SMART+ WIFI DOWNLIGHT Slim 85mm	IP20	15 000	1	37.0	85.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI SPOT

SMART LED SPOTLIGHTS WITH INTEGRATED DRIVERS,
AND TUNABLE WHITE AND RGB FUNCTION






1
SMART+ WIFI SPOT
170mm 110 Degree



2
SMART+ WIFI SPOT
86mm 36 Degree



3
SMART+ WIFI SPOT
86mm 100 Degree



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI SPOT 170mm 110 Degree	4058075573376	1	White	PP	25 000	12.00	1 000	2 700...6 500	≥80	110
SMART+ WIFI SPOT 86mm 36 Degree	4058075573291	2	White	PP	25 000	4.00	400	3 000...6 500	>80	36
SMART+ WIFI SPOT 86mm 100 Degree	4058075573314	3	White	PP	25 000	4.50	300	2 700...6 500	≥80	110

Product name	IP	X	h [mm]	d [mm]	h
SMART+ WIFI SPOT 170mm 110 Degree	IP20	15 000	1	57.0	170.0
SMART+ WIFI SPOT 86mm 36 Degree	IP20	15 000	1	48.0	86.0
SMART+ WIFI SPOT 86mm 100 Degree	IP20	15 000	1	48.0	86.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] WALL CROSS

SMART, ADJUSTABLE WALL LUMINAIRES WITH
TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS WALL CROSS
309x106mm Black



2
SMART+ WIFI ORBIS WALL CROSS
309x106mm White



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	IP
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	----

SMART+ WIFI ORBIS WALL CROSS 309X106mm Black	4058075573949	1	Black	Aluminium	30 000	12.00	1 200	3 000...6 500	>80	IP20
SMART+ WIFI ORBIS WALL CROSS 309X106mm White	4058075573994	2	White	Aluminium	30 000	12.00	1 200	3 000...6 500	>80	IP20


Product name	l [mm]	b [mm]	h [mm]	Weight
--------------	-----------	-----------	-----------	--------


SMART+ WIFI ORBIS WALL CROSS 309X106mm Black	15 000	309.0	50.0	106.0	4
SMART+ WIFI ORBIS WALL CROSS 309X106mm White	15 000	309.0	50.0	106.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] WALL SWAN

DECORATIVE SMART WALL LUMINAIRES MADE OF REAL PLASTER





1
SMART+ WIFI ORBIS WALL SWAN
300x150mm



2
SMART+ WIFI ORBIS WALL SWAN
200x200mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-------------------	---	----	---	-----	---

SMART+ WIFI ORBIS WALL SWAN 300X150mm	4058075574021	1	White	Plastic	30 000	23.00	2400	3 000...6 500	>80	360
SMART+ WIFI ORBIS WALL SWAN 200X200mm	4058075574052	2	White	Plastic	30 000	23.00	2400	3 000...6 500	>80	360

Product name	IP	l [mm]	b [mm]	h [mm]	°
--------------	----	--------	--------	--------	---

SMART+ WIFI ORBIS WALL SWAN 300X150mm	IP20	15 000	300.0	150.0	105.0	4
SMART+ WIFI ORBIS WALL SWAN 200X200mm	IP20	15 000	200.0	200.0	110.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] WALL TWIST

VERY ELEGANT SMART WALL LUMINAIRES IN BLACK OR WHITE





1
SMART+ WIFI ORBIS WALL TWIST
230x127mm



2
SMART+ WIFI ORBIS WALL TWIST
230x127mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI ORBIS WALL TWIST 230X127mm	4058075574090	1	Black	Aluminium	30 000	12.00	1 200	3 000...6 500	>80	360
SMART+ WIFI ORBIS WALL TWIST 230X127mm	4058075574151	2	White	Aluminium	30 000	12.00	1 200	3 000...6 500	>80	360


Product name	IP	l [mm]	b [mm]	h [mm]	°
--------------	----	--------	--------	--------	---

SMART+ WIFI ORBIS WALL TWIST 230X127mm	IP20	15 000	127.0	95.0	230.0	4
SMART+ WIFI ORBIS WALL TWIST 230X127mm	IP20	15 000	127.0	95.0	230.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] WALL CYLINDRO

SMART WALL LUMINAIRES IN BLACK OR WHITE – COATED INSIDE WITH A WARM METALLIC SHADE





1
SMART+ WIFI ORBIS WALL CYLDRO
200x127mm



2
SMART+ WIFI ORBIS WALL CYLDRO
200x127mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI ORBIS WALL CYLDRO 200X127mm	4058075574175	1	White	Aluminium	30 000	12.00	1 200	3 000...6 500	>80	360
SMART+ WIFI ORBIS WALL CYLDRO 200X127mm	4058075574212	2	Black	Aluminium	30 000	12.00	1 200	3 000...6 500	>80	360

Product name	IP	l [mm]	b [mm]	h [mm]	°
--------------	----	--------	--------	--------	---

SMART+ WIFI ORBIS WALL CYLDRO 200X127mm	IP20	15 000	127.0	95.0	200.0	4
SMART+ WIFI ORBIS WALL CYLDRO 200X127mm	IP20	15 000	127.0	95.0	200.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI ORBIS[®] WALL WOOD

SMART WALL LUMINAIRES WITH REAL WOOD HOUSINGS AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS WALL WOOD
210x110mm



2
SMART+ WIFI ORBIS WALL WOOD
110x110mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	--

SMART+ WIFI ORBIS WALL WOOD 210X110mm	4058075574298	1	Wooden	Wood	30 000	12.00	1 200	3 000...6 500	>80	360
SMART+ WIFI ORBIS WALL WOOD 110X110mm	4058075574250	2	Wooden	Wood	30 000	7.00	600	3 000...6 500	>80	360


Product name	IP			l [mm]	b [mm]	h [mm]	
--------------	----	--	--	--------	--------	--------	--

SMART+ WIFI ORBIS WALL WOOD 210X110mm	IP20	15 000	1	110.0	110.0	210.0	4
SMART+ WIFI ORBIS WALL WOOD 110X110mm	IP20	15 000	1	110.0	110.0	110.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI WALL ORBIS[®] ROUND IP44

SMART CEILING, WALL AND MIRROR LUMINAIRES IN AN ELEGANT CHROME DESIGN – WITH TUNABLE WHITE FUNCTION





1
SMART+ ROUND IP44
480mm



2
SMART+ ROUND IP44
300mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-------------------	---	----	---	-----	---

SMART+ ROUND IP44 480mm	4058075573727	1	Silver	Steel	30 000	18.00	1 800	3 000...6 500	>80	110
SMART+ ROUND IP44 300mm	4058075573741	2	Silver	Steel	30 000	18.00	1 800	3 000...6 500	>80	110

Product name	IP	W	h	b	h	d	h
--------------	----	---	---	---	---	---	---

SMART+ ROUND IP44 480mm	IP44	15 000	1	480.0	100.0	78.0	-	4
SMART+ ROUND IP44 300mm	IP44	15 000	1	-	-	78.0	300.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours


SMART⁺ WIFI WALL ORBIS[®] WAVE IP44

SMART CEILING AND WALL LUMINAIRES WITH ONE, TWO, THREE OR FOUR LIGHT POINTS AND TUNABLE WHITE FUNCTION






1
SMART+ WAVE IP44
300mm



2
SMART+ WAVE IP44
520mm



3
SMART+ WAVE IP44
320mm



4
SMART+ WAVE IP44
200mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WAVE IP44 300mm	4058075573901	1	Silver	PMMA	30 000	26.00	2 800	3 000...6 500	>80	110
SMART+ WAVE IP44 520mm	4058075573857	2	Silver	PMMA	30 000	21.00	2 100	3 000...6 500	>80	110
SMART+ WAVE IP44 320mm	4058075573802	3	Silver	Steel	30 000	15.00	1 400	3 000...6 500	>80	110
SMART+ WAVE IP44 200mm	4058075573772	4	Silver	Steel	30 000	8.00	700	3 000...6 500	>80	110

Product name							
SMART+ WAVE IP44 300mm	IP44	15 000	1	300.0	300.0	93.0	4
SMART+ WAVE IP44 520mm	IP44	15 000	1	520.0	120.0	93.0	4
SMART+ WAVE IP44 320mm	IP44	15 000	1	320.0	120.0	93.0	4
SMART+ WAVE IP44 200mm	IP44	15 000	1	200.0	120.0	93.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI WALL ORBIS[®] AQUA IP44

SMART CEILING AND WALL LUMINAIRES IN A PARTICULARLY COMPACT DESIGN






1
SMART+ ORBIS AQUA IP44
280x160mm



2
SMART+ ORBIS AQUA IP44
200x200mm



3
SMART+ ORBIS AQUA IP44
200mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ ORBIS AQUA IP44 280X160mm	4058075574359	1	White	Steel	30 000	12.00	1 200	3 000...6 500	>80	110
SMART+ ORBIS AQUA IP44 200X200mm	4058075574373	2	White	Steel	30 000	12.00	1 200	3 000...6 500	>80	110
SMART+ ORBIS AQUA IP44 200mm	4058075574410	3	White	Steel	30 000	12.00	1 200	3 000...6 500	>80	110


Product name	IP							
SMART+ ORBIS AQUA IP44 280X160mm	IP44	15 000	1	280.0	160.0	94.0	-	4
SMART+ ORBIS AQUA IP44 200X200mm	IP44	15 000	1	200.0	200.0	94.0	-	4
SMART+ ORBIS AQUA IP44 200mm	IP44	15 000	1	-	-	94.0	200.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI CEILING ORBIS[®] DISC IP44

ROUND CEILING LUMINAIRES IN A PARTICULARLY SLEEK LOOK –
IN THREE SIZES AND COLOURS






1
SMART+ DISC IP44
500mm



2
SMART+ DISC IP44
400mm



3
SMART+ DISC IP44
300mm




Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ DISC IP44 500mm	4058075573635	1	Black	Aluminium	30 000	32.00	4 000	3 000...6 500	>80	110
SMART+ DISC IP44 400mm	4058075573611	2	White	Aluminium	30 000	25.00	3 200	3 000...6 500	>80	110
SMART+ DISC IP44 300mm	4058075573598	3	Silver	Aluminium	30 000	18.00	2 100	3 000...6 500	>80	110

Product name						
SMART+ DISC IP44 500mm	IP44	15 000	1	47.0	500.0	4
SMART+ DISC IP44 400mm	IP44	15 000	1	47.0	400.0	4
SMART+ DISC IP44 300mm	IP44	15 000	1	47.0	300.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI WALL ORBIS[®] DUPLO IP44

SMART LUMINAIRES IN A THEATRE DRESSING ROOM LOOK –
WITH TUNABLE WHITE FUNCTION





1
SMART+ DUPLO IP44
580mm



2
SMART+ DUPLO IP44
450mm



3
SMART+ DUPLO IP44
300mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _m ²	W	lm	K	CRI	°
SMART+ DUPLO IP44 580mm	4058075573703	1	Silver	ABS	30 000	27.00	2 800	3 000...6 500	>80	110
SMART+ DUPLO IP44 450mm	4058075573680	2	Silver	ABS	30 000	20.00	2 100	3 000...6 500	>80	110
SMART+ DUPLO IP44 300mm	4058075573659	3	Silver	ABS	30 000	15.00	1 400	3 000...6 500	>80	110

Product name	IP	X (mm)	Y (mm)	Z (mm)	b (mm)	h (mm)	°
SMART+ DUPLO IP44 580mm	IP44	15 000	1	575.0	60.0	58.0	4
SMART+ DUPLO IP44 450mm	IP44	15 000	1	445.0	60.0	58.0	4
SMART+ DUPLO IP44 300mm	IP44	15 000	1	295.0	60.0	58.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI WALL ORBIS[®] ELYPSE IP44

SMART WALL LUMINAIRES IN A STYLISH DESIGN WITH
TUNABLE WHITE FUNCTION






1
SMART+ WALL ORBIS ELYPSE IP44
560mm



2
SMART+ WALL ORBIS ELYPSE IP44
340mm



3
SMART+ WALL ORBIS ELYPSE IP44
120mm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _m ²	W	lm	K	CRI	°
SMART+ ELYPSE IP44 560mm	4058075574076	1	Silver	SteelGlass	30 000	18.00	1 500	3 000...6 500	>80	110
SMART+ ELYPSE IP44 340mm	4058075573963	2	Silver	SteelGlass	30 000	12.00	1 000	3 000...6 500	>80	110
SMART+ ELYPSE IP44 120mm	4058075573925	3	Silver	SteelGlass	30 000	7.00	500	3 000...6 500	>80	110

Product name	IP	X (mm)	Y (mm)	Z (mm)	b (mm)	h (mm)	Weight
SMART+ ELYPSE IP44 560mm	IP44	15 000	1	560.0	88.0	166.0	4
SMART+ ELYPSE IP44 340mm	IP44	15 000	1	340.0	88.0	166.0	4
SMART+ ELYPSE IP44 120mm	IP44	15 000	1	120.0	150.0	166.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI WALL ORBIS[®] BATH IP44

COOL & SMART WALL AND MIRROR LUMINAIRES IN BLACK OR WHITE





1
SMART+ BATH WALL IP44
400mm




2
SMART+ BATH WALL IP44
400mm



3
SMART+ BATH WALL IP44
300mm



4
SMART+ BATH WALL IP44
300mm




Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ BATH WALL IP44 400mm	4058075574236	1	White	Steel	30 000	17.00	1 600	3 000...6 500	>80	110
SMART+ BATH WALL IP44 400mm	4058075574311	2	Black	Steel	30 000	17.00	1 600	3 000...6 500	>80	110
SMART+ BATH WALL IP44 300mm	4058075574274	3	White	Steel	30 000	13.00	1 200	3 000...6 500	>80	110
SMART+ BATH WALL IP44 300mm	4058075574335	4	Black	Steel	30 000	13.00	1 200	3 000...6 500	>80	110

Product name	IP	X	Y	h	b	l	h
SMART+ BATH WALL IP44 400mm	IP44	15 000	1	400.0	70.0	50.0	4
SMART+ BATH WALL IP44 400mm	IP44	15 000	1	400.0	70.0	50.0	4
SMART+ BATH WALL IP44 300mm	IP44	15 000	1	300.0	70.0	50.0	4
SMART+ BATH WALL IP44 300mm	IP44	15 000	1	300.0	70.0	50.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI FLEX MULTICOLOUR

FLEXIBLE, EXPANDABLE LED STRIP WITH
WHITE LIGHT AND RGB FUNCTION






1
SMART WIFI FLEX RGBTW
2M



2
SMART WIFI FLEX RGBTW
1M Extension



Product name	GTIN (EAN)	No.	MATERIAL	t _h ²	W	lm	K	CRI	IP
--------------	------------	-----	----------	-----------------------------	---	----	---	-----	----

SMART WIFI FLEX RGBTW 2M	4058075665903	1	Silicone	30 000	8.50	550	2000 ... 6500	>80	110	IP20
SMART WIFI FLEX RGBTW 1M Extension	4058075523838	2	Silicone	30 000	3.60	320	2000 ... 6500	>80	110	IP20

Product name	l [mm]	b [mm]	h [mm]	Weight
--------------	--------	--------	--------	--------

SMART WIFI FLEX RGBTW 2M	15 000	2 000.0	10.0	2.6	4
SMART WIFI FLEX RGBTW 1M Extension	15 000	1 000.0	10.0	2.6	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI SUBMARINE[®] LED

SMART LED DAMP-PROOF LUMINAIRE WITH
A ROBUST POLYCARBONATE HOUSING





1
SMART+ WIFI SUBMARINE
120cm



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	3	K	CRI
SMART+ WIFI SUBMARINE 120CM	4058075576353	1	Grey	Plastic	30 000	18.00	1 900	F	2 700...6 500	≥80

Product name	△	IP	100 000	1	1 261.0	66.0	75.0	9
SMART+ WIFI SUBMARINE 120CM	140	IP65	100 000	1	1 261.0	66.0	75.0	9

HOW TO READ OUR PRODUCT TABLES

The new lighting regulation states that the new label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a coloured arrow but a letter. See on the right.

Energy efficiency class Product packaging	Information Table
	A
	B
	C
	D
	E
	F
	G

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).

SMART⁺ WIFI TABLEFRAME WITH USB POWERBANK

MOBILE OUTDOOR TABLE LAMP WITH RGBW FUNCTION –
RECHARGEABLE VIA USB AND USABLE AS A POWER BANK





1
SMART+ WIFI OUTDOOR TABLEFRAME
POWERBANK Dark grey



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°	IP
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---	----

SMART+ WIFI OUTDOOR TABLEFRAME POWERBANK	4058075564466	1	Dark grey	Aluminium	25 000	5.00	270	3000	≥80	360	IP44
--	---------------	---	-----------	-----------	--------	------	-----	------	-----	-----	------

Product name						
--------------	--	--	--	--	--	--

SMART+ WIFI OUTDOOR TABLEFRAME POWERBANK Dark grey	12 500	1	120.0	120.0	203.0	4
--	--------	---	-------	-------	-------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI PIPE

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION
IN A SLIM PIPE LOOK






1
SMART+ WIFI OUTDOOR PIPE Wall



2
SMART+ WIFI OUTDOOR PIPE
80cm Post



3
SMART+ WIFI OUTDOOR PIPE
50cm Post



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°	IP
SMART+ WIFI OUTDOOR PIPE Wall	4058075564183	1	Dark grey	Aluminium	25 000	10.00	380	3000	≥80	270	IP44
SMART+ WIFI OUTDOOR PIPE 80CM Post	4058075564220	2	Dark grey	Stainless Steel	25 000	10.00	380	3000	≥80	270	IP44
SMART+ WIFI OUTDOOR PIPE 50CM Post	4058075564206	3	Dark grey	Stainless Steel	25 000	10.00	380	3000	≥80	270	IP44

Product name			l [mm]	b [mm]	h [mm]	d [mm]	
SMART+ WIFI OUTDOOR PIPE Wall	12 500	1	129.0	89.0	197.0	-	4
SMART+ WIFI OUTDOOR PIPE 80CM Post	12 500	1	-	-	800.0	89.0	2
SMART+ WIFI OUTDOOR PIPE 50CM Post	12 500	1	-	-	500.0	135.0	2

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI CASCADE

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION
IN AN EXTRAORDINARY DESIGN






1
SMART+ WIFI OUTDOOR CASCADE
80cm Post



2
SMART+ WIFI OUTDOOR CASCADE
50cm Post



3
SMART+ WIFI OUTDOOR CASCADE Wall



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°	IP
SMART+ WIFI OUTDOOR CASCADE 80CM Post	4058075564282	1	Dark grey	Aluminium	25 000	10.00	420	3000	≥80	270	IP44
SMART+ WIFI OUTDOOR CASCADE 50CM Post	4058075564268	2	Dark grey	Aluminium	25 000	10.00	420	3000	≥80	270	IP44
SMART+ WIFI OUTDOOR CASCADE Wall	4058075564244	3	Dark grey	Aluminium	25 000	10.00	420	3000	≥80	270	IP44

Product name						
SMART+ WIFI OUTDOOR CASCADE 80CM Post	12 500	1	200.0	160.0	800.0	2
SMART+ WIFI OUTDOOR CASCADE 50CM Post	12 500	1	200.0	160.0	500.0	2
SMART+ WIFI OUTDOOR CASCADE Wall	12 500	1	160.0	120.0	180.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI FLARE UPDOWN

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION –
LIGHT OUTPUT UPWARD AND DOWNWARD





1
SMART+ WIFI OUTDOOR FLARE UPDOWN
80cm Post



2
SMART+ WIFI OUTDOOR FLARE UPDOWN
50cm Post



3
SMART+ WIFI OUTDOOR FLARE UPDOWN
Wall



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°	IP
SMART+ WIFI OUTDOOR FLARE UPDOWN 80CM Post	4058075564343	1	Dark grey	Aluminium	25 000	14.00	1 000	3 000	≥80	320	IP44
SMART+ WIFI OUTDOOR FLARE UPDOWN 50CM Post	4058075564329	2	Dark grey	Aluminium	25 000	14.00	1 000	3 000	≥80	320	IP44
SMART+ WIFI OUTDOOR FLARE UPDOWN Wall	4058075564305	3	Dark grey	Aluminium	25 000	14.00	1 000	3 000	≥80	320	IP44

Product name						
SMART+ WIFI OUTDOOR FLARE UPDOWN 80CM Post	12 500	1	194.0	144.0	800.0	2
SMART+ WIFI OUTDOOR FLARE UPDOWN 50CM Post	12 500	1	194.0	144.0	500.0	2
SMART+ WIFI OUTDOOR FLARE UPDOWN Wall	12 500	1	132.0	100.0	246.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI CUBE MULTICOLOUR

STYLISH WALL AND BOLLARD LUMINAIRES WITH
COLOUR-CHANGING FUNCTION





1
SMART+ WIFI CUBE UpDown



2
SMART+ WIFI CUBE
80CM Post



3
SMART+ WIFI CUBE
50CM Post



4
SMART+ WIFI CUBE Wall



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
SMART+ WIFI CUBE UpDown	4058075478077	1	Dark grey	Aluminium	25 000	13.50	900	RGB, 3 000	≥80	315
SMART+ WIFI CUBE 80CM Post	4058075478176	2	Dark grey	Aluminium	25 000	9.50	450	RGB, 3 000	≥80	205
SMART+ WIFI CUBE 50CM Post	4058075478152	3	Dark grey	Aluminium	25 000	9.50	450	RGB, 3 000	≥80	205
SMART+ WIFI CUBE Wall	4058075478114	4	Dark grey	Aluminium	25 000	9.50	450	RGB, 3 000	≥80	205

Product name						
SMART+ WIFI CUBE UpDown	IP44	12 500	110.0	80.0	205.0	4
SMART+ WIFI CUBE 80CM Post	IP44	12 500	120.0	120.0	800.0	2
SMART+ WIFI CUBE 50CM Post	IP44	12 500	120.0	120.0	500.0	2
SMART+ WIFI CUBE Wall	IP44	12 500	110.0	80.0	116.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI LANTERN FLARE MULTICOLOUR

WALL AND BOLLARD LUMINAIRES IN FLARE DESIGNS WITH COLOUR-CHANGING FUNCTION



1
SMART+ WIFI FLARE Wall



2
SMART+ WIFI FLARE
60CM Post



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI FLARE Wall	4058075478275	1	Dark grey	Aluminium	25 000	7.50	320	RGB, 3 000	≥80	230
SMART+ WIFI FLARE 60CM Post	4058075478299	2	Dark grey	Aluminium	25 000	7.50	320	RGB, 3 000	≥80	230


Product name	IP	l [mm]	b [mm]	h [mm]	∅ [mm]	Weight
--------------	----	--------	--------	--------	--------	--------

SMART+ WIFI FLARE Wall	IP44	12 500	98.0	66.0	331.0	-	4
SMART+ WIFI FLARE 60CM Post	IP44	12 500	-	-	604.0	110.0	2

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI BRICK

SMART WALL LUMINAIRES WITH RGBW FUNCTION AND LIGHT OUTPUT UPWARD AND DOWNWARD





1
SMART+ WIFI OUTDOOR BRICK Wide
Dark Grey



2
SMART+ WIFI OUTDOOR BRICK
Dark grey



3
SMART+ WIFI OUTDOOR BRICK
Stainless steel



4
SMART+ WIFI OUTDOOR BRICK Wide
Stainless steel



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°	IP
SMART+ WIFI OUTDOOR BRICK Wide Dark Grey	4058075564404	1	Dark grey	Aluminium	25 000	14.00	600	3000	≥80	290	IP44
SMART+ WIFI OUTDOOR BRICK Dark grey	4058075564367	2	Dark grey	Aluminium	25 000	14.00	550	3000	≥80	275	IP44
SMART+ WIFI OUTDOOR BRICK Stainless steel	4058075564428	3	Steel	Aluminium/Steel	25 000	14.00	550	3000	≥80	275	IP44
SMART+ WIFI OUTDOOR BRICK Wide Stainless steel	4058075564442	4	Steel	Aluminium/Steel	25 000	14.00	600	3000	≥80	290	IP44

Product name			l [mm]	b [mm]	h [mm]	
SMART+ WIFI OUTDOOR BRICK Wide Dark Grey	12 500	1	145.0	75.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Dark grey	12 500	1	85.0	85.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Stainless steel	12 500	1	85.0	85.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Wide Stainless steel	12 500	1	75.0	145.0	85.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI CURVE MULTICOLOUR

WALL LUMINAIRES IN AESTHETIC CURVED DESIGNS WITH COLOUR-CHANGING FUNCTION





1
SMART+ WIFI CURVE DG



2
SMART+ WIFI CURVE SI



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---

SMART+ WIFI CURVE DG	4058075478336	1	Dark grey	Aluminium	25 000	9.00	520	RGB, 3 000	≥80	260
SMART+ WIFI CURVE SI	4058075478350	2	Silver	Aluminium	25 000	9.00	520	RGB, 3 000	≥80	260

Product name	IP	l [mm]	b [mm]	h [mm]	°
--------------	----	--------	--------	--------	---

SMART+ WIFI CURVE DG	IP44	12 500	93.0	100.0	248.0	4
SMART+ WIFI CURVE SI	IP44	12 500	93.0	100.0	248.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI CAMERA

SMART OUTDOOR WALL LUMINAIRES WITH CAMERA,
INTERCOM AND ALARM FUNCTION





1
SMART+ WIFI OUTDOOR WALL CAMERA
CONTROL DG



2
SMART+ WIFI OUTDOOR ROUND CAMERA
DG



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°	IP
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---	----

SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG	4058075564602	1	Dark grey	Plastic	25 000	16.00	900	3000	>80	208	IP44
SMART+ WIFI OUTDOOR ROUND CAMERA DG	4058075564480	2	Dark grey	Plastic	25 000	15.00	950	3000	≥80	120	IP44

Product name			l (mm)	b (mm)	h (mm)	∅ (mm)	
--------------	--	--	-----------	-----------	-----------	-----------	--

SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG	12 500	1	120.0	80.0	320.0	-	4
SMART+ WIFI OUTDOOR ROUND CAMERA DG	12 500	1	105.0	-	105.0	180.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI FLOOD CAMERA

SMART OUTDOOR FLOODLIGHTS WITH CAMERA,
INTERCOM AND ALARM FUNCTION





1
SMART+ WIFI FLOOD Camera



2
SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG



Product name

GTIN (EAN)



COLOUR

MATERIAL



SMART+ WIFI FLOOD Camera	4058075478312	1	Dark grey	Aluminium	25 000	24.00	1800	3000	>80	110	IP44
SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG	4058075564626	2	Dark grey	Aluminium	25 000	23.00	2000	3000	>80	200	IP44

Product name




SMART+ WIFI FLOOD Camera	15 000	1	163.0	169.0	250.0	4
SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG	12 500	1	200.0	197.0	262.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI FLOOD

EXTREMELY LOW-PROFILE AND ROBUST FLOODLIGHTS IN DIFFERENT SIZES – ALSO AVAILABLE WITH RGB FUNCTION





1
SMART+ WIFI FLOOD
50W



2
SMART+ WIFI FLOOD
30W



3
SMART+ WIFI FLOOD
20W



4
SMART+ WIFI FLOOD
10W



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	°	IP
--------------	------------	-----	--------	----------	-----------------------------	---	----	---	-----	---	----

SMART+ WIFI FLOOD 50 W	4058075474666	1	Dark grey	Aluminium	30 000	50.00	4 250	3 000	≥80	-	IP65
SMART+ WIFI FLOOD 30W	4058075474642	2	Dark grey	Aluminium	30 000	30.00	2 190	3 000	≥80	-	IP65
SMART+ WIFI FLOOD 20W	4058075474628	3	Dark grey	Aluminium	30 000	20.00	1 260	3 000	≥80	-	IP65
SMART+ WIFI FLOOD 10W	4058075474604	4	Dark grey	Aluminium	30 000	10.00	630	3 000	≥80	100	IP65

Product name					
--------------	--	--	--	--	--

SMART+ WIFI FLOOD 50 W	30 000	237.0	200.0	36.0	8
SMART+ WIFI FLOOD 30W	30 000	209.0	168.0	30.0	12
SMART+ WIFI FLOOD 20W	30 000	152.0	125.0	28.0	12
SMART+ WIFI FLOOD 10W	30 000	152.0	125.0	28.0	12

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ BLUETOOTH: TOTALLY CONVENIENT, TOTALLY EFFICIENT

There are so many attractive SMART⁺ Bluetooth products to choose from. And the coverage of the network is extended via the Bluetooth Mesh function with every additional product connected in series.



Type of lamp and description of base

Functions

Type of technology

Plastic-free packaging

Compatibility with voice control systems



SMART+ BLUETOOTH LAMPS AND COMPONENTS	176
--	------------




SMART+ BLUETOOTH OUTDOOR WALL AND PATHWAY LUMINAIRES	1848
---	-------------



SMART+ BLUETOOTH CLASSIC LAMPS

Product name	GTIN (EAN)	No.	W ¹	W	lm	Wattage	Energy efficiency class	Base	Power	Beam angle	Lifespan	Color temperature	Color rendering index	Dimmable	RGB	Warm/Cool	Dimmable
SMART+ Bluetooth Classic Dimmable																	
SMART+ BT Classic 60 60 9W/2 700K E27	4058075208506	6	60	9	806	E27	F	2700	Yes	15000	118	60	1	4			
SMART+ Bluetooth Filament Classic Dimmable																	
SMART+ BT Classic 67 GLFR 100 11W/2 700K E27	4058075486089	1	100	11	1521	E27	D	2700	Yes	15000	133	67	1	4			
SMART+ BT Classic 60 GLFR 75 7.5W/2 700K E27	4058075609631	10	75	7.5	1055	E27	D	2700	Yes	15000	105	60	1	4			
SMART+ BT Classic 60 SMOKE 44 6W/2 700K E27	4058075486126	2	44	6	540	E27	F	2700	Yes	15000	105	60	1	4			
SMART+ BT Classic 60 GOLD 52 6W/2 400K E27	4058075208582	3	52	6	680	E27	E	2400	Yes	15000	105	60	1	4			
SMART+ BT Classic 60 CLEAR 60 6W/2 700K E27	4058075208551	5	60	6	806	E27	E	2700	Yes	15000	105	60	1	4			
SMART+ BT Classic 60 CLEAR 60 6W/2 700K B22d	4058075486201	4	60	6	806	B22d	E	2700	Yes	15000	117	60	1	4			
SMART+ Bluetooth Classic Tunable White																	
SMART+ BT Classic 60 9W/2 700...6 500K E27	4058075485198	7	60	9	806	E27	F	2700...6 500	Yes	15000	118	60	1	4			
SMART+ Bluetooth Classic Multicolour																	
SMART+ BT Classic 60 60 9W/2 700...6 500K E27	4058075208469	9	60	9	806	E27	F	RGBW 2700...6 500	Yes	15000	118	60	1	4			
SMART+ BT Classic 60 60 9W/2 700...6 500K B22d	4058075208476	8	60	9	806	B22d	F	RGBW 2700...6 500	Yes	15000	118	60	1	4			



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH CANDLE LAMPS

Product name	GTIN (EAN)	No.	Wattage	Energy efficiency class	W	lm	Beam angle	Energy efficiency class	Energy efficiency class	K	Dimmable	Average lifespan	Beam angle	Beam angle	Beam angle	Beam angle
SMART+ Bluetooth Candle Dimmable																
SMART+ BT Candle 40 5W/2700K E14	4058075485211	2	40	5	470	E14	F	2700	Yes	15000	114	39	1	4		
SMART+ Bluetooth Filament Classic Dimmable																
SMART+ BT Candle Clear 40 4W/2700K E14	4058075486102	1	40	4	470	E14	E	2700	Yes	15000	115	35	1	4		
SMART+ Bluetooth Candle Tunable White																
SMART+ BT Candle 40 5W/2700...6500K E14	4058075485235	3	40	5	470	E14	F	2700...6500	Yes	15000	114	39	1	4		



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH MINI-GLOBE LAMPS

Product name	GTIN (EAN)														
SMART+ Bluetooth Mini Bulb Dimmable															
SMART+ BT Mini bulb 40 5W/2700K E14	4058075485259	1	40	5	470	E14	F	2700	Yes	15000	89	45	1	4	
SMART+ Bluetooth Filament Mini Globe Dimmable															
SMART+ BT Mini bulb Clear 40 4W/2700K E14	4058075609655	2	40	4	470	E14	E	2700	Yes	15000	110	45	1	4	
SMART+ BT Mini bulb Clear 40 4W/2700K E27	4058075609679	3	40	4	470	E27	E	2700	Yes	15000	77	45	1	4	
SMART+ Bluetooth Mini Bulb Tunable White															
SMART+ BT Mini bulb 40 5W/2700...6500K E14	4058075485273	4	40	5	470	E14	F	2700...6500	Yes	15000	89	45	1	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH FILAMENT LAMPS WITH EDISON BULB

Product name

GTIN (EAN)

No.

W¹

W

lm

°C²

K

t₉₀³

l (mm)

Ø d (mm)

SMART+ Bluetooth Filament Edison Dimmable

SMART+ BT CL EDISON SMOKE 44 6W/2 500K E27	4058075486140	1	44	6	540	E27	F	2500	Yes	15 000	143	64	1	4
SMART+ BT CL EDISON GOLD 52 6W/2 400K E27	4058075208605	2	52	6	725	E27	E	2400	Yes	15 000	143	64	1	4
SMART+ BT CL EDISON CLEAR 60 6W/2 700K E27	4058075208575	3	60	6	806	E27	E	2700	Yes	15 000	143	64	1	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH FILAMENT LAMPS WITH GLOBE BULB

Product name

GTIN (EAN)

SMART+ Bluetooth Filament Globe Dimmable

SMART+ BT CL GLOBE125 SMOKE 44 6W/2500K E27	4058075486164	1	44	6	540	E27	F	2500	Yes	15 000	168	125	1	4
SMART+ BT CL GLOBE125 GOLD 52 6W/2400K E27	4058075208599	2	52	6	680	E27	E	2400	Yes	15 000	168	125	1	4
SMART+ BT CL GLOBE125 CLEAR 60 6W/2700K E27	4058075208568	3	60	6	806	E27	E	2700	Yes	15 000	168	125	1	4
SMART+ BT CL GLOBE200 SMOKE 42 6W/2500K E27	4058075486188	4	42	6	540	E27	G	2500	Yes	15 000	283	200	1	2



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH REFLECTOR LAMPS

Product name	GTIN (EAN)	No.	W ¹	W	lm	Energy efficiency class (EEC)	Base	Beam angle	Life span (hrs)	Dimmable	Life span (hrs)	Beam angle	Life span (hrs)	Life span (hrs)	Life span (hrs)
--------------	------------	-----	----------------	---	----	-------------------------------	------	------------	-----------------	----------	-----------------	------------	-----------------	-----------------	-----------------

SMART+ Bluetooth Spot GU10 Dimmable

SMART+ BT SPOT 50 45° 5W/2700K GU10	4058075485297	1	50	5	350	GU10	G	2700	Yes	20000	54	50	1	4
-------------------------------------	---------------	---	----	---	-----	------	---	------	-----	-------	----	----	---	---

SMART+ Bluetooth Spot GU10 Tunable White

SMART+ BT SPOT 50 45° 5W/2700...6500K GU10	4058075485310	2	50	5	350	GU10	G	2700...6500	Yes	20000	54	50	1	4
--	---------------	---	----	---	-----	------	---	-------------	-----	-------	----	----	---	---

SMART+ Bluetooth Spot GU10 Multicolour

SMART+ BT SPOT 50 100° 5W/2700...6500K GU10	4058075485334	3	50	5	300	GU10	G	RGBW 2700...6500	Yes	20000	56	50	1	4
---	---------------	---	----	---	-----	------	---	------------------	-----	-------	----	----	---	---

SMART+ Bluetooth Spot Concentra Multicolour

SMART+ BT SPOT 40 45° 3W/2700...6500K E14	4058075609471	4	40	3	210	E14	G	RGBW 2700...6500	Yes	20000	83	50	1	4
---	---------------	---	----	---	-----	-----	---	------------------	-----	-------	----	----	---	---

SMART+ BT SPOT 60 45° 6W/2700...6500K E27	4058075609495	5	60	6	345	E27	F	RGBW 2700...6500	Yes	20000	98	63	1	4
---	---------------	---	----	---	-----	-----	---	------------------	-----	-------	----	----	---	---



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH PLUG INDOOR AND OUTDOOR

Product name

GTIN (EAN)

No.

LEDVANCE
PRO-
TECTION
CLASS

A
MAX

COLOUR

IP

SMART+ Bluetooth Plug Indoor

SMART+ BT PLUG EU	4058075208513	1	I	16	White	IP20	1	4
SMART+ BT PLUG UK	4058075208520	2	I	13	White	IP20	1	4





SMART⁺ BLUETOOTH MODERN LANTERN MULTICOLOUR

PURISTIC WALL AND BOLLARD LUMINAIRES WITH
TUNABLE WHITE AND RGB FUNCTION





1
SMART+ MODERN LANTERN Wall
Multicolour



2
SMART+ MODERN LANTERN Bollard
90cm Multicolour



3
SMART+ MODERN LANTERN Bollard
50cm Multicolour



Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _h ²	W	lm	K	CRI	
SMART+ MODERN LANTERN Wall Multicolour	4058075184572	1	Dark grey	Aluminium	25 000	12.00	650	RGB, 2 000...6 500	80	360
SMART+ MODERN LANTERN Bollard 90cm Multicolour	4058075184619	2	Dark grey	Aluminium	25 000	12.00	650	RGB, 2 000...6 500	80	360
SMART+ MODERN LANTERN Bollard 50cm Multicolour	4058075184589	3	Dark grey	Aluminium	25 000	12.00	650	RGB, 2 000...6 500	80	360

Product name	IP		I [mm]	b [mm]	h [mm]	Ø [mm]	
SMART+ MODERN LANTERN Wall Multicolour	IP44	100 000	176.0	110.0	240.0	-	4
SMART+ MODERN LANTERN Bollard 90cm Multicolour	IP44	100 000	-	-	900.0	110.0	2
SMART+ MODERN LANTERN Bollard 50cm Multicolour	IP44	100 000	-	-	500.0	110.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ ZIGBEE: SMART LIGHT FOR THE INTELLIGENT HOME

For those who would like to control their light via a gateway the SMART⁺ Zigbee products are compatible with a multitude of smart home systems. They are operated via the partner system app. This range of lamps and luminaires is especially suitable for customers who would like to fully exploit the potential of smart lighting in combination with other smart home functions.



Type of lamp and
description of base

Functions

Type of technology

Plastic-free
packaging

Compatibility
with voice control
systems



**SMART+ ZIGBEE
LAMPS AND COMPONENTS****188**

**SMART+ ZIGBEE
INDOOR LED STRIPS****196**

Product name GTIN (EAN) No. ¹ ² ³

A woman with dark hair in a bun sits on a light-colored sofa, looking up at a large, glowing floor lamp. The lamp has a black arched stand and a large, white, spherical shade. The sofa is adorned with several cushions in shades of teal, grey, and white. A small wooden coffee table with a metal base holds a few books. In the background, a large window offers a view of a city at night, with a potted plant and a bowl on the windowsill. The room is decorated with framed art on the wall and a small side table with a plant.

188



SMART+ ZIGBEE CANDLE LAMPS

Product name	GTIN (EAN)														
SMART+ Zigbee Candle Dimmable															
SMART+ ZB Candle 40 5W/2700K E14	4058075208421	1	40	5	470	E14	F	2700	Yes	20000	107	37	1	4	
SMART+ Zigbee Candle Tunable White															
SMART+ ZB Candle 40 5W E14	4058075208414	2	40	5	470	E14	F	2700...6500	Yes	20000	107	37	1	4	





SMART+ ZIGBEE MINI-GLOBE LAMPS

Product name	GTIN (EAN)													
SMART+ Zigbee Mini Bulb Dimmable														
SMART+ ZB Mini bulb 40 5W/2700K E14	4058075485150	1	40	5	470	E14	F	2700	Yes	20 000	93	45	1	4
SMART+ Zigbee Mini Bulb Tunable White														
SMART+ ZB Mini bulb 40 5W/2700...6500K E14	4058075485174	2	40	5	470	E14	F	2700...6500	Yes	20 000	93	45	1	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs




1



SMART+ ZIGBEE FILAMENT LAMP WITH EDISON BULB

Product name	GTIN (EAN)												
SMART+ Zigbee Filament Edison Dimmable													
SMART+ ZB CL EDISON 53 GOLD 6W/2400K E27	4058075528192	1	53	6	680	E27	E	2400	15000	143	64	1	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



1



SMART+ ZIGBEE FILAMENT LAMP WITH GLOBE BULB

Product name	GTIN (EAN)													
SMART+ Zigbee Filament Globe Dimmable														
SMART+ ZB CL GLOBE 53 GOLD 6W/2 400K E27	4058075528215	1	53	6	680	E27	E	2400	15000	168	125	1	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE REFLECTOR LAMPS

Product name	GTIN (EAN)	No.	W ¹	W	lm	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)
--------------	------------	-----	----------------	---	----	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------

SMART+ Zigbee Spot GU10 Dimmable


SMART+ ZB Spot 50 5W/2700 36° GU10	4058075208452	1	50	5	350	GU10	G	2700	Yes	20000	52	50	1	4
------------------------------------	---------------	---	----	---	-----	------	---	------	-----	-------	----	----	---	---

SMART+ Zigbee Spot GU10 Tunable White

SMART+ ZB Spot 50 5W/2700...6500K 36° GU10	4058075208438	2	50	5	350	GU10	G	2700...6500	Yes	20000	52	50	1	4
--	---------------	---	----	---	-----	------	---	-------------	-----	-------	----	----	---	---

SMART+ Zigbee Spot GU10 Multicolour

SMART+ ZB Spot 28 5W/2700...6500K 120° GU10	4058075208445	3	28	5	300	GU10	G	RGBW 2700...6500	Yes	20000	56	50	1	4
---	---------------	---	----	---	-----	------	---	------------------	-----	-------	----	----	---	---



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE PLUG INDOOR AND OUTDOOR

Product name		GTIN (EAN)		 No		 PROTECTION CLASS		 A MAX		 COLOUR		 IP					
SMART+ Zigbee Plug Indoor																	
SMART+ ZB PLUG EU		4058075208315		1	I	16	White	IP20	1	4							
SMART+ ZB PLUG UK		4058075208322		2	II	13	White	IP20	1	4							





SMART⁺ ZIGBEE FLEX MULTICOLOUR

FLEXIBLE, EXPANDABLE LED STRIP WITH TUNABLE WHITE LIGHT
AND RGB FUNCTION





1
SMART+ ZB FLEX RGBW EXT



Product name	GTIN (EAN)									
SMART+ ZB FLEX RGBW EXT	4058075208612	1	White	Plastic	20 000	6.00	500	2 000...6 500	80	120

Product name						
SMART+ ZB FLEX RGBW EXT	IP20	100 0000	1 200.0	12.0	3.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

ALPHABETICAL PRODUCT INDEX SMART⁺

B		
BRICK SMART ⁺ WIFI	164	
C		
CAMERA SMART ⁺ WIFI	168	
CANDLE LAMPS SMART ⁺ BLUETOOTH	177	
CANDLE LAMPS SMART ⁺ WIFI – SINGLE PACKS	47	
CANDLE LAMPS SMART ⁺ WIFI – TRIPLE PACKS	54	
CANDLE LAMPS SMART ⁺ ZIGBEE	189	
CANDLE LAMPS SUN@HOME WIFI	30	
CASCADE SMART ⁺ WIFI	156	
CEILING FAN SMART ⁺ WIFI	114	
CEILING ORBIS® DISC IP44 SMART ⁺ WIFI	140	
CLASSIC LAMPS SMART ⁺ BLUETOOTH	176	
CLASSIC LAMPS SMART ⁺ WIFI – DOUBLE PACKS	52	
CLASSIC LAMPS SMART ⁺ WIFI – SINGLE PACKS	46	
CLASSIC LAMPS SMART ⁺ WIFI – TRIPLE PACKS	53	
CLASSIC LAMPS SMART ⁺ ZIGBEE	188	
CLASSIC LAMPS SUN@HOME WIFI	30	
CUBE MULTICOLOUR SMART ⁺ WIFI	160	
CURVE MULTICOLOUR SMART ⁺ WIFI	166	
D		
DOWNLIGHT SLIM SMART ⁺ WIFI	120	
DOWNLIGHT SLIM SUN@HOME WIFI	40	
F		
FILAMENT LAMPS WITH EDISON BULB SMART ⁺ BLUETOOTH	179	
FILAMENT LAMPS WITH EDISON BULB SMART ⁺ WIFI	49	
FILAMENT LAMP WITH EDISON BULB SMART ⁺ ZIGBEE	191	
FILAMENT LAMPS WITH GLOBE BULB SMART ⁺ BLUETOOTH	180	
FILAMENT LAMPS WITH GLOBE BULB SMART ⁺ ZIGBEE	192	
FLARE UPDOWN SMART ⁺ WIFI	158	
FLEX MULTICOLOUR SMART ⁺ WIFI	148	
FLEX MULTICOLOUR SMART ⁺ ZIGBEE	296	
FLOOD CAMERA SMART ⁺ WIFI	170	
FLOOD SMART ⁺ WIFI	172	
L		
LAMPS WITH GLOBE BULB SMART ⁺ WIFI	50	
LANTERN FLARE MULTICOLOUR SMART ⁺ WIFI	162	
M		
MINI-GLOBE LAMPS SMART ⁺ BLUETOOTH	178	
MINI-GLOBE LAMPS SMART ⁺ WIFI – SINGLE PACKS	48	
MINI-GLOBE LAMPS SMART ⁺ WIFI – TRIPLE PACKS	55	
MINI-GLOBE LAMPS SMART ⁺ ZIGBEE	190	
MODERN LANTERN MULTICOLOUR SMART ⁺ BLUETOOTH	184	
MONITOR SUN@HOME WIFI	32	
O		
ORBIS® BACKLIGHT ROUND SMART ⁺ WIFI	88	
ORBIS® BACKLIGHT SQUARE SMART ⁺ WIFI	76	
ORBIS® CEILING PLATE SUN@HOME WIFI	38	
ORBIS® CIRCLE SMART ⁺ WIFI	90	
ORBIS® CLEAN SMART ⁺ WIFI	82	
ORBIS® CROMO SMART ⁺ WIFI	104	
ORBIS® CROSS SUN@HOME WIFI	42	
ORBIS® CYLINDER SMART ⁺ WIFI	110	
ORBIS® DONUT SMART ⁺ WIFI	96	
ORBIS® DOWNLIGHT SURFACE SMART ⁺ WIFI	118	
ORBIS® EYE SMART ⁺ WIFI	108	
ORBIS® FRAME SMART ⁺ WIFI	106	
ORBIS® GAVIN SMART ⁺ WIFI	86	
ORBIS® JADEN SMART ⁺ WIFI	86	
ORBIS® KITE SMART ⁺ WIFI	98	
ORBIS® LISA SMART ⁺ WIFI	86	
ORBIS® MAGNET RECTANGULAR SMART ⁺ WIFI	74	
ORBIS® MAGNET SQUARE SMART ⁺ WIFI	72	
ORBIS® MOON SMART ⁺ WIFI	100	
ORBIS® PLATE SMART ⁺ WIFI	102	
ORBIS® RUMOR SMART ⁺ WIFI	94	
ORBIS® SADDIE SMART ⁺ WIFI	80	
ORBIS® SPARKLE SMART ⁺ WIFI	84	
ORBIS® SPIRAL SMART ⁺ WIFI	112	
ORBIS® STEA SMART ⁺ WIFI	92	
ORBIS® STELLA SMART ⁺ WIFI	78	
ORBIS® WALL CROSS SMART ⁺ WIFI	124	
ORBIS® WALL CYLINDRO SMART ⁺ WIFI	130	
ORBIS® WALL SWAN SMART ⁺ WIFI	126	
ORBIS® WALL TWIST SMART ⁺ WIFI	128	
ORBIS® WALL WOOD SMART ⁺ WIFI	132	
P		
PAR16 SUN@HOME WIFI	30	
PIPE SMART ⁺ WIFI	154	
PLANON™ FRAMELESS RECTANGULAR SMART ⁺ WIFI	62	
PLANON™ FRAMELESS ROUND SMART ⁺ WIFI	64	
PLANON™ FRAMELESS SQUARE SMART ⁺ WIFI	60	
PLANON™ FRAMELESS SUN@HOME WIFI	34	
PLANON™ PLUS BACKLIGHT SMART ⁺ WIFI	66	
PLANON™ PLUS RECTANGULAR SMART ⁺ WIFI	70	
PLANON™ PLUS SQUARE SMART ⁺ WIFI	68	
PLANON™ PLUS SUN@HOME WIFI	36	
PLUG INDOOR AND OUTDOOR SMART ⁺ BLUETOOTH	182	

PLUG INDOOR AND OUTDOOR SMART ⁺ WIFI	57
PLUG INDOOR AND OUTDOOR SMART ⁺ ZIGBEE	194

R

REFLECTOR LAMPS SMART ⁺ BLUETOOTH	181
REFLECTOR LAMPS SMART ⁺ WIFI – SINGLE PACKS	51
REFLECTOR LAMPS SMART ⁺ WIFI – TRIPLE PACKS	56
REFLECTOR LAMPS SMART ⁺ ZIGBEE	193
REMOTE CONTROL SMART ⁺ WIFI	58

S

SPOT SMART ⁺ WIFI	122
SUBMARINE® LED SMART ⁺ WIFI	150

T

TABLEFRAME WITH USB POWERBANK SMART ⁺ WIFI	152
---	-----

U

UV-C CEILING FAN SMART ⁺ WIFI	116
--	-----

W

WALL ORBIS® AQUA IP44 SMART ⁺ WIFI	138
WALL ORBIS® BATH IP44 SMART ⁺ WIFI	146
WALL ORBIS® DUPLO IP44 SMART ⁺ WIFI	142
WALL ORBIS® ELYPSE IP44 SMART ⁺ WIFI	144
WALL ORBIS® ROUND IP44 SMART ⁺ WIFI	134
WALL ORBIS® WAVE IP44 SMART ⁺ WIFI	136

ABOUT LEDVANCE



LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from OSRAM's general lighting division, LEDVANCE offers a wide-ranging portfolio of LED luminaires for a broad spectrum of applications, intelligent lighting products for Smart Home and Smart Building solutions, one of the most comprehensive ranges of advanced LED lamps in the lighting industry, traditional light sources, an LED Strip System and light management systems.

LEDVANCE Ltd
Aquila House
Delta Crescent, Westbrook
Warrington, WA5 7NR
United Kingdom

LEDVANCE Ireland
70 Sir John Rogerson's Quay
Dublin 2
Ireland

Telephone: +44 (0) 1925 465 000
Email: csc.uk@ledvance.com

LEDVANCE is the expert partner for installers and lighting professionals. To match our extensive range of luminaires we also offer a large portfolio of innovative LED lamps in excellent brand quality. Further information about our range of lamps and services is available online at www.ledvance.co.uk

Use our mobile apps and online tools to calculate the possible savings for your next LED project in no time, find the right lamp or luminaire and scroll through the latest catalogs:

www.ledvance.co.uk/tools

Partner:



LEDVANCE.CO.UK