LEDVANCE.COM

LEDVANCE



VINTAGE EDITION 1906
LUMINAIRES & LAMPS
2024



LEDVANCE
POWER THROUGH LIGHT

A STRONG PARTNER IN THE LIGHTING INDUSTRY

LEDVANCE is a prominent player in the lighting industry, known for its innovative lighting products and smart, interconnected lighting solutions. Drawing from our comprehensive understanding of the general illumination market, current technologies, and evolving customer demands, we are committed to meeting the specific needs of both direct and indirect customers.

As a reliable local partner, we take an active role in supporting your efforts to impress customers with high-quality, long-lasting lighting concepts. Our aim is to help boost your lighting sales by offering attractive, user-friendly, and intelligent products.

Together, we can collaboratively shape the future of light – with agility, courage, speed, and flexibility. Join us on this journey as we pave the way toward a brighter tomorrow.

OUR STRENGTHS ARE **YOUR ADVANTAGE**

COOPERATIVE
As a dedicated and collaborative partner, LEDVANCE boasts a vast, worldwide sales team and over a century of experience, ensuring we stand by your side at all times.

VERSATILE
Modern, smart, decorative, functional, robust and practical – our extensive portfolio meets customer requirements in all categories and virtually every area of application.

SALES-BOOSTING
Attract attention, encourage purchases. We offer targeted support for your sales with creative, pre-tested marketing concepts.

CARING
We are committed to contributing to a greener planet by reducing CO_2 emissions and waste through sustainable products, solutions and processes. We empower our customers to use light more efficiently to save energy and reduce their environmental footprint.

UNIQUE
Fresh, dynamic, high-quality and bold – we know at an early stage what interests customers and where lighting trends are heading. LEDVANCE is unmistakably LEDVANCE.

INNOVATION MEETS TRADITION
We embody progress and the passion to shape the future of lighting actively. By blending our courage to explore new paths with our experience from more than 100 years of lighting expertise, we lead the way forward.

ALL IN ONE
At LEDVANCE, we‘ve got everything you need from a single source – LED luminaires, lamps, and Smart Home products. We offer you a wide range of innovative and market-driven solutions, setting new trends along the way.

FIRST-CHOICE PARTNER
As the perfect strategic ally, we offer an extensive portfolio, a robust sales network, and unparalleled global market access to fulfill all your requirements.

GLOBAL PRESENCE



- Sales & Legal Entities
- Sales
- Not present

ACTIVE IN MORE THAN
140 COUNTRIES

OFFICES IN MORE THAN
50 COUNTRIES





CONTENT

LEDVANCE POWER THROUGH LIGHT 2

PRODUCTS

LUMINAIRES 6

– VINTAGE 1906 PENDULUM 8

LAMPS 24

– VINTAGE 1906 BIG MAGNETIC FILAMENT 26

– VINTAGE 1906 MAGNETIC FILAMENT 28

– VINTAGE 1906 COLOUR 30

– VINTAGE 1906 BIG BULBS 32

– VINTAGE 1906 SPECIAL SHAPES 34

– VINTAGE 1906 SPECIAL FILAMENTS 36

– VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS 38

– VINTAGE 1906 SPIRAL FILAMENTS 40

– VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS 42

– VINTAGE 1906 GOLD 52

POS CONCEPTS 56

GLOSSARY 58

UPRIGHT OR SUSPENDED ALWAYS A HIGHLIGHT

Vintage Edition 1906 is an authentic, versatile and uncomplicated union of retro design and modern technology. The historically inspired shapes of the lamps and luminaires are real design highlights, combined with modern, efficient LED lighting technology.

Impress your customers now with a wide range of new stylish luminaires, ideal as decorative centerpieces in any home. The new Sticks – floor luminaires in the “Décor” product category – create a special effect thanks to their high-quality look and feel and modern minimalist style, particularly with Big Magnetic Filament lamps, for example. Individual lighting scenarios can be controlled in combination with decorative light sources by means of an integrated footswitch.

The new versions of the PenduLum pendant lamps can also be combined, grouped or bundled with Vintage Edition 1906 lamps, or simply installed as they are. Always highly decorative eye-catchers ... see for yourself.







VINTAGE 1906 PENDULUM

1



2









E27 | MAX. 60 W | FLEXIBLE MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	Ø d (mm)	
Vintage 1906 PenduLum								
Vintage 1906 PenduLum Gold	4058075**228016**	1	Gold	Aluminum	IP20	2114	68	4
Vintage 1906 PenduLum Black	4058075**227996**	2	Black	Aluminum	IP20	2114	68	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee



VINTAGE 1906 PENDULUM NEEDLE

1



2







E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee [1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h [mm]	Ø d [mm]	
Vintage 1906 PenduLum Needle								
1906 PENDULUM NEEDLE E27 DG	4058075**833159**	1	Dark grey	Steel	IP20	2287	100	4
1906 PENDULUM NEEDLE E27 BG	4058075**833173**	2	Beige	Steel	IP20	2287	100	4

Perfect in combination with Big Magnetic Filament lamps of the same colour, see pages 30/31

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee



VINTAGE 1906 PENDULUM BOBBIN

1



2







E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h [mm]	Ø d [mm]	
Vintage 1906 PenduLum Bobbin								
Vintage 1906 PenduLum Bobbin Black	4099854**092541**	1	Black	Steel	IP20	1 625	100	4
Vintage 1906 PenduLum Bobbin Gun Metal	4099854**092527**	2	Dark grey	Steel	IP20	1 625	100	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee



VINTAGE 1906 PENDULUM ROUND





E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h [mm]	Ø d [mm]	
Vintage 1906 PenduLum Round								
Vintage 1906 PenduLum Round Chrome	4099854**092602**	1	Chrome	Steel	IP20	1 640	100	4
Vintage 1906 PenduLum Round Gold	4099854**092626**	2	Gold	Steel	IP20	1 640	100	4
Vintage 1906 PenduLum Round Black	4099854**092589**	3	Black	Steel	IP20	1 640	100	4
Vintage 1906 PenduLum Round White	4099854**092565**	4	White	Steel	IP20	1 640	100	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee



VINTAGE 1906 PENDULUM ROUND PLASTER





E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	ø d (mm)	
Vintage 1906 PenduLum Round Plaster								
Vintage 1906 PenduLum Round Plaster White	4099854**092640**	1	White	Steel/plaster	IP20	1 630	120	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee



VINTAGE 1906 PENDULUM BELL



1



2





E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee [1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h [mm]	Ø d [mm]	
Vintage 1906 PenduLum Bell								
Vintage 1906 PenduLum Bell Black	4099854**092664**	1	Black	Polypropylene/silicone	IP20	1175	92	4
Vintage 1906 PenduLum Bell White	4099854**092688**	2	White	Polypropylene/silicone	IP20	1175	92	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee



VINTAGE 1906 PENDULUM CYLINDER WOOD





E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h [mm]	Ø d [mm]	
Vintage 1906 PenduLum Cylinder Wood								
Vintage 1906 PenduLum Cylinder Wood	4099854**092503**	1	Wooden decor	Steel/Wood	IP20	1 630	100	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee



VINTAGE 1906 PENDULUM TRIPLE CANOPY

1





2







MAX. 3×12 W | EASY MOUNTING | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	w [mm]	h [mm]	Ø d [mm]	
Vintage 1906 PenduLum Triple Canopy										
Vintage 1906 PenduLum Triple Canopy	4058075**274488**	1	Black	Aluminum	IP20	—	—	25	200	4
Vintage 1906 PenduLum Triple Canopy Linear	4099854**092831**	2	Black	Aluminum	IP20	540	50	50	—	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee

INNER VALUES FOR A DECORATIVE OUTER EFFECT

Even the most attractive vintage-style luminaires will be enhanced with modern LED lamps from LEDVANCE's Vintage Edition 1906 portfolio. The wide range of lamps from LEDVANCE in new colours, shapes, sizes and with a new attractive "inner life" fulfill their predominantly decorative tasks exceptionally well. They create an excellent atmosphere – in kitchens, hallways, living rooms or bedrooms.

Wherever they are used, the cozy warm white light from these decorative lamps is simply captivating.







VINTAGE 1906 BIG MAGNETIC FILAMENT – NON-DIM



1 2 3 4 5 6



LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		t[h] [3]	l [mm]	⌀ d [mm]		
Vintage 1906 Big Magnetic Filament – non-dim **E27, 220–240 V, folding box**												
Vintage 1906 Big Elipse 6 Filament Magnetic 4W 818 Smoke E27	4099854**173929**	1	6 W	4	60	—	Comfort warm white	15000	210	300	1	4
Vintage 1906 Big Oval 10 Filament Magnetic 4W 818 Smoke E27	4099854**173943**	2	10 W	4	100	—	Comfort warm white	15000	300	250	1	4
Vintage 1906 Big Elipse Oval 12 Filament Magnetic 4W 818 Smoke E27	4099854**173981**	3	12 W	4	120	—	Comfort warm white	15000	370	200	1	4
Vintage 1906 Big Elipse 12 Filament Magnetic 2.5W 827 Amber E27	4099854**173806**	4	12 W	2.5	120	G	Warm white	15000	210	300	1	4
Vintage 1906 Big Oval 25 Filament Magnetic 3.4W 827 Amber E27	4099854**173844**	5	25 W	3.4	250	G	Warm white	15000	300	250	1	4
Vintage 1906 Big Elipse Oval 27 Filament Magnetic 4W 827 Amber E27	4099854**173882**	6	27 W	4	280	G	Warm white	15000	370	200	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency) | [3] Average life in hours



VINTAGE 1906 MAGNETIC FILAMENT – NON-DIM



1 2 3 4 5 6 7 8 9



LED IP20 CRI ≥80 WARM LIGHT LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		t[h] [3]	l [mm]	⌀ d [mm]		
Vintage 1906 Magnetic Filament – non-dim **E27, 220–240 V, folding box**												
Vintage 1906 Classic A 10 Filament Magnetic 1.8W 827 Clear E27	4099854**049972**	1	10 W	1.8	100	G	Warm white	15000	105	60	1	6
Vintage 1906 Edison 16 Filament Magnetic 2.2W 827 Clear E27	4099854**049859**	2	16 W	2.2	150	G	Warm white	15000	140	64	1	4
Vintage 1906 Globe 95 16 Filament Magnetic 2.2W 827 Clear E27	4099854**049910**	3	16 W	2.2	150	G	Warm white	15000	138	95	1	4
Vintage 1906 Classic A 4 Filament Magnetic 1.8W 818 Smoke E27	4099854**050015**	4	4 W	1.8	40	—	Comfort warm white	15000	105	60	1	6
Vintage 1906 Edison 6 Filament Magnetic 2.2W 818 Smoke E27	4099854**049897**	5	6 W	2.2	60	—	Comfort warm white	15000	140	64	1	4
Vintage 1906 Globe 95 6 Filament Magnetic 2.2W 818 Smoke E27	4099854**049958**	6	6 W	2.2	60	—	Comfort warm white	15000	138	95	1	4
Vintage 1906 Classic A 8 Filament Magnetic 1.8W 827 Gold E27	4099854**049996**	7	8 W	1.8	80	G	Warm white	15000	105	60	1	6
Vintage 1906 Edison 12 Filament Magnetic 2.2W 827 Gold E27	4099854**049873**	8	12 W	2.2	120	G	Warm white	15000	140	64	1	4
Vintage 1906 Globe 95 12 Filament Magnetic 2.2W 827 Gold E27	4099854**049934**	9	12 W	2.2	120	G	Warm white	15000	138	95	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency) | [3] Average life in hours



VINTAGE 1906 COLOUR – DIM


1


2


3


4


5





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t [h] [4]	l [mm]	⌀ d [mm]		
Vintage 1906 Colour – dim **E27, 220–240 V, folding box**													
Vintage 1906 Globe 140 15 Filament DIM 4.5W 816 Smoke E27	4058075**760974**	1	15 W	4.5	150	G	Comfort warm white	✓	15000	200	140	1	4
Vintage 1906 Globe ET 124 18 Filament DIM 4.5W 816 Green E27	4058075**761858**	2	18 W	4.5	180	G	Comfort warm white	✓	15000	176	125	1	4
Vintage 1906 Ballon 10 Filament DIM 4.5W 816 Blue E27	4058075**761872**	3	10 W	4.5	100	G	Comfort warm white	✓	15000	270	170	1	4
Vintage 1906 Ballon 15 Filament DIM 4.5W 816 Pink E27	4058075**761896**	4	15 W	4.5	220	G	Comfort warm white	✓	15000	270	170	1	4
Vintage 1906 Ballon 30 Filament DIM 4.8W 827 Clear E27	4058075**761919**	5	30 W	4.8	400	G	Warm white	✓	15000	270	170	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 BIG BULBS – DIM



1 2 3 4 5



LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	⌀ d [mm]		
Vintage 1906 Big Bulbs – dim **E27, 220–240 V, folding box**													
Vintage 1906 Globe ET 165 15 Filament DIM 4.5W 817 Smoke E27	4058075**760998**	1	15 W	4.5	150	G	Comfort warm white	✓	15000	270	165	1	4
Vintage 1906 AW 15 Filament DIM 4W 818 Smoke E27	4058075**761018**	2	15 W	4	140	G	Comfort warm white	✓	15000	400	193	1	4
Vintage 1906 Classic C 125 15 Filament DIM 4W 818 Smoke E27	4099854**090325**	3	15 W	4	140	G	Comfort warm white	✓	15000	283	125	1	4
Vintage 1906 NEST 10 Filament DIM 4.8W 818 Smoke E27	4058075**761056**	4	10 W	4.8	100	G	Comfort warm white	✓	15000	405	200	1	4
Vintage 1906 NEST 33 Filament DIM 4.8W 822 Gold E27	4058075**761834**	5	33 W	4.8	360	G	Comfort warm white	✓	15000	405	200	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 SPECIAL SHAPES – NON-DIM



1 2 3 4 5



LED IP20 CRI ≥80 WARM LIGHT LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		t[h] [3]	l [mm]	⌀ d [mm]		
Vintage 1906 Special Shapes – non-dim **E27, 220–240 V, folding box**												
Vintage 1906 Edison 40 Filament Diamond 4W 824 Gold E27	4058075**091955**	1	40 W	4	470	E	Comfort warm white	15000	142	110	1	4
Vintage 1906 Oval 40 Filament 4W 824 Gold E27	4099854**091117**	2	40 W	4	470	E	Comfort warm white	15000	156	75	1	4
Vintage 1906 Big Globe 40 Filament Pine 4W 824 Gold E27	4058075**092037**	3	40 W	4	470	E	Comfort warm white	15000	168	125	1	4
Vintage 1906 Tubular 20 Filament 2.5W 820 Gold E27	4099854**091858**	4	20 W	2.5	200	G	Comfort warm white	15000	127	32	1	4
Vintage 1906 Tubular 35 Filament 4W 820 Gold E27	4099854**091889**	5	35 W	4	400	F	Comfort warm white	15000	185	32	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency) | [3] Average life in hours



VINTAGE 1906 SPECIAL FILAMENTS – NON-DIM



1 2 3



LED IP20 CRI ≥80 WARM LIGHT LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		t[h] [3]	l [mm]	⌀ d [mm]		
Vintage 1906 Special Filaments – non-dim **E27, 220–240 V, folding box**												
Vintage 1906 Classic A 10 Filament 3.4W 818 Smoke E27	4058075**760912**	1	10 W	3.4	100	G	Comfort warm white	15000	105	60	1	6
Vintage 1906 Edison 10 Filament 3.4W 818 Smoke E27	4099854**091353**	2	10 W	3.4	100	G	Comfort warm white	15000	140	64	1	4
Vintage 1906 Globe 95 10 Filament 3.4W 818 Smoke E27	4058075**760950**	3	10 W	3.4	100	G	Comfort warm white	15000	138	95	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency) | [3] Average life in hours



VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – DIM CLEAR



1 2 3 4 5 6



LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	⌀ d [mm]		
Vintage 1906 Spiral Ultra Thin Filaments – dim clear													
E27, 220–240 V, folding box													
Vintage 1906 Classic A 40 Filament DIM 4.8W 827 Clear E27	4099854**075643**	1	40 W	4.8	470	F	Warm white	✓	15000	105	60	1	6
Vintage 1906 Edison 40 Filament DIM 4.8W 827 Clear E27	4099854**075667**	2	40 W	4.8	470	F	Warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 40 Filament DIM 4.8W 827 Clear E27	4099854**075704**	3	40 W	4.8	470	F	Warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 40 Filament DIM 4.8W 827 Clear E27	4099854**075681**	4	40 W	4.8	470	F	Warm white	✓	15000	138	95	1	4
E14, 220–240 V, folding box													
Vintage 1906 Classic B 40 Filament DIM 4.8W 827 Clear E14	4099854**075728**	5	40 W	4.8	470	F	Warm white	✓	15000	97	35	1	6
Vintage 1906 Classic P 40 Filament DIM 4.8W 827 Clear E14	4099854**075742**	6	40 W	4.8	470	F	Warm white	✓	15000	78	45	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – DIM SMOKE



1 2 3 4 5



LED IP20 CRI ≥80 WARM LIGHT LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t[h] [4]	[mm]	⌀ d [mm]		
Vintage 1906 Spiral Ultra Thin Filaments – dim smoke													
E27, 220–240 V, folding box													
Vintage 1906 Edison 30 Filament DIM 7.8W 818 Smoke E27	4099854**090981**	1	30 W	7.8	360	G	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 30 Filament DIM 7.8W 818 Smoke E27	4099854**090745**	2	30 W	7.8	360	G	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 30 Filament DIM 7.8W 818 Smoke E27	4058075**761216**	3	30 W	7.8	360	G	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 30 Filament DIM 7.8W 818 Smoke E27	4058075**761254**	4	30 W	7.8	360	G	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 200 16 Filament DIM 4.8W 818 Smoke E27	4058075**761278**	5	16 W	4.8	150	G	Comfort warm white	✓	15000	295	200	1	4
E27, 220–240 V, double-pack folding box													
Vintage 1906 LED dim CLASSIC Edison FIL SMOKE 30 DIM 7,8W/818 E27	4099854**147852**	1	30 W	7.8	360	G	Comfort warm white	✓	15000	140	64	2	8
Vintage 1906 LED dim CLASSIC Globe80 FIL SMOKE 30 DIM 7,8W/818 E27	4099854**147890**	2	30 W	7.8	360	G	Comfort warm white	✓	15000	120	80	2	8

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours


pulpo

VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – DIM GOLD



1 2 3 4 5 6 7 8





LED IP20 CRI ≥80 WARM LIGHT LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t[h] [4]	[mm]	⌀ d [mm]		
Vintage 1906 Spiral Ultra Thin Filaments – dim gold													
E27, 220–240 V, folding box													
Vintage 1906 Classic A 35 Filament DIM 4.8W 822 Gold E27	4058075**761452**	1	35 W	4.8	400	G	Comfort warm white	✓	15000	105	60	1	6
Vintage 1906 Edison 37 Filament DIM 4.8W 822 Gold E27	4099854**091025**	2	37 W	4.8	420	F	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Edison 48 Filament DIM 7W 822 Gold E27	4099854**091049**	2	48 W	7	600	F	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 37 Filament DIM 4.8W 822 Gold E27	4099854**090806**	3	37 W	4.8	420	F	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 80 48 Filament DIM 7W 822 Gold E27	4099854**090820**	3	48 W	7	600	F	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 37 Filament DIM 4.8W 822 Gold E27	4058075**761612**	4	37 W	4.8	420	F	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 95 48 Filament DIM 7W 822 Gold E27	4058075**761636**	4	48 W	7	600	F	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 37 Filament DIM 4.8W 822 Gold E27	4058075**761650**	5	37 W	4.8	420	F	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 125 48 Filament DIM 7W 822 Gold E27	4058075**761674**	5	48 W	7	600	F	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 200 33 Filament DIM 4.8W 822 Gold E27	4058075**761698**	6	33 W	4.8	400	G	Comfort warm white	✓	15000	295	200	1	4
E27, 220–240 V, double-pack folding box													
Vintage 1906 LED dim CLASSIC Edison FIL GOLD 37 DIM 4,8W/822 E27	4099854**147838**	2	37 W	4.8	420	F	Comfort warm white	✓	15000	140	64	2	8
Vintage 1906 LED dim CLASSIC Globe80 FIL GOLD 37 DIM 4,8W/822 E27	4099854**147876**	3	37 W	4.8	420	F	Comfort warm white	✓	15000	120	80	2	8
E14, 220–240 V, folding box													
Vintage 1906 Classic B 25 Filament DIM 3.4W 822 Gold E14	4099854**091612**	7	25 W	3.4	250	G	Comfort warm white	✓	15000	97	35	1	6
Vintage 1906 Classic P 25 Filament DIM 3.4W 822 Gold E14	4058075**761438**	8	25 W	3.4	250	G	Comfort warm white	✓	15000	78	45	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 SPIRAL FILAMENTS – DIM



1 2 3 4 5 6 7 8



LED IP20 CRI ≥80 WARM LIGHT LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t [h] [4]	l [mm]	⌀ d [mm]		
Vintage 1906 Spiral Filaments – dim **E27, 220–240 V, folding box**													
Vintage 1906 Edison 15 Filament Big Grape DIM 4W 818 Smoke E27	4058075**270022**	1	15 W	4	140	G	Comfort warm white	✓	15000	290	160	1	4
Vintage 1906 Big Globe 15 Filament DIM 4W 818 Smoke E27	4058075**270046**	2	15 W	4	140	G	Comfort warm white	✓	15000	290	200	1	4
Vintage 1906 Edison 28 Filament Big Grape DIM 4W 820 Gold E27	4058075**269705**	3	28 W	4	300	G	Comfort warm white	✓	15000	290	160	1	4
Vintage 1906 Edison 28 Filament DIM 4W 820 Gold E27	4099854**090103**	4	28 W	4	300	G	Comfort warm white	✓	15000	143	64	1	4
Vintage 1906 Edison 60 Filament DIM 8.8W 824 Gold E27	4099854**137846**	5	60 W	8.8	806	F	Comfort warm white	✓	15000	143	64	1	4
Vintage 1906 Globe 28 Filament DIM 4W 820 Gold E27	4058075**270008**	6	28 W	4	300	G	Comfort warm white	✓	15000	168	124	1	4
Vintage 1906 Globe 60 Filament DIM 8.8W 824 Gold E27	4099854**137884**	7	60 W	8.4	806	F	Comfort warm white	✓	15000	168	125	1	4
Vintage 1906 Big Globe 28 Filament DIM 4W 820 Gold E27	4058075**269729**	8	28 W	4	300	G	Comfort warm white	✓	15000	290	200	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours


EDITION
1906

VINTAGE 1906 SPIRAL FILAMENTS – NON-DIM



1 2 3 4 5 6 7 8



LED IP20 CRI ≥80 WARM LIGHT LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		t[h] [3]	l [mm]	⌀ d [mm]		
Vintage 1906 Spiral Filaments – non-dim **E27, 220–240 V, folding box**												
Vintage 1906 Edison 15 Filament Big Grape 4W 818 Smoke E27	4058075**269903**	1	15 W	4	140	G	Comfort warm white	15000	290	160	1	4
Vintage 1906 Edison 15 Filament 4W 818 Smoke E27	4099854**091315**	2	15 W	4	140	G	Comfort warm white	15000	143	64	1	4
Vintage 1906 Globe 15 Filament 4W 818 Smoke E27	4058075**269989**	3	15 W	4	140	G	Comfort warm white	15000	168	124	1	4
Vintage 1906 Big Globe 15 Filament 4W 818 Smoke E27	4058075**269927**	4	15 W	4	140	G	Comfort warm white	15000	290	200	1	4
Vintage 1906 Edison 28 Filament Big Grape 4W 820 Gold E27	4058075**091993**	5	28 W	4	300	G	Comfort warm white	15000	290	160	1	4
Vintage 1906 Edison 28 Filament 4W 820 Gold E27	4099854**091292**	6	28 W	4	300	G	Comfort warm white	15000	143	64	1	4
Vintage 1906 Globe 28 Filament 4W 820 Gold E27	4058075**092136**	7	28 W	4	300	G	Comfort warm white	15000	168	124	1	4
Vintage 1906 Big Globe 28 Filament 4W 820 Gold E27	4058075**092013**	8	28 W	4	300	G	Comfort warm white	15000	290	200	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency) | [3] Average life in hours



VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS – DIM SMOKE


1


2


3


4





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	d [mm]		
Vintage 1906 Straight Ultra Thin Filaments – dim smoke **E27, 220–240 V, folding box**													
Vintage 1906 Edison 42 Filament DIM 11W 818 Smoke E27	4099854**091001**	1	42 W	11	500	G	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 42 Filament DIM 11W 818 Smoke E27	4099854**090783**	2	42 W	11	500	G	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 42 Filament DIM 11W 818 Smoke E27	4058075**761353**	3	42 W	11	500	G	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 42 Filament DIM 11W 818 Smoke E27	4058075**761391**	4	42 W	11	500	G	Comfort warm white	✓	15000	173	124	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS – DIM GOLD



1 2 3 4 5



LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	⌀ d [mm]		
Vintage 1906 Straight Ultra Thin Filaments – dim gold **E27, 220–240 V, folding box**													
Vintage 1906 Edison 40 Filament DIM 5.8W 822 Gold E27	4099854**091063**	1	40 W	5.8	470	G	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Edison 60 Filament DIM 8.8W 822 Gold E27	4099854**091087**	1	60 W	8.8	806	F	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 40 Filament DIM 5.8W 822 Gold E27	4099854**090844**	2	40 W	5.8	470	G	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 80 60 Filament DIM 8.8W 822 Gold E27	4099854**090943**	2	60 W	8.8	806	F	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 40 Filament DIM 5.8W 822 Gold E27	4058075**761759**	3	40 W	5.8	470	G	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 95 60 Filament DIM 8.8W 822 Gold E27	4058075**761773**	3	60 W	8.8	806	F	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 40 Filament DIM 5.8W 822 Gold E27	4058075**761797**	4	40 W	5.8	470	G	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 125 60 Filament DIM 8.8W 822 Gold E27	4058075**761810**	4	60 W	8.8	806	F	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Tubular 40 Filament DIM 4.8W 822 Gold E27	4099854**091803**	5	40 W	4.8	470	F	Comfort warm white	✓	15000	165	32	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours


EDITION
1906

VINTAGE 1906 – DIM GOLD



1 2 3 4 5 6



LED IP20 CRI ≥80 WARM LIGHT LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	⌀ d [mm]		
Vintage 1906 – dim gold													
E27, 220–240 V, folding box													
Vintage 1906 Mini Edison ST 45 33 Filament DIM 4.8W 822 Gold E27	4058075**779945**	1	33 W	4.8	360	G	Comfort warm white	✓	15000	88	45	1	6
Vintage 1906 Edison 55 Filament DIM 6.5W 824 Gold E27	4099854**081514**	2	55 W	6.5	725	E	Comfort warm white	✓	15000	143	64	1	4
Vintage 1906 Edison 60 Filament DIM 7.2W 824 Gold E27	4099854**137822**	3	60 W	7.2	806	E	Comfort warm white	✓	15000	143	64	1	4
Vintage 1906 Globe 80 60 Filament DIM 7.2W 824 Gold E27	4099854**137860**	4	60 W	7.2	806	E	Comfort warm white	✓	15000	115	80	1	4
Vintage 1906 Globe 95 55 Filament DIM 6.5W 824 Gold E27	4099854**132315**	5	55 W	6.5	725	E	Comfort warm white	✓	15000	135	95	1	4
Vintage 1906 Globe 125 55 Filament DIM 6.5W 824 Gold E27	4058075**808997**	6	55 W	6.5	725	E	Comfort warm white	✓	15000	168	124	1	4
E27, 220–240 V, double-pack folding box													
Vintage 1906 LED dim CLASSIC Edison FIL GOLD 55 DIM 6,5W/824 E27	4058075**754713**	2	55 W	6.5	725	E	Comfort warm white	✓	15000	143	64	2	8
Vintage 1906 LED dim CLASSIC GLOBE80 FIL GOLD 60 DIM 7,2W/824 E27	4099854**137808**	4	60 W	7.2	806	E	Comfort warm white	✓	15000	115	80	2	8
Vintage 1906 LED dim CLASSIC GLOBE95 FIL GOLD 55 DIM 6,5W/824 E27	4058075**754737**	5	55 W	6.5	725	E	Comfort warm white	✓	15000	135	95	2	8

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 – NON-DIM GOLD



1 2 3 4 5 6 7



8 9 10 11 12 13



LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	Class [2]		$t_{[h]}$ [3]	l [mm]	d [mm]		
Vintage 1906 – non-dim gold												
E27, 220–240 V, folding box												
Vintage 1906 Classic A 22 Filament 2.5W 824 Gold E27	4058075**293199**	1	22 W	2.5	220	F	Comfort warm white	15000	105	60	1	6
Vintage 1906 Classic A 35 Filament 4W 824 Gold E27	4058075**293090**	2	35 W	4	410	F	Comfort warm white	15000	105	60	1	6
Vintage 1906 Classic A 50 Filament 6.5W 824 Gold E27	4058075**293298**	3	50 W	6.5	650	F	Comfort warm white	15000	105	60	1	6
Vintage 1906 Classic A 63 Filament 7.5W 824 Gold E27	4058075**293359**	3	63 W	7.5	865	E	Comfort warm white	15000	105	60	1	6
Vintage 1906 Edison 22 Filament 2.5W 824 Gold E27	4099854**091339**	4	22 W	2.5	220	F	Comfort warm white	15000	143	64	1	4
Vintage 1906 Edison 35 Filament 4W 824 Gold E27	4099854**091377**	5	35 W	4	410	F	Comfort warm white	15000	143	64	1	4
Vintage 1906 Globe 22 Filament 2.5W 824 Gold E27	4058075**808980**	6	22 W	2.5	220	F	Comfort warm white	15000	168	124	1	4
Vintage 1906 Globe 35 Filament 4W 824 Gold E27	4099854**091179**	7	35 W	4	410	F	Comfort warm white	15000	168	124	1	4
Vintage 1906 Globe 52 Filament 6.5W 824 Gold E27	4058075**809406**	7	52 W	6.5	720	E	Comfort warm white	15000	168	124	1	4
E14, 220–240 V, folding box												
Vintage 1906 Classic B 12 Filament 1.5W 824 Gold E14	4099854**091599**	8	12 W	1.5	120	G	Comfort warm white	15000	100	35	1	6
Vintage 1906 Classic B 22 Filament 2.5W 824 Gold E14	4099854**091575**	8	22 W	2.5	220	F	Comfort warm white	15000	100	35	1	6
Vintage 1906 Classic B 35 Filament 4W 824 Gold E14	4099854**091476**	9	35 W	4	410	F	Comfort warm white	15000	100	35	1	6
Vintage 1906 Classic BA 12 Filament 1.5W 824 Gold E14	4099854**091551**	10	12 W	1.5	120	G	Comfort warm white	15000	121	35	1	10
Vintage 1906 Classic BA 22 Filament 2.5W 824 Gold E14	4099854**091537**	10	22 W	2.5	220	F	Comfort warm white	15000	121	35	1	10
Vintage 1906 Classic BW 12 Filament 1.5W 824 Gold E14	4099854**091513**	11	12 W	1.5	120	G	Comfort warm white	15000	100	35	1	6
Vintage 1906 Classic BW 22 Filament 2.5W 824 Gold E14	4099854**091490**	11	22 W	2.5	220	F	Comfort warm white	15000	100	35	1	6
Vintage 1906 Classic P 22 Filament 2.5W 824 Gold E14	4058075**290815**	12	22 W	2.5	220	F	Comfort warm white	15000	77	45	1	6
Vintage 1906 Classic P 35 Filament 4W 824 Gold E14	4058075**293496**	13	35 W	4	410	F	Comfort warm white	15000	77	45	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency) | [3] Average life in hours

POS CONCEPTS, THAT MAKE THE DIFFERENCE

Attractive new luminaires and decorative lamps are not all that LEDVANCE offers you. Specially selected POS concepts will help boost your sales.

- High-quality packaging design with clear and concise consumer information
- Sales-boosting secondary placements made of wood or sturdy cardboard, available stocked or unstocked
- Shelf placements with attention-grabbing messages and numerous functional samples
- Island solutions for special areas with or without products









TAILOR-MADE SALES SOLUTIONS

Are you looking for a customized solution for your specifi c POS situation? No problem. Just get in touch with your customer adviser. They will be happy to help you.

CUSTOMER SERVICE CENTRE:

Email: csc.uk@ledvance.com
Phone: +44 1925 465 000


LEDVANCE.COM
LEDVANCE

SYMBOLS IN TABLES

No.	Fig. no.
w≙W	Equivalent wattage (incandescent lamp)
W	Wattage in W
lm	Luminous flux in lumen
	Energy efficiency class
	Light colour
t [h]	Average life in hours
COLOR	Housing colour
MATERIAL	Housing material
IP	Protection class
l [mm]	Length l in mm
w [mm]	Width w in mm
h [mm]	Height h in mm
∅ d [mm]	Diameter d in mm
	Content per packaging unit
	Standard pack in pcs.

PRODUCT-SPECIFIC SYMBOLS

LED	LED-Technology	MAX. 60 W	Maximum lamp wattage (incandescent lamp)	FLEXIBLE MOUNTING	Flexible mounting options
DIM	Dimmable	IP 20	Protection class	NOT INCL.	Light source not included
E27	E27 base	CRI ≥80	Colour rendering index	LEDVANCE 3 year guarantee	Guarantee period
MAX. 3×12 W	Maximum lamp wattage (LED)	WARM LIGHT	Light effect	LEDVANCE 5 year guarantee	Guarantee period
MAX. 15 W	Maximum lamp wattage (LED)	1.8 m	Cable length with plug		Do not throw away with household waste
MAX. 25 W	Maximum lamp wattage (LED)	EASY MOUNTING	Easy installation		

ABOUT LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for smart homes and smart buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.
For more information go to www.ledvance.com.

LEDVANCE Ltd
Sterling House
810 Mandarin Court
Warrington, WA1 1GG
United Kingdom

Phone: 01925 465 000

LEDVANCE

LEDVANCE.COM

LEDVANCE is licensee of product trademark
OSRAM for lamps products in general lighting.

OSRAM

921W018US 02/24 LEDVANCE EU-W MK RET Subject to change without notice. Errors and omission excepted.