



CONDUIT ACCESSORIES

unicrimp.com

UNICRIMP®
● ● ● ● ● ScolmoreGROUP

Conduit Accessories

Conduit accessories play a pivotal role in ensuring the smooth operation, safety, and longevity of electrical conduit systems.

Our conduit fittings and accessories are designed for durability and ease of installation, these essential components not only protect wiring but also enhance the overall efficiency of electrical systems.

Conduit accessories ensure that installations comply with safety regulations and standards, such as IEE Wiring Regulations.

Both indoors or outdoors, whether in residential homes, bustling commercial buildings, or large-scale industrial settings, conduit accessories are the unsung heroes that keep everything running safely and reliably.

Q-CRIMP®

Light Gauge Saddles

Wraps tightly around the conduit to support and secure conduits in a precise and organised manner.

Metal Hook

Suspends cables or light fittings.

Inspection Tee

Create a three-way junction with window to access and check cables.

Conduit Boxes

Also known as BESA boxes, designed to protect and route electrical cables within a building structure.

Inspection Bends

Join two pieces of conduit tube for changes in direction (usually 90° or 45° angles) with an inspection window to access and check cables.




Cable Protection & Safety

Conduit accessories protect electrical cables from physical damage, moisture, and chemical exposure, ensuring longevity and safety. By securing conduits and providing smooth connections, electrical hazards like shorts and electrocution can be prevented.



Durable Materials

Manufactured from galvanized steel, designed to resist corrosion and environmental stress.



Flexibility


Available in different sizes to fit various conduit diameters. Elbows, bends and junction boxes allow flexibility in conduit routing and expansion of electrical systems as needed.



Heat Resistance

Our high-quality conduit accessories can handle high temperatures, making them suitable for industrial and commercial applications.

All of our products in the Q-Crimp, Q-Fire and Q-Nect ranges can be used when installing products from Scolmore Group. Choose from a great range of cable and wire accessories to help make your installations quicker, easier and safer.



ESP
Scolmore GROUP

- Bootlace Ferrules
- Cable Ties
- Warning Tape
- Catenary Wire & Accessories
- Cable Clips
- Q-Fire Range
- Fixings



CLICK
Scolmore GROUP

- Sleeving
- Nylon Glands
- Grommets
- Q-Fire Range
- Extension Stud
- Torque Driver
- Push In & Lever Connectors
- Countersunk Machine Screws

elucian



OVIA
Scolmore GROUP

- Bootlace Ferrules
- Nylon Glands
- PVC Tape
- Push In & Lever Connectors
- Terminal Blocks
- Q-Fire Range
- Catenary Wire & Accessories
- Jack Chain & Accessories



Q-Fire Expanding Foam

Single component, flame resistant, B1 quality construction foam which cures by air moisture. It expands up to 30 times its original volume and is quick drying. Flame resistant only in between solid mineral or metal construction materials - gap depth and width a maximum of 40mm.



Lock Off Kits

Designed to prevent equipment usage at any given time. Ideal in locations where multiple workers are on-site.



PVC Tapes

Tested for: Thickness, Tensile Elongation, Adhesion, Adhesion to Backing, Flagging, Corrosive Sulphur, Flame Propagation (CAT 2), Plastic to 31/90 (PVCP), Working Temperature up to 70°C.



Earth Rods & Clamps

Unicrimp® earthing products meet British, European and International standards and all components are manufactured from high quality materials designed to ensure long lasting performance.




Grommets

A selection of open and closed grommets for use in terminating cable through, consumer units, back boxes and junction boxes to prevent damage to the insulation of the cable.



Sleeving

Used to protect bare wires by providing an insulated layer that also identifies the cable based on the colour.





Grommet Strips

Protect your cable from sharp and abrasive edges. These can be fitted to reduce chafing, with an easy to apply fit that doesn't need adhesives for proper application.



Meter Tail Glands

Designed to house incoming cables on a metal consumer unit and provide the ideal solution to house incoming cables requiring entry through a 32mm or 40mm knockout due to their specialist grommet allowing fitment for 25mm² or 16mm² meter tails.



Q-NECT

Lever Connectors & Connection Boxes

Focusing on strong, quick and reliable solutions, the new Q-Nect range offers great versatility for electrical connections. Each product is packed with features which makes your installations quicker and easier.

- Lever Connectors
- IP66 Junction Box
- 2 & 3 Way Connectors
- 3 Way IP68 'T' & Inline Connectors



Earthing Products

Unicrimp's complete earthing system has a consistent design throughout the range, making it adaptable to meet the installers ever changing needs and simplify the overall installation.

Unicrimp® earthing products meet British, European and International standards and all components are manufactured from high quality materials designed to ensure long lasting performance even in the harshest soil conditions.



Q-FIRE

The Complete Fire Range

Don't get caught out by the latest regs! Prevent cables from premature collapse during a fire and keep emergency services and the public safe.

BS7671 IET Wiring Regulations 18th Edition, Chapter 52: Selection and erection of wiring systems, provides requirements for the methods of support of wiring systems in escape routes. Regulation 521.10.202 requires cables to be adequately supported against their premature collapse in the event of a fire. This applies throughout the installation and not just in escape routes.

- Metal Cable Cleats
- Stainless Steel Cable Ties
- Stainless Steel Mounts
- Fire Safe Cable Clips
- Metal Screws
- Saddle Clips & P Clips
- Saddle Bar Spacers
- All Round Banding
- Sealants & Expanding Foam



OB1 Range

User-friendly, hybrid polymer formulation for the ultimate in bonding and sealing. Contains no solvents so will never crack or shrink. Can be applied on wet surfaces, painted or moulded. Very high bond strength with resistance to fungal and bacterial growth.



Conduit Boxes

Part Number	Description	Pack Qty
QCB120G	20mm 1 Way Galvanised Conduit Box	10
QCB125G	25mm 1 Way Galvanised Conduit Box	10
QCB220G	20mm 2 Way Galvanised Conduit Box	10
QCB225G	25mm 2 Way Galvanised Conduit Box	10
QCB320G	20mm 3 Way Tee Galvanised Conduit Box	10
QCB325G	25mm 3 Way Tee Galvanised Conduit Box	10
QCB420G	20mm 4 Way Galvanised Conduit Box	10
QCB425G	25mm 4 Way Galvanised Conduit Box	10
QCBA220G	20mm 2 Way Angle Galvanised Conduit Box	10
QCBA225G	25mm 2 Way Angle Galvanised Conduit Box	10
QCBH420G	20mm 4 Way 'H' Galvanised Conduit Box	10
QCBH425G	25mm 4 Way 'H' Galvanised Conduit Box	10
QCBTA220G	20mm 2 Way Tangent Angle Galvanised Conduit Box	10
QCBTT320G	20mm 3 Way Tangent Tee Galvanised Conduit Box	10
QCBU220G	20mm 2 Way 'U' Galvanised Conduit Box	10
QCBU225G	25mm 2 Way 'U' Galvanised Conduit Box	10
QCBY320G	20mm 3 Way 'Y' Galvanised Conduit Box	10
QCBY325G	25mm 3 Way 'Y' Galvanised Conduit Box	10



Back Outlet Terminals

Part Number	Description	Pack Qty
QBO120G	20mm 1 Way Galvanised Back Outlet Terminal	10
QBO125G	25mm 1 Way Galvanised Back Outlet Terminal	10
QBO220G	20mm 2 Way Galvanised Through Back Outlet	10
QBO225G	25mm 2 Way Galvanised Through Back Outlet	10
QBOA220G	20mm 2 Way Angle Galvanised Back Outlet	10
QBOA225G	25mm 2 Way Angle Galvanised Back Outlet	10



Back Outlets

Part Number	Description	Pack Qty
QBO20G	20mm Galvanised Back Outlet	10
QBO25G	25mm Galvanised Back Outlet	10



Extension Terminals

Part Number	Description	Pack Qty
QET120G	20mm 1W Galvanised Extension Terminal	10
QET220G	20mm 2W Galvanised Through Extension	10
QET320G	20mm 3W Galvanised Extension Tee	10
QETA220G	20mm 2W Angle Galvanised Extension	10



Extension Rings

Part Number	Description	Pack Qty
QER20G	20mm BZP Extensions Ring	10
QER25G	25mm BZP Extensions Ring	10



Loop in Boxes

Part Number	Description	Pack Qty
QLB1G	1 Hole BZP Loop In Box	10
QLB2G	2 Hole BZP Loop In Box	10
QLB3G	3 Hole BZP Loop In Box	10
QLB4G	4 Hole BZP Loop In Box	10



Steel Lids

Part Number	Description	Pack Qty
QHGL	Heavy Gauge BZP Steel Lid	50
QLGL	Light Gauge BZP Steel Lid	100



Conduit Rubber Gasket

Part Number	Description	Pack Qty
QCRG	Conduit Box Rubber Gasket	100



Screwed Metal Hook

Part Number	Description	Pack Qty
QMH20G	Screwed Metal Hook	25



Light Gauge Saddles

Part Number	Description	Pack Qty
QLGS20G	20mm Light Gauge Plain BZP Saddle	100
QLGS25G	25mm Light Gauge Plain BZP Saddle	100



Distance Spacers

Part Number	Description	Pack Qty
QDS20G	20mm BZP/Galvanised Distance Saddle	50
QDS25G	25mm BZP/Galvanised Distance Saddle	50



Dome Covers

Part Number	Description	Pack Qty
QDC20G	20mm BZP Dome Cover	25
QDC25G	25mm BZP Dome Cover	25



Ball and Socket Covers

Part Number	Description	Pack Qty
QBSC20G	20mm Galvanised Ball & Socket Cover	10
QBSC25G	25mm Galvanised Ball & Socket Cover	10



Light Gauge Lock Nuts

Part Number	Description	Pack Qty
QLN20G	20mm BZP Light Gauge Lock Nut	100
QLN25G	25mm BZP Light Gauge Lock Nut	100



Milled Edge Lock Rings

Part Number	Description	Pack Qty
QLR20G	20mm BZP Milled Edge Lockring	100
QLR25G	25mm BZP Milled Edge Lockring	100



Crampets

Part Number	Description	Pack Qty
QCF20G	20mm BZP Flat Crampet	100
QCF25G	25mm BZP Flat Crampet	100
QCT20G	20mm BZP Twisted Crampet	100
QCT25G	25mm BZP Twisted Crampet	100



Adaptors

Part Number	Description	Pack Qty
QFA2034G	20mm Female X 3/4" Male BZP Adaptor	10
QFA3420G	3/4" Female X 20mm Male BZP Adaptor	10



Flange Couplers

Part Number	Description	Pack Qty
QFC20G	20mm BZP Flange Coupler	25
QFC25G	25mm BZP Flange Coupler	25



Earth Couplers

Part Number	Description	Pack Qty
QEC20G	20mm BZP Earth Coupler	100
QEC25G	25mm BZP Earth Coupler	50



Hexagon Reducers

Part Number	Description	Pack Qty
QHR2016G	20-16mm BZP Hexagon Reducer	50
QHR2520G	25-20mm BZP Hexagon Reducer	50
QHR3220G	32-20mm BZP Hexagon Reducer	25
QHR3225G	32-25mm BZP Hexagon Reducer	25



Hexagon Stopping Plugs

Part Number	Description	Pack Qty
QHSP20G	20mm BZP Hexagon Stopping Plug	100
QHSP25G	25mm BZP Hexagon Stopping Plug	50



Inspection Tee

Part Number	Description	Pack Qty
QIT20G	20mm Galvanised Inspection Tee	20
QIT25G	25mm Galvanised Inspection Tee	10



Solid Couplers

Part Number	Description	Pack Qty
QSC20G	20mm BZP Solid Coupler	100
QSC25G	25mm BZP Solid Coupler	50



Solid Elbows

Part Number	Description	Pack Qty
QSE20G	20mm Galvanised Solid Elbow	20
QSE25G	25mm Galvanised Solid Elbow	20



Inspection Elbow

Part Number	Description	Pack Qty
QIE20G	20mm Galvanised Inspection Elbow	20
QIE25G	25mm Galvanised Inspection Elbow	20



Normal Bends

Part Number	Description	Pack Qty
QNB20G	20mm BZP Normal Bend	10
QNB25G	25mm BZP Normal Bend	10



Inspection Bends

Part Number	Description	Pack Qty
QIB20G	20mm Galvanised Inspection Bend	10
QIB25G	25mm Galvanised Inspection Bend	10



Brass Short Pattern Male Bushes

Part Number	Description	Pack Qty
QMSB20	20mm Brass Short Pattern Male Bush	50
QMSB25	25mm Brass Short Pattern Male Bush	50



Brass Slotted Plugs

Part Number	Description	Pack Qty
QSP20	20mm Brass Slotted Plug	50
QSP25	25mm Brass Slotted Plug	50



Brass Stuffing Glands

Part Number	Description	Pack Qty
QTRSG20	20mm T.R.S Brass Stuffing Gland	75
QTRSG25	25mm T.R.S Brass Stuffing Gland	50



Brass Female Bushes

Part Number	Description	Pack Qty
QFB20	20mm Brass Female Bush	50
QFB25	25mm Brass Female Bush	50



Brass Long Pattern Male Bushes

Part Number	Description	Pack Qty
QMLB20	20mm Brass Long Pattern Male Bush	50
QMLB25	25mm Brass Long Pattern Male Bush	50



United Kingdom

UNICRIMP®

Scolmore House, Mariner
Lichfield Road Industrial Estate,
Tamworth, Staffordshire,
B79 7UL

T: +44 (0)1827 300 600
E: sales@unicrimp.com
www.unicrimp.com



Southern Ireland

CLICK® Litehouse

18 Corrig Road,
Sandyford Industrial Estate,
Dublin, D18 WV79, Ireland

T: +353 (1) 2811 122
E: sales@clicklighthouse.ie
www.clicklighthouse.ie



Dubai, UAE

Scolmore®
MIDDLE EAST

Lake Central Tower,
Office 1803, Business Bay,
Dubai, UAE

UAE Office: +971 4589 6552
E: sales@scolmoreme.com
www.scolmoreme.com



**WORLD
LAND
TRUST™**

www.carbonbalancedprint.com
CBP2262