




**NEW PRODUCTS  
2026**







# CONTENTS



## High Leverage Diagonal Cutters

All-round performance: Optimum combination of cutting power, durability and ergonomics

4

## KNIPEX Slim Knips

Comfortable to transport and reaches into deep, confined spaces

6

## Tool Holster

for Slim Knips and Electronic Super Knips

## KNIPEX STX60

Quick stripping of cable sheaths from Ø 30 to 60 mm made of PVC, rubber or PUR by circumferential and longitudinal cuts

8

## KNIPEX Modular X15

Compact tool backpack

10

## KNIPEX PreciForce SAC

Crimping pliers for MC4®/MC4® Evo 2 PV connectors

13

## Set of Mounting Tools

for MC4®/MC4® Evo 2 PV connectors

14

## Tool Case for Photovoltaics

for MC4®/MC4® Evo 2 PV connectors

15

## KNIPEX Four-Mandrel Crimping System Platform

for turned pin and socket contacts

16

## Crimp Guide

18





Available from August 2026

# High Leverage Diagonal Cutters

**20%** **LESS EFFORT**  
required compared to  
the previous model



**NOW ALSO  
AVAILABLE IN  
A 250 mm  
LENGTH**



**74  
01  
250**



**74  
02  
250**



**74  
05  
250**



**74  
06  
250**



**74  
07  
250**

| Part No.                                                                                                 | EAN<br>4003773- | ↔<br>mm |                                                                                                                                                                            | Pliers                | Head          | Handles                                                                                        | Ø mm | Ø mm | Ø mm | g             |
|----------------------------------------------------------------------------------------------------------|-----------------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|---------------|------------------------------------------------------------------------------------------------|------|------|------|---------------|
|  <b>74 01 250</b>      | 034063          | 250     |                                                                                         | black<br>atramentized | polished      | with plastic coating                                                                           | 4.6  | 3.5  | 3.0  | 391           |
|  <b>74 01 250 SB</b>   | 011941          |         |                                                                                                                                                                            |                       |               |                                                                                                |      |      |      | 391           |
|  <b>74 02 250</b>      | 042402          |         |                                                                                                                                                                            | black<br>atramentized | polished      | with comfort handles                                                                           |      |      |      | 437           |
|  <b>74 02 250 SB</b>   | 011958          |         |                                                                                                                                                                            |                       |               |                                                                                                |      |      |      | 437           |
|  <b>74 05 250</b>      | 039754          |         |                                                                                                                                                                            |                       |               |                                                                                                |      |      |      | chrome-plated |
|  <b>74 06 250</b>      | 041955          |         | <br> | chrome-plated         | chrome-plated | insulated with multi-component grips,<br>VDE-tested                                            |      |      |      | 453           |
|  <b>74 06 250 T</b>    | 081500          |         |                                                                                                                                                                            | chrome-plated         | chrome-plated | insulated with multi-component grips<br>with integrated tether attachment point,<br>VDE tested |      |      |      | 465           |
|  <b>74 06 250 T BK</b> | 081852          |         |                                                                                                                                                                            | chrome-plated         | chrome-plated | with dipped insulation, VDE-tested                                                             |      |      |      | 465           |
|  <b>74 07 250</b>      | 018421          |         |                                                                                                                                                                            | chrome-plated         | chrome-plated | with dipped insulation, VDE-tested                                                             |      |      |      | 510           |



# All-round performance: Optimum combination of cutting power, durability and ergonomics

- ▶ Cuts easier than conventional diagonal cutters of the same size thanks to the **high leverage joint**
- ▶ **Optimised:** approx. 20% less effort required compared to the previous model

**NOTICEABLY EASIER CUTTING DUE TO POWER JOINT**

The extreme proximity of the jaws to the pivot point makes it easy to cut hard materials

Redesigned handle shape for better grip

**COMFORT HANDLES**

**For very tough, continuous use**

**Precision cutting edges**  
also induction-hardened (hardness approx. 64 HRC), for all wire types including piano wire

**Also improved:**  
High Leverage Diagonal Cutter 74 200 in **straight and angled versions** – with even more power!

**KNIPEXTEND**

74 05 200/250: With comfort handles made of three ergonomic components for optimised handling and with two KNIPEXTEND interfaces for extensions

Chrom-Vanadin  
cap. Piano Ø 2,5 mm  
74 05 250

Chrom-Vanadin  
cap. Piano Ø 3,0 mm  
74 05 200



Unique design: slim, asymmetrically shaped handles make it easier to hold and guide the pliers in confined spaces

**SHARP,  
SLIM AND  
ALWAYS READY  
TO USE**

# KNIPEX Slim Knips Precision Cutting Pliers

**Comfortable to transport and reaches into deep, confined spaces**

- ▶ **Compact storage, always ready** – with excellent accessibility and lockable cutting edges for transport
- ▶ **For cutting soft materials**, such as electrical cables in the automotive and electrical sectors, also for fine cutting work in electronics and precision engineering



**AVAILABLE FROM JUNE 2026**

| Part No.               | EAN<br>4003773- |                                          |
|------------------------|-----------------|------------------------------------------|
| <b>N</b> 78 09 LE      | 093923          | Tool Holster, empty                      |
| <b>N</b> 78 03 150 V01 | 093893          | Slim Knips (78 03 150) with Tool Holster |
| <b>N</b> 78 61 150 V01 | 093916          | Slim Knips (78 61 150) with Tool Holster |



**Tool Holster 78 09 LE**

Available in a set with KNIPEX Slim Knips or individually, also suitable for Electronic Super Knips:

**78**  
03 / 13 / 23 / 61 / 71 / 81 / 91  
125 + ESD



Precisely shaped tips cut **solid and fine-stranded copper conductors**

**Shear cut with controlled micro cutting edge** offset for the most precise cutting of even the thinnest of wires and for a long service life

The **blue transport lock** serves as a stop when working on cable ties and allows tightening of the cable tie **without cutting** due to slightly opened blades

With **opening spring** for comfortable and repetitive use

Handles made of **impact-resistant plastic**

**MANAGE CABLE TIES WITHOUT CHANGING TOOLS**

Convenient tightening

Flush cutting

Large opening width for cutting

**00 18 01 V60 LE**  
KNIPEX Slim Knips counter display, empty, for 8 Slim Knips or optionally in a set with tool holster. For impulse purchasing decisions, e.g. in the checkout area

**KNIPLEX Slim Knips**  
KNIPEX Quality - Made in Germany

| Part No.                                                                                                | EAN 4003773- | ↔ mm |                                                                                     | Material             | Head      |  mm |  Ø mm |  mm <sup>2</sup> |
|---------------------------------------------------------------------------------------------------------|--------------|------|-------------------------------------------------------------------------------------|----------------------|-----------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
|  <b>78 03 150</b>    | 093824       | 150  |  | INOX stainless steel | polished  | max. 7.6                                                                                 | 1.3                                                                                        | 4                                                                                                     |
|  <b>78 03 150 SB</b> | 093886       |      |                                                                                     |                      |           |                                                                                          |                                                                                            |                                                                                                       |
|  <b>78 61 150</b>    | 093831       | 150  |  | tool steel           | burnished | max. 7.6                                                                                 | 1.6                                                                                        | 4                                                                                                     |
|  <b>78 61 150 SB</b> | 093909       |      |                                                                                     |                      |           |                                                                                          |                                                                                            |                                                                                                       |





# KNIPEX STX60 Stripping Tool

**Quick stripping of cable sheaths from Ø 30 to 60 mm made of PVC, rubber or PUR by circumferential and longitudinal cuts**

Versatile – ideal for industrial, PV and wind power plants, shipbuilding and mobile power supply

## ADJUST




Precision blade with adjustable cutting depth up to 6.5 mm for precise cutting results; even with tough insulation such as rubber hose cables (H07RN-F)

## PUSH



Quick adjustment allows easy pushing with just a push of your thumb

## CIRCULAR CUT



Clean, spiral-free cut due to a precise blade and high-quality guide rollers



**FOR HARD  
AND TOUGH  
CABLE SHEATHS  
Ø 30 – 60 mm**

**Completely retractable  
blade** – protected during  
storage and transport



**Non-slip drive roller** for  
operation with mechanical  
ratchet



**Movable guide rollers**  
for easier, precise  
longitudinal and  
circumferential cuts

**Robust housing**  
made of high-quality  
die-cast aluminium and  
innovative design for a  
long service life



Easy handling with quick change between  
cable diameters of 30 to 60 mm due to  
**quick adjustment and fine adjustment  
via rotary knob**



**Two spare blades**  
stored in the handle –  
always at hand for  
uninterrupted work

16 45 220

#### LONGITUDINAL CUT



**Two mechanisms for  
longitudinal cut:**

#### WITH PULLING AID



manually with blue fold-out  
pulling aid or ...

#### WITH RATCHET\*



with mechanical ratchet\*  
for effortless feed

| Part No.               | EAN    | ↔<br>mm                                         | Cutting capacity<br>Ø mm | max. wall<br>thickness mm | ⚖<br>g |
|------------------------|--------|-------------------------------------------------|--------------------------|---------------------------|--------|
| <b>N 16 45 220</b>     | 093060 | 225                                             | 30 – 60                  | 6.5                       | 600    |
| <b>N 16 45 220 E01</b> | 093657 | 4 x replacement blades for STX60 Stripping Tool |                          |                           |        |

\*Ratchet not included



# KNIPEX Modular X15

## Compact tool backpack

Lightweight model with high load capacity and quick tool access





**58**  
FASTENING  
OPTIONS



### 21 POCKETS

#### OUTSIDE:

3 side pockets

#### INSIDE:

- 14 tool pouches
- 1 laptop compartment
- 1 document compartment
- 1 zip compartment
- 1 open compartment



### 37 RETENTION STRAPS

#### OUTSIDE:

- 1 FIDLOCK® magnetic closure with retaining strap
- 12 retaining straps with 2 rigid MOLLE straps
- 2 retaining straps

#### INSIDE:

- 12 retaining straps with 2 flexible MOLLE straps
- 10 retaining straps for tools



#### Optional accessories

00 19 50 LE: Module bag, empty  
00 21 50 V01: Module adapter, 4-piece



**NEW**



00 21 51 LE

00 21 50 LE

#### Modular X15

Volume  
**19 litres**

Dimensions  
**485 x 340 x 210 mm**

Load capacity  
**15 kg**

Fastening options  
**58**

Part No.:  
**00 21 51 LE**  
EAN:  
4003773093671

#### Modular X18

Volume  
**21.5 litres**

Dimensions  
**530 x 340 x 210 mm**

Load capacity  
**18 kg**

Fastening options  
**103**

Part No.:  
**00 21 50 LE**  
EAN:  
4003773089056

Also available in sets with tools –  
see page 12



# The NEW KNIPEX MODULAR X15 – also available with Plumbing or Electrical equipment



24 PARTS



27 PARTS

## MODULAR X15 PLUMBING ESSENTIALS

00 21 51 HK S

Equipped with 6 KNIPEX tools,  
a total of 24 brand tools,  
partly VDE-tested according to DIN EN 60900



87 01 180  
KNIPEX Cobra®



87 01 250  
KNIPEX Cobra®



70 06 160  
Diagonal Cutter



86 03 250  
Pliers Wrench



90 31 02 BK  
KNIPEX TubiX®



90 22 10 BK  
KNIPEX BiX



## MODULAR X15 ELECTRICAL ESSENTIALS

00 21 51 HL S

Equipped with 9 KNIPEX tools,  
a total of 27 brand tools,  
partly VDE-tested according to DIN EN 60900



03 06 180  
Combination Pliers



26 16 200  
Snipe Nose Side  
Cutting Pliers



11 06 160  
Insulation Stripper



70 06 160  
Diagonal Cutter



98 52  
Cable Knife



16 20 165  
Stripping Tool



16 95 01 SB  
KNIPEX ErgoStrip®



00 11 06 V03  
Control Cabinet Key  
Double-Joint



90 22 10 BK  
KNIPEX BiX



High-quality brand tools from








# KNIPEX PreciForce SAC

**Cut, strip, crimp: just one pair of pliers for working on conductors for MC4® and MC4® Evo 2 PV plug type connectors**

Good handling due to comfortable handle position, low weight and short design

FOR  
6 mm<sup>2</sup>



MC4® 

MC4® Evo 2 

| Part No.                                                                                          | EAN 4003773- | ↔ mm |                                                                                     | Pliers    | Handles                      | Capacity mm <sup>2</sup> | AWG | ⚖ g |
|---------------------------------------------------------------------------------------------------|--------------|------|-------------------------------------------------------------------------------------|-----------|------------------------------|--------------------------|-----|-----|
|  97 52 42 6    | 093749       | 220  |  | burnished | with multi-component handles | 6                        | 10  | 440 |
|  97 52 42 6 SB | 093756       |      |                                                                                     |           |                              |                          |     |     |

Crimping die is not interchangeable





2 IN 1


TIGHTEN



UNLOCK


# Set of Mounting Tools for MC4® / MC4® Evo 2 PV plug type connectors

For **tightening** the housing screw connection  
and **unlocking** the plug connection



**Compact design:** Set of two assembly tools with integrated magnets ensure that the two keys are held firmly together without screws or clamps

**Easy handling:**  
quick coupling for transport, easy to detach at any time



Tool body made of robust, glass fibre-reinforced plastic

97 49 66 3

| Part No.            | EAN            | ↔<br>mm | ⚖<br>g |
|---------------------|----------------|---------|--------|
| <b>N</b> 97 49 66 3 | 4003773-093787 | 107     | 66     |





97 91 04 V03

# Tool Case for Photovoltaics

## for MC4® / MC4® Evo 2 PV plug type connectors

Perfect for the photovoltaic industry: Impact-resistant plastic case equipped with high-quality tools for processing MC4® and MC4® Evo 2 PV plug type connectors

**CONTENTS: 5 PIECES**



**Crimp System Pliers**  
97 43 66 EVO: specially modified crimping pliers for plug type connectors up to 10 mm<sup>2</sup> – crimping pressure is precisely set (calibrated) at the factory



**Precision Insulation Stripper**  
12 12 12 (4.0/6.0/10.0 mm<sup>2</sup>) with customised blades



**Cable Shears**  
95 16 165 for copper cable up to Ø 15 mm



**Set of Mounting Tools**  
97 49 66 3 (see page 14)



**Locator**  
97 49 71 1 for processing PV connectors of the MC4® series

**Foam tray with recesses**  
for precise tool storage, for 2 crimping dies and 2 contact locators

| Part No.     | EAN            | Dimensions                       | Weight    |
|--------------|----------------|----------------------------------|-----------|
| 97 91 04 V03 | 4003773-093947 | (W x H x D) mm<br>345 x 80 x 280 | g<br>2200 |



# **KNIPEX Four-Mandrel Crimping System Platform**

**for turned pin and socket contacts**

- ▶ **Best KNIPEX quality for the best contacts:** the most comprehensive range of high-quality four-mandrel crimping pliers and precision contact locators on the market
- ▶ For hundreds of contact types in industrial applications, mechanical engineering and construction machinery: from TE Electronics, Harting, Phoenix Contact and many more!

1

SELECT PLIERS

Capacity 0.14–6.0 mm<sup>2</sup>



97 52 65 DG A



97 52 65 A

Capacity 0.08–2.5 mm<sup>2</sup>



97 52 63 A

DG variants with digital display  
and electronic wear monitoring  
(patented) with warning function

NEW

Crimp mandrel feed adjustable  
in steps of 0.01 mm using the  
adjusting wheel

Process-secure and consistently  
high crimp quality due to  
IEC 60352-compliant trigger lock  
(positive lock, can be unlocked)

High operation comfort  
due to **handle shape**

## CONTENTS

Pliers in plastic case with foam tray,  
gauge pin for checking the basic  
setting and slots for up to 3 optional  
locators from the 97 59 63/65 xxx series



97 52 63 DG A

| Part No.               | EAN<br>4003773- | ↔<br>mm | Capacity<br>mm <sup>2</sup> | ⚖<br>g |
|------------------------|-----------------|---------|-----------------------------|--------|
| <b>N</b> 97 52 63 A    | 093565          | 180     | 0.08–2.5                    | 365    |
| <b>N</b> 97 52 63 DG A | 093572          | 195     |                             | 380    |
| 97 52 65 A             | 071594          | 230     | 0.14–6.0                    | 604    |
| 97 52 65 DG A          | 071990          | 240     |                             | 633    |

## 2

### SELECT LOCATORS

for 97 52 63 A/DG A (0.08–2.5 mm<sup>2</sup>)



| Part No.              | EAN 4003773- | Plug connector series from |
|-----------------------|--------------|----------------------------|
| <b>N</b> 97 59 63 HU1 | 093404       | Hummel / Harting           |
| <b>N</b> 97 59 63 PC1 | 093411       | Phoenix Contact            |
| <b>N</b> 97 59 63 PC2 | 093428       | Phoenix Contact            |
| <b>N</b> 97 59 63 PC3 | 093435       | Phoenix Contact            |
| <b>N</b> 97 59 63 PC4 | 093459       | Phoenix Contact            |
| <b>N</b> 97 59 63 HA1 | 093466       | Harting                    |
| <b>N</b> 97 59 63 TE1 | 093473       | TE (Intercontec)           |
| <b>N</b> 97 59 63 TE2 | 093480       | TE (Intercontec)           |

for 97 52 65 A/DG A (0.14–6.0 mm<sup>2</sup>)



| Part No.              | EAN 4003773- | Plug connector series from |
|-----------------------|--------------|----------------------------|
| <b>N</b> 97 59 65 HU1 | 093497       | Hummel                     |
| <b>N</b> 97 59 65 PC1 | 093503       | Phoenix Contact            |
| <b>N</b> 97 59 65 IL1 | 093510       | Ilme                       |
| <b>N</b> 97 59 65 DT1 | 093527       | TE (Deutsch)               |
| <b>N</b> 97 59 65 HA1 | 093534       | Harting                    |
| <b>N</b> 97 59 65 TE1 | 093541       | TE (Intercontec)           |
| <b>N</b> 97 59 65 TE2 | 093558       | TE (Intercontec)           |




The application range of the crimping pliers **can be adapted to the connectors of all major manufacturers by replacing the locators!** Find the right locator with our **crimp advisor** (see also p. 18)

## 3

### ONLINE: CHECK SETTINGS TABLE



Scan the QR code for details on contact series, see [www.knipex.com/settings-closed-turned-contacts](http://www.knipex.com/settings-closed-turned-contacts)



With two hex keys, the locators can be **installed or replaced in a matter of seconds**




The appropriate conductor cross-sections can be set by pulling and turning the **spring-loaded coupling**

## 4

### RESULT

Crimps over **1,000** connector types and sizes!





Perfect crimping made easy:

# The KNIPEX Crimp Advisor

Your guide through the maze of connectors and contacts – for the best connections


1

SELECT CRIMP CONTACT



2

SPECIFY DETAILS



3

RECEIVE PRODUCT RECOMMENDATION



Scan the QR code with your mobile phone or tablet,  
or visit the KNIPEX website on your PC:

[www.knipex.com/product-assistant-crimping-pliers](http://www.knipex.com/product-assistant-crimping-pliers)





**Also optimised  
for mobile use**



## LEGEND

|                                                                                       |                                                                             |
|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
|    | New                                                                         |
|    | Reworked                                                                    |
|    | Photovoltaics                                                               |
|    | Pockets                                                                     |
|    | Retaining straps                                                            |
|    | Laptop up to 15"                                                            |
|    | Waterproof                                                                  |
|    | Weight                                                                      |
|    | Length                                                                      |
|    | Cable tie                                                                   |
|  | Fine-stranded Cu/Al cable                                                   |
|  | Soft wire                                                                   |
|  | Medium-hard wire                                                            |
|  | Hard wire                                                                   |
|  | Piano wire                                                                  |
|  | F-Crimp                                                                     |
|  | Insulated according to IEC 60900, usable up to 1000 V AC / 1500 V DC        |
|  | VDE tested, also in compliance with GPSG (Equipment and Product Safety Act) |
|  | With opening spring                                                         |
|  | Cutting edges without bevel                                                 |
|  | Cutting edges with bevel                                                    |

### REGISTERED TRADEMARKS OF THE COMPANIES

|          |                                  |
|----------|----------------------------------|
| MC4®     | Stäubli Electrical Connectors AG |
| FIDLOCK® | Fidlock GmbH                     |





**[www.knipex.com](http://www.knipex.com)**

**Copyright 2026**

All rights reserved. Reprinting, duplication and translation are permitted only with our express, written consent. The KNIPEX-Werk C. Gustav Putsch KG works continuously to further develop all its tools. These tools are subject to technical modifications at any time. Consequently published details, illustrations, descriptions and dimensions are not binding. All rights are reserved for misprints and errors.

All product names, logos and brands are the property of their respective owners.



**KNIPEX-Werk**  
**C. Gustav Putsch KG**

42337 Wuppertal  
Germany

Tel.: +49 202 47 94-0  
Fax: +49 202 47 74 94

[info@knipex.com](mailto:info@knipex.com)  
[www.knipex.com](http://www.knipex.com)



Follow us on social media



Our app for your favourite tools

Google Play



App Store

