

Brother's labelling range

for electrical and network
installation professionals

P-touch
E560BT



MARK OF A SMART
PROFESSIONAL

The Pro Label Tool app¹

Speed up labelling on site



Quickly and easily design wiring regs compliant labels on your phone or tablet with the Pro Label Tool app, featuring a wide range of templates, including consumer unit labels and caution signs.

Download now >



How to videos

Step-by-step guides for P-touch E-Series label printers¹

Take your labelling to the next level with our easy-to-follow video tutorials and detailed guides. Whether you're on-site or in the workshop, these resources will help you:

- ✓ Master key features of the PT-E series
- ✓ Speed up on-site labelling with quick label keys, and save templates for effortless reuse
- ✓ Use Brother's Pro Label Tool app to design labels on your smart devices
- ✓ Access ready-to-print templates for the most common applications

Start leaving the mark of a smart professional, scan the QR code to access the videos today >



¹Not suitable for PT-E110

Discover Brother's labelling range



Labelling kit	PT-E920BT	PT-E720BT
Contents	No kit option Label printer PT-E920BT , includes USB cable, and Pro Tape TZe-S661	No kit option Label printer PT-E720BT , includes USB cable, and Pro Tape TZe-S651
Tape width compatibility	6mm, 9mm, 12mm, 18mm, 24mm, 36mm	6mm, 9mm, 12mm, 18mm, 24mm

Perfect for:

Professional electricians	×	✓
Network installers/data telecoms engineers	✓	×
DIY/home users	×	×

Tape type compatibility:

TZe Strong adhesive laminated/TZe Flexible ID laminated	✓	✓
TZe Security	✓	✓
HSe Heat shrink tube	×	×
TZe Self-laminating	✓	✓
FLe Flag	✓	×

Specification:

Cutter	Auto (full and half)	Auto (full)
Connectivity	Bluetooth, USB-C	Bluetooth, USB (Micro-B)
Support P-touch Editor (FREE advance design software)		✓
Support Pro Label Tool (FREE design and print labels app)		✓
Label template keys	×	
Battery	Li-ion rechargeable battery	Built-in Li-ion rechargeable battery
Warranty	3-year warranty — Gives	

Designed with electricians and network/data engineers in mind, the Brother PT-E series offers industry-specific functions and quick application keys to produce durable labels on-site.



PT-E560BTVP

Label printer **PT-E560BT**, carry case, battery, USB-C cable, Pro Tape TZe-FX231 and TZe-S651

6mm, 9mm, 12mm, 18mm, 24mm



PT-E310BTVP

Label printer **PT-E310BT**, carry case, battery, USB-C cable and Pro Tape TZe-S641

6mm, 9mm, 12mm, 18mm



PT-E110VP

Label printer **PT-E110**, carry case, AC adaptor and Pro Tape TZe-FX221

6mm, 9mm, 12mm

✓

✓

×

✓

×

×

×

×

✓

✓

✓

✓

✓

✓

×

✓

✓

×

✓

×

×

×

×

×

Auto (full and half)

Manual (industrial strength)

Manual

Bluetooth, USB-C

Bluetooth, USB-C

×



×



×

General, faceplate, cable wrap, cable flag, patch panel, punch block, heat shrink tube, advanced serialisation

General, faceplate, cable wrap, cable flag

Li-ion rechargeable battery

Li-ion rechargeable battery

6 x AAA alkaline batteries (not included) or AC adaptor


: customers peace of mind and reduces your post-sale costs

Wiring regulations compliance

Our range of electrical label printers and supplies help ensure compliance with the identification requirements of IET Wiring Regulations.

Wiring regulation	Summary	PT-E560BT/ PT-E720BT	PT-E310BT	Tape recommended ²
514.8.1 Identification of a protective device	Clear identification of protective devices	✓	✓	Black on White Strong Adhesive 9/12/18mm
514.10.1 Voltage warning	Warning notice where terminals/ fixed live parts exceed 230v (where voltage would not normally be expected)	✓	✗	Black on Yellow 24mm
514.11.1 Isolation	Identification of live parts not capable of being isolated by a single device	✓	✓	Black on Yellow 18/24mm
514.12.1 Periodic inspection and testing	Details of inspection and recommended re-inspection date	✓	✗	Black on White 24mm
712.514 PV isolation warning	Clear identification of DC and AC isolators and throughout length of PV cable	✓	✓	Black on White 18/24mm

²24mm tapes are not suitable for PT-E310BT



The Pro Tape range

Widths and colours

| 6mm | 9mm | 12mm | 18mm⁵ | 24mm⁶ | 36mm⁷



A TZe Strong adhesive laminated - 8mm

Black on white	TZe-S211	TZe-S221	TZe-S231	TZe-S241	TZe-S251	TZe-S261
Black on transparent		TZe-S121	TZe-S131	TZe-S141	TZe-S151	
Black on yellow		TZe-S621	TZe-S631	TZe-S641	TZe-S651	

B TZe Flexible ID laminated - 8mm



Black on white	TZe-FX211	TZe-FX221	TZe-FX231	TZe-FX241	TZe-FX251	TZe-FX261
Black on yellow	TZe-FX611	TZe-FX621	TZe-FX631	TZe-FX641	TZe-FX651	TZe-FX661

C TZe Self-laminating - 8mm



Black on white					TZe-SL251	TZe-SL261
Black on yellow					TZe-SL651	TZe-SL661

D TZe Security laminated - 8mm



Black on white					TZe-SE4	TZe-SE5
----------------	--	--	--	--	---------	---------

E FLe Flag (die-cut) - 72 labels

45mm x 21mm when printed.
45mm x 10.5mm once applied⁷

Black on white	FLe-2511
Black on yellow	FLe-6511
Black on green	FLe-7511

F HSe Heat shrink tube - 1.5mm

5.2mm⁸ | 9.0mm⁸ | 11.2mm⁸ | 21.0mm⁹

Black on white	HSe-211E	HSe-221E	HSe-231E	HSe-251E
Black on yellow	HSe-611E	HSe-621E	HSe-631E	HSe-651E



⁸Not suitable for PT-E110

⁹Not suitable for PT-E110 and PT-E310BT

⁷Suitable for PT-E920BT only

⁶Suitable for PT-E310BT and PT-E560BT only

⁵Suitable for PT-E560BT only





Industrial-grade labels for the trade professionals

Brother P-touch laminated labels have been built to last, wherever you use them, they'll never let you down.

		Recommended labeller ³		
Label use	Recommended Pro Tapes	PT-E920BT	PT-E560BT/ PT-E720BT	PT-E310BT
Face plate and patch panel/ports	TZe Strong adhesive laminated	✓	✓	✓
Cable wrap and flag/networking or fiber optic cables identification	HSe Heat shrink tube	✗	✓ ⁴ (PT-E560BT only)	✓
	TZe Flexible ID laminated	✓	✓	✓
	FLe Flag (die-cut)	✓	✗	✗
	TZe Self-laminating	✓	✓	✗
Consumer unit	TZe Strong adhesive laminated	✓	✓	✓
Warning and danger signage	TZe Strong adhesive laminated	✓	✓	✓
PAT test and inspection notice	TZe Strong adhesive laminated	✓	✓	✗
Contact details	TZe Strong adhesive laminated, TZe Flexible ID laminated	✓	✓	✓

³Please check the maximum print width of each model to choose the best fit for your labels

⁴PT-E560BT only





Brother UK Ltd.

Shepley Street, Audenshaw,
Manchester, M34 5JD.

Tel: +44 (0) 333 777 4444

brother.co.uk/electrician

All specifications correct at the time of printing (December 2025) and are subject to change.

Brother is a registered trademark of Brother Industries Ltd.

Brand product names are registered trademarks or trademarks of their respective companies. CD4771