KNIPEX®



NEW PRODUCTS

2026 I Autumn


70 02 180

10


KNIPEX
12 12 15
6 - 16 mm²

13



12


KNIPEX Quality – Made in Germany

13



14

CONTENTS

KNIPEX TwinGrip XS 4
Compact front and side gripping pliers:
100 mm of pure power

Cable Shears 6
Optimised for professionals: with high cutting capacity,
for a clean cut without crushing the cables

KNIPEX ErgoStrip® XL 8
Universal stripping tool for
large cable diameters

KNIPEXTEND
SpringLock Clip 10
Opening spring for many pliers
with comfort handles

KNIPEX BiX CT56 12
Pipe cutter for plastic pipes
and corrugated pipes

Precision Insulation Stripper 13
High-precision stripping of large conductor
cross-sections with form-fitting blades

KNIPEX Modular X18 Mechanics 13
For professional service
technicians and mechanics on site

Tool sets in foam inserts 14
Organised storage
in a workshop trolley



Available from November 2026

KNIPEX TwinGrip XS

**SMALL.
COMPACT.
POWERFUL.**









Compact front and side gripping pliers

- **Optimal accessibility in the tightest of spaces** due to a size of just 100 mm and a very slim head
- **Grip, tighten and loosen** worn screws, bolts and small workpieces due to the front and side gripping functions
- **Fast and efficient working** without having to reposition your grip, due to the slim rotation zone
- **Consistently secure gripping** due to high wear resistance, achieved through gripping surfaces with specially hardened teeth; tooth hardness approx. 61 HRC



Front jaw design grips even the toughest stripped screws

VERSATILE GRIPPING OPTIONS




Reliable gripping from the front and side, **even in confined spaces**



Front grip for diameters 2–12 mm



Side gripping for round diameters up to 12 mm and hex up to 10 mm



Flat workpieces with three-point contact up to 7 mm thick



Durable and robust, with ergonomic handles **featuring a textured surface for a secure grip**

Part no.	EAN 4003773-	↔ mm	Pliers	Head	Handles	Adjustment positions	Ø inches	Ø mm	inches	mm	Flat material mm	g
							Front					
N 82 00 100	094333	100	burnished	polished		2	0.08–1/2	2–12	3/8	10	7	58
							Side					
							1/2	12	3/8	10		



Cable Shears




Part no.	EAN 4003773-	◂—▸ mm	Tool	Handles	Ø mm	mm²	AWG	g
95 11 165	040323	165	black atramentized		16	50	1 / 0	199
95 11 165 SB	031253							247
95 12 165	029182							247
95 12 165 SB	079446		chrome-plated					249
95 16 165	039648							201
95 16 165 SB	030263							242
95 16 165 T	081524		black atramentized					250
95 21 165	069805							
95 21 165 SB	070122							
95 22 165	069812							
95 26 165	069980		chrome-plated					
95 26 165 SB	070139							

Not suitable for steel wire and hard drawn copper conductors

Improved version:
with high cutting capacity, for a smooth cut without crushing the cables

- Minimal effort required and easy one-handed cutting due to **optimised joint and blade design**
- Designed for **easy use and less effort** for repetitive cutting – even for those with small hands




Slimmer head for better accessibility in tight places

Adjustable screw joint for smooth and precise operation


Minimised risk of pinching due to concealed closing stop



95 **21**/**22**/**26** 165: Comfortable operation due to the **opening spring**, **lock** for secure transport




95 16 165



Long service life due to laser-hardened cutting edges

IMPROVED JOINT AND BLADE DESIGN




Handle sleeves are closer to joint, allowing wider jaw opening for easier insertion of cable while maintaining the same hand position




KNIPEX
ErgoStrip® XL

Universal stripping tool for large cable diameters

- **Quick and precise stripping** and insulation removal from standardised round cables with Ø 12–28 mm due to fixed blades, ideal for e.g. NYM or NYY
- **Multifunctional tool** for circumferential and longitudinal cuts, breaking open the sheath and stripping individual conductors
- **For larger residential and industrial installations,** such as supply cables to distribution boards, sub-distribution boards, wall boxes or inverters



LONGITUDINAL CUT




Precise alignment of the longitudinal cutting blade using positioning marks




CIRCUMFERENTIAL CUT

Three blades reduce wrist rotation and enable precise guidance



16 95 11


SPLITTING



Splitting aid easily opens the cut cable sheath

STRIPPING





Stripping holes from 2.5 to 25 mm², with location ridges for easy insertion of individual conductors



Integrated scales for consistently accurate stripping lengths

Part no.	EAN 4003773-	↔ mm		Stripping capacity for round cables mm	Stripping capacity for conductors and stranded wires mm²	⚖ g
N **16 95 11**	093992	124		Ø 12 – 28	2.5 / 4 / 6 / 10 / 16 / 25	64




EASY TO RETROFIT TO IMPROVE COMFORT DURING FREQUENT USE

KNIPEXTEND

SpringLock Clip

Opening spring for many pliers with KNIPEXtend Comfort Handles



Part no.	EAN 4003773-	⚖ g
N 00 64 01 F V01	094319	6

You can find all compatible pliers here:

KNIPEXTEND

The interfaces for greater comfort!

This innovative interface at the end of the pliers' handle on our comfort handles offers a wide range of options, such as customisation using ColorCode Clips (CCCs) or the use of TetheredTool Clips (TTCs), which turn any pair of pliers into a TT variant with a fall arrest or safety feature.


KNIPEX COMFORT HANDLES FOR OPTIMISED HANDLING



Personalise your tools: KNIPEX ColorCode Clip

KNIPEX ColorCode Clips in 10 different colours







Our solution for fall protection: KNIPEX TetheredTool Clip





Complies with the ANSI/ISEA 121-2023 standard

ANSI = **A**merican **N**ational **S**tandards **I**nstitute
ISEA = **I**nternational **S**afety **E**quipment **A**ssociation

14 SETS




00 61 10 CY* | 00 61 10 C V01 | 00 62 10 TR | 00 63 06 TCR


More details on all options and handles

* Examples of single-colour sets



WITH NEW CUTTING INSERT, SUITABLE FOR Ø 56 mm






For corrugated pipes with fine and coarse corrugation profiles

KNIPEX BiX CT56

Pipe cutter for plastic and corrugated pipes

- **Cuts many common corrugated pipes on the outer corrugation** using a removable cutting insert – without damaging the cables inside
- **Locking mechanism** for safe transport
- **Two spare blades** integrated into the tool
- Removable **blue cutting insert is available separately** to convert the KNIPEX BiX 90 22 10 BK to a corrugated pipe cutter



90 22 10 BK



Corrugated pipe cutting insert is removable; when removed, the tool is suitable **for rigid plastic pipes and sealing sleeves** (KNIPEX BiX 90 22 10 BK)

	Part no.	EAN 4003773-	Cutting specifications: Rigid pipe Ø mm	Corrugated pipe Ø mm	Max. corrugation width mm	⚖ g
N	**90 22 10 V01**	094364	20 – 56	19 – 56	4.7	113
N	**90 22 10 E03**	094371	Corrugated pipe cutting insert for 90 22 10 BK / 90 22 10 V01			

Not suitable for slotted or multi-layer corrugated tubing

Precision Insulation Stripper

Perfect for demanding applications: high-precision stripping of large conductor cross-sections with form-fitting blades

Two high-quality pairs of blades cut the insulation evenly around the entire circumference – for a perfect and clean stripping result



For PVC-insulated cables 6 / 10 / 16 mm²



Consistently repeatable stripping lengths: adjustable length stop (5–20 mm) made of glass fibre reinforced plastic, with screw fastening for a reliable and precise fit on the bolt



Interchangeable form-fit blades precisely matched to the respective conductor cross-section



The cable insulation remains free from pressure marks, ensuring **optimum functionality**

Part no.	EAN 4003773-	mm	Stripping values mm²	Stripping values AWG	Insulation types PTFE	Kapton®-film	FEP	PVC	PO (PV cables)
12 12 02	048077	195	0.09 / 0.14 / 0.38 / 0.57 / 1 / 1.5 / 2.08		✓				
12 12 06	049005		0.25 / 0.75 / 1.5 / 2.5 / 4 / 6		✓				
12 12 10	049012		2.5 / 4 / 6 / 10				✓		
12 12 11	062998		1.5 / 2.5 / 4 / 6	16 / 14 / 12 / 10					✓
12 12 12	073758		4 / 6 / 10						✓
12 12 13	077534			20 / 18 / 16 / 14 / 12 / 10	✓	✓			
12 12 14	077541			26 / 24 / 22 / 20 / 18 / 16	✓				
N **12 12 15**	094128		6 / 10 / 16					✓	

KNIPEX Modular X18 Mechanic

For professional service technicians and mechanics on site: a large tool backpack with high load-bearing capacity and maximum organisation for quick access, equipped with 9 KNIPEX tools and a total of 55 branded tools.

Part no.	EAN 4003773-	Max. load kg	Capacity (l)	⚖ g
N **00 21 50 M**	094463	18	21.5	6,683



55 PIECES



High-quality branded tools from KNIPEX Wera STABILA

Further information on the KNIPEX Modular X18




QUICK ACCESS AND PROTECTED STORAGE

Tool sets in foam inserts

Organised storage in a workshop trolley

- **Greater organisation and quicker access:** foam insert for workbenches and workshop trolleys with precisely machined recesses for the safe and organised storage of your pliers
- **The foam insert, milled to fit perfectly,** ensures secure storage even when the workshop trolley is being moved and allows you to quickly check that everything is present
- Dimensions of the foam insert (W x H x D): 335 x 33 x 165 mm



KNIPEX Pliers Set “VDE Chrom I”

00 20 01 V20
70 06 160 | Diagonal Cutter | 160 mm
13 86 200 | Pliers for Electrical Installation | 200 mm
03 06 180 | Combination Pliers | 180 mm
26 16 200 | Snipe Nose Side Cutting Pliers | 200 mm

EAN: **4003773094395**



KNIPEX Pliers Set “VDE Chrom II”

00 20 01 V21
70 06 160 | Diagonal Cutter | 160 mm
03 06 180 | Combination Pliers | 180 mm
26 16 200 | Snipe Nose Side Cutting Pliers | 200 mm
87 26 250 | KNIPEX Cobra® VDE | 250 mm

EAN: **4003773094401**



KNIPEX Cobra® Set

00 20 01 V23
87 01 125 | KNIPEX Cobra® | 125 mm
87 01 180 | KNIPEX Cobra® | 180 mm
87 01 250 | KNIPEX Cobra® | 250 mm
87 01 300 | KNIPEX Cobra® | 300 mm


EAN: **4003773094418**



KNIPEX Pliers Wrench Set

00 20 01 V24
86 04 100 | KNIPEX Pliers Wrench XS | 100 mm
86 03 125 | KNIPEX Pliers Wrench | 125 mm
86 03 150 | KNIPEX Pliers Wrench | 150 mm
86 03 180 | KNIPEX Pliers Wrench | 180 mm
86 03 250 | KNIPEX Pliers Wrench | 250 mm

EAN: **4003773094425**



KNIPEX Pliers Set “Basic II”

00 20 01 V25
87 01 250 | KNIPEX Cobra® | 250 mm
25 02 160 | Snipe Nose Side Cutting Pliers | 160 mm
70 02 160 | Diagonal Cutter | 160 mm
82 01 200 | KNIPEX TwinGrip | 200 mm

EAN: **4003773094432**



KNIPEX Pliers Set “Bestseller”

00 20 01 V26
87 01 250 | KNIPEX Cobra® | 250 mm
70 02 160 | Diagonal Cutter | 160 mm
03 02 180 | Combination Pliers | 180 mm

EAN: **4003773094449**

www.knipex.com

Key

N	New		Embossed, rough surface		Round
	Improved		Handles plastic-coated		Hexagonal
	Weight		Handles insulated with multi-component grips, VDE-tested		Cu + Al multi-conductor cables, solid and stranded
	Length		Handles insulated with multi-component grips with integrated tether attachment point, VDE tested		With opening spring
			Comfort handles		

Copyright 2026

All rights reserved. Reprints, reproductions and translations are permitted only with our written authorisation. KNIPEX-Werk C. Gustav Putsch KG is constantly working on the further development of all its tools. Technical changes are possible at any time due to product modifications and further developments. No claims may therefore be derived from the published information, illustrations, descriptions and dimensions. No liability is accepted for printing errors or mistakes.

All product names, logos and trademarks are the property of their respective owners.

FSC www.fsc.org MIX Paper | Supporting responsible forestry FSC® C006990

KNIPEX-Werk
C. Gustav Putsch KG

42337 Wuppertal
Germany

Tel.: +49 202 47 94-0
Fax: +49 202 47 74 94

info@knipex.com
www.knipex.com

Follow us on social media

Google Play App Store

Our app for your favourite tools

L201 00077 EN-08|08.26|6.500